

DURHAM YORK ENERGY CENTRE

COURTICE, ONTARIO

2024 Q1 AMBIENT AIR QUALITY MONITORING REPORT

RWDI #2400035

May 2, 2024

SUBMITTED TO

**The Director, Legislative Services-
Regional Clerk or Designate**

The Regional Municipality of Durham

605 Rossland Road East, 1st Floor
Corporate Services-Legislative Services
Division
Whitby, ON L1N 6A3

CC:

Lipika Saha
Lipika.Saha@durham.ca

Lyndsay Waller

Lyndsay.Waller@durham.ca

Andrew Evans

Andrew.Evans@durham.ca

SUBMITTED BY

Maja Bokara, PGCert, EP
Project Manager
Maja.Bokara@rwdi.com

RWDI AIR Inc.

Consulting Engineers & Scientists

600 Southgate Drive
Guelph, ON N1G 4P6
T: 519.823.1311
F: 519.823.1316



TABLE OF CONTENTS

1	INTRODUCTION	1
1.1	Sampling Locations	2
2	SAMPLING METHODOLOGY.....	3
2.1	Nitrogen Oxide Analyzers.....	3
2.2	Sulphur Dioxide Analyzers.....	4
2.3	SHARP 5030 PM _{2.5} Analyzers	5
2.4	TSP High Volume Air Samplers	5
2.5	Polyurethane Foam Samplers.....	6
2.6	Meteorological Towers	6
3	AIR QUALITY CRITERIA AND STANDARDS.....	6
4	MECP AUDITS.....	7
5	SUMMARY OF AMBIENT MEASUREMENTS.....	7
5.1	Meteorological Station Results	7
5.1.1	Courtice Station Results	7
5.1.2	Rundle Road Station Results	9
5.2	NO _x , SO ₂ and PM _{2.5} Summary Table Results	9
5.3	Oxides of Nitrogen Results.....	11
5.3.1	Courtice Station Results	11
5.3.2	Rundle Road Station Results	11
5.4	Sulphur Dioxide Results	12
5.4.1	Courtice Station Results	12
5.4.2	Rundle Road Station Results	13
5.5	Fine Particulate Matter (PM _{2.5}) Results.....	15
5.5.1	Courtice Station Results	15
5.5.2	Rundle Road Station Results	15
5.6	TSP and Metals Hi-Vol Results.....	16
5.6.1	Courtice Station Results	16



5.6.1	Rundle Road Station Results	18
5.7	PAH Results.....	19
5.7.1	Courtice Station Results	19
5.7.2	Rundle Road Station Results	21
5.8	Dioxin and Furan Results	22
5.8.1	Courtice Station Results	22
5.8.2	Rundle Road Station Results	23
6	DATA REQUESTS.....	24
6.1	Continuous Monitoring	24
6.2	Discrete Monitoring	24
7	CONCLUSIONS	24
8	REFERENCES.....	25
9	GENERAL STATEMENT OF LIMITATIONS.....	25

LIST OF TABLES

- Table 1:** PM_{2.5}, SO₂ and NO₂ CAAQS' by Implementation Year
- Table 2:** Hourly Statistics from the Courtice WPCP Meteorological Station
- Table 3:** Hourly Statistics from the Rundle Road Meteorological Station
- Table 4:** Summary of Courtice Station Continuous Data Statistics
- Table 5:** Summary of Rundle Road Station Continuous Data Statistics
- Table 6:** Summary of Exceedance Statistics
- Table 7:** Summary of TSP Sampler Courtice Station
- Table 8:** Summary of TSP Sampler Rundle Road Station
- Table 9:** Statistics Summary of PAH Results for Courtice Station
- Table 10:** Statistics Summary of PAH Results for Rundle Road Station
- Table 11:** Courtice Station Q1 Monitoring Results for Dioxins and Furans
- Table 12:** Rundle Road Station Q1 Monitoring Results for Dioxins and Furans



LIST OF FIGURES

Figure 1: DYEC Site and Ambient Monitoring Station Locations

Figure 2: Rundle Road Station

Figure 3: Courtice Station

Figure 4: Courtice and Rundle Road Wind Roses

Figure 5: Pollution Roses of Hourly Average NO₂ Concentrations – January to March 2024

Figure 6: Pollution Roses of Hourly Average SO₂ Concentrations – January to March 2024

Figure 7: Pollution Roses of 5-minute Average SO₂ Concentrations >67 ppb – January to March 2024

Figure 8: Pollution Roses of Hourly Average PM_{2.5} Concentrations – January to March 2024

LIST OF APPENDICES

Appendix A1: 2024 Summary Statistics for Q1

A2: 2024 Q1 Station Courtice Monitoring Results for PM_{2.5}

A3: 2024 Q1 Station Rundle Road Monitoring Results for PM_{2.5}

A4: 2024 Q1 Station Courtice Monitoring Results for NO_x

A5: 2024 Q1 Station Rundle Road Monitoring Results for NO_x

A6: 2024 Q1 Station Courtice Monitoring Results for NO

A7: 2024 Q1 Station Rundle Road Monitoring Results for NO

A8: 2024 Q1 Station Courtice Monitoring Results for NO₂

A9: 2024 Q1 Station Rundle Road Monitoring Results for NO₂

A10: 2024 Q1 Station Courtice Monitoring Results for SO₂

A11: 2024 Q1 Station Rundle Road Monitoring Results for SO₂

A12: 2024 Q1 Courtice Meteorological Station Windspeed Data Summary

A13: 2024 Q1 Rundle Road Meteorological Station Windspeed Data Summary

A14: 2024 Q1 Courtice Meteorological Station Wind Direction Data Summary

A15: 2024 Q1 Rundle Road Meteorological Station Wind Direction Data Summary

A16: 2024 Q1 Courtice Meteorological Station Temperature Data Summary

A17: 2024 Q1 Rundle Road Meteorological Station Temperature Data Summary

A18: 2024 Q1 Courtice Meteorological Station Relative Humidity Summary

A19: 2024 Q1 Rundle Road Meteorological Station Relative Humidity Summary

A20: 2024 Q1 Courtice Meteorological Station Precipitation Data Summary

A21: 2024 Q1 Rundle Road Meteorological Station Precipitation Data Summary

A22: 2024 Q1 Courtice Meteorological Station Pressure Data Summary



Appendix B1: Summary of Sample Flow Rate and Sample Duration for Dioxins & Furans

- B2: 2024 Courtice Station Q1 Monitoring Results for Dioxins & Furans
- B3: 2024 Rundle Road Station Q1 Monitoring Results for Dioxins & Furans
- B4: Summary of Sample Flow Rate and Sample Duration for Polycyclic Aromatic Hydrocarbons (PAH)
- B5: Courtice Station Q1 Monitoring Results for PAH's
- B6: Rundle Road Station Q1 Monitoring Results for PAH's
- B7: Summary of Sample Flow Rate and Sample Duration for Total Suspended Particulate (TSP) and Metals
- B8: 2024 Courtice Station Q1 Monitoring Results for TSP and Metals
- B9: 2024 Rundle Road Station Q1 Monitoring Results for TSP and Metals

Appendix C: 2024 Q1 Courtice and Rundle Road Station Zero Graphs

Appendix D1: Q1 Edit Log for PM_{2.5} at Courtice Station

- D2: Q1 Edit Log for PM_{2.5} at Rundle Road Station
- D3: Q1 Edit Log for NO_x at Courtice Station
- D4: Q1 Edit Log for NO_x at Rundle Road Station
- D5: Q1 Edit Log for SO₂ at Courtice Station
- D6: Q1 Edit Log for SO₂ at Rundle Road Station
- D7: Q1 Edit Log for Meteorological Parameters at Courtice Station
- D8: Q1 Edit Log for Meteorological Parameters at Rundle Road Station
- D9: Q1 Edit Log for Discrete Sampling at Courtice Station
- D10: Q1 Edit Log for Discrete Sampling at Rundle Road Station

Appendix E1: 10-min SO₂ Running Average Exceedances at the Courtice Station – January

- E2: 10-min SO₂ Running Average Exceedances at the Courtice Station – February
- E3: 10-min SO₂ Running Average Exceedances at the Courtice Station – March
- E4: 1-hour SO₂ Running Average Exceedances at the Courtice Station – January
- E5: 1-hour SO₂ Running Average Exceedances at the Courtice Station – February
- E6: 1-hour SO₂ Running Average Exceedances at the Courtice Station – March

Appendix F: RWDI Q1 Sulphur Dioxide Emissions Technical Memorandum



1 INTRODUCTION

RWDI AIR Inc. (RWDI) was retained by Durham Region and York Region (the Regions) to conduct discrete and continuous air quality ambient monitoring at the Durham York Energy Centre (DYEC) monitoring stations. The facility address is 1835 Energy Drive, Clarington, Ontario. The DYEC is a facility that manages post diversion municipal solid waste from Durham Region and York Region to create energy from waste combustion. Commercial operation of the DYEC commenced on February 1, 2016. The site location is shown below in Figure 1.

Condition 11 of the Environmental Assessment Notice of Approval and Condition 7(4) of the Environmental Compliance Approval (ECA) requires ambient air monitoring to be undertaken by the DYEC. An Ambient Air Monitoring and Reporting Plan was prepared and approved by the Ministry of Environment, Conservation and Parks (MECP) to satisfy these conditions. Two (2) monitoring stations were established to monitor ambient air quality around the DYEC and quantify the background ambient air quality levels and DYEC contributed emissions to ambient air quality levels.

This monitoring plan was developed based on the Regional Council mandate to provide ambient monitoring in the area of the DYEC. The purposes of the ambient monitoring program are to:

- Quantify any measurable ground level concentrations resulting from emissions from the DYEC cumulative to local air quality, including validating the predicted concentrations from the dispersion modelling conducted in the Environmental Assessment (2009a);
- Monitor concentration levels of EFW-related air contaminants in nearby residential areas; and,
- Quantify background ambient levels of air contaminants in the area.

The facility has two (2) monitoring stations which collect continuous and discrete ambient measurements, known as the Courtice station and Rundle Road station. The station locations are shown in Figure 1. The Courtice and Rundle Road stations were operational in May of 2013 and have been operated on behalf of the Region of Durham by Stantec Consulting Ltd. since that time up until July 31, 2018. RWDI has overseen the operation of the stations on behalf of the Region of Durham since August 1, 2018.


The Courtice and Rundle Road stations continuously monitor the following air quality parameters: Particulate Matter less than 2.5 microns (PM_{2.5}), Nitrogen Oxides (NO_x) and Sulfur Dioxide (SO₂). In addition, both discretely monitor the following air quality parameters: Total Suspended Particulate (TSP), Metals, Dioxins and Furans (D&F) and Polycyclic Aromatic Hydrocarbons (PAHs).

Continuous meteorological data is collected at the Courtice and Rundle Road stations. The Rundle Road station collects the following meteorological parameters: wind speed, wind direction, ambient temperature, precipitation and relative humidity. The Courtice station collects the following meteorological parameters: wind speed, wind direction, ambient temperature, ambient pressure, precipitation and relative humidity. The meteorological towers at both stations are approximately 10 meters tall.



Throughout this monitoring period there were one-hundred and fifty-seven (157) exceedance events of the rolling 10-minute SO₂ AAQC and sixty-three (63) exceedance events of the rolling 1-hour SO₂ AAQC at the Courtice station. There were no exceedances of the Benzo(a) Pyrene AAQC at either the Courtice station or Rundle Road station. Data recovery rates were acceptable and valid for all measured Q1 continuous and discrete parameters.

Figure 1: DYEC Site and Ambient Monitoring Station Locations



1.1 Sampling Locations

The station sites were selected in consultation with a working group that included representatives from the MECP, the Region of Durham, York Region, and the Energy from Waste Advisory Committee (EFWAC), as required by Condition 11.3 of the Environmental Assessment Notice of Approval. The Courtice station is predominantly upwind of the DYEC and is located on the Courtice WPCP property just southwest of the DYEC. The Rundle Road station is predominantly downwind of the DYEC and is located just southeast of the intersection of Baseline Road and Rundle Road just northeast of the DYEC. Pictures of the two (2) stations are presented as **Figure 2** and **3**.

Figure 2: Rundle Road Station



Figure 3: Courtice Station



2 SAMPLING METHODOLOGY

The Rundle Road and Courtice stations are both equipped with the following continuous monitors: Thermo Scientific Model 5030 SHARP (Synchronized Hybrid Ambient Real-time Particulate) monitor (PM_{2.5} analyzer), Teledyne Nitrogen Oxides Analyzer Model T200 (NO_x analyzer), and a Teledyne Sulfur Dioxide Analyzer Model T100 (SO₂ analyzer). Both stations also have the following periodic monitors: High Volume (Hi-Vol) Air Sampler outfitted with a TSP inlet head as approved by the United States Environmental Protection Agency (U.S. EPA), and a Hi-Vol Air Sampler outfitted with a polyurethane foam plug and circular quartz filter for measuring PAH's and D&F's as approved by U.S. EPA.

2.1 Nitrogen Oxide Analyzers

The Teledyne T200 Nitrogen Oxide (NO_x) analyzers use chemiluminescence detection, coupled with microprocessor technology to provide sensitivity and stability for ambient air quality applications. The instrument determines real-time concentration of nitric oxide (NO), total nitrogen oxides (NO_x) (the sum of NO and NO₂), and nitrogen dioxide (NO₂). The amount of NO is measured by detecting the chemiluminescence reaction that occurs in the reaction cell when NO molecules are exposed to ozone (O₃). The NO and O₃ molecules collide in the reaction cell and enter a higher energy state.

When these excited molecules return to a stable energy state, they emit a photon of light which is proportional to the amount of NO in the sample stream of gas entering the analyzer.



To determine the total NO_x (NO+NO₂) measurement, sample gas is periodically bypassed through a heated molybdenum converter cartridge that converts any NO₂ molecules in the sample stream into NO (any existing NO molecules in the stream remain as is). The instrument will switch the sample stream through the converter periodically and then through the reaction cell where the same chemiluminescence reaction occurs with ozone.

The resultant response produced is now the sum of NO and converted NO₂ producing a NO_x measurement. The resultant NO₂ determination is the NO_x measurement subtracted from the NO measurement.

The NO_x analyzers were zero and span checked daily using the internal zero and span (IZS) system and calibrated once a month using either EPA protocol span gases and a dilution system or an ESA permeation tube calibrator. Automatic IZS checks were performed on a daily basis commencing at approximately 01:45 and ending at 02:15. The checks consisted of a 10-minute zero check, a 10-minute span check and a 10-minute purge. These checks provide a way to monitor daily performance of the analyzer using an external charcoal and purafil zeroing cartridge for the zero, and an internal permeation oven with a permeation tube for the span. These IZS checks are not for calibration purposes but are merely a diagnostic tool to identify instrument drift.

The instrument collects data using its own data acquisition system (DAS) on a 5-minute interval. Data is collected from the instrument directly to an EnviDAS logger at 1-min, 5-min and 60-min intervals. The logger can be accessed remotely, and all instrument parameters can be examined as well as the measurement data. This allows the tracking of instrument performance. Data was also collected at 1-minute intervals by an external datalogger using analog output connections as a back-up. The measurement data was averaged using Envista processing software over a 1-hour and 24-hour period to compare to the applicable ambient air quality criteria.

2.2 Sulphur Dioxide Analyzers

The Teledyne T100 Sulphur Dioxide (SO₂) Analyzer is a microprocessor-controlled analyzer that determines the concentration of SO₂ in a sample gas drawn through the instrument. In the sample chamber, sample gas is excited by ultraviolet light causing the SO₂ to absorb energy from the light and move to an active state (SO₂*). These active SO₂* molecules must decay into a stable state back to SO₂, and when this happens a photon of light is released which is recognized by the instrument as fluorescence. The instrument measures the amount of fluorescence to determine the amount of SO₂ present in the sample gas.

The SO₂ analyzers were zero and span checked daily using the IZS system and calibrated once a month using either EPA protocol span gases and a dilution system or an ESA permeation tube calibrator. Automatic IZS checks were performed on a daily basis commencing at approximately 01:45 and ending at 02:15. The checks consisted of a 10-minute zero check, a 10-minute span check and a 10-minute purge. These checks provide a way to monitor daily performance of the analyzer using an external charcoal and purafil zeroing cartridge for the zero, and an internal permeation oven with a permeation tube for the span. These IZS checks are not for calibration purposes but are merely a diagnostic tool to identify instrument drift.



The instrument collects data using its own data acquisition system (DAS) on a 5-minute interval. Data is collected from the instrument directly to an EnviDAS logger at 1-min, 5-min and 60-min intervals. The logger can be accessed remotely, and all instrument parameters can be examined as well as the measurement data. This allows the tracking of instrument performance. Data was also collected at 1-minute intervals by an external datalogger using analog output connections as a back-up. The measurement data was averaged using Envista processing software over a 1-hour and 24-hour period to compare to the applicable ambient air quality criteria.

2.3 SHARP 5030 PM_{2.5} Analyzers

The SHARP 5030 is a hybrid nephelometric/radiometric particulate mass monitor capable of providing precise, real-time measurements with a superior detection limit. The SHARP incorporates a high sensitivity light scattering photometer whose output signal is continuously referenced to the time-averaged measurement of an integral beta attenuating mass sensor. The SHARP also incorporates a dynamic inlet heating system designed to maintain the relative humidity of the air passing through the filter tape constant.

The SHARP is calibrated once a month to ensure accuracy and validity of its data. The PM_{2.5} inlet head and sharp cut cyclone is cleaned monthly as well to ensure proper performance. The monthly calibration process consists of the following: zeroing the nephelometer if necessary, calibration of ambient temperature, calibration of barometric pressure, and calibration of the flow.

The instrument collects data using its own data acquisition system (DAS) on a 5-minute interval. Data is collected from the instrument directly to an EnviDAS logger at 1-min, 5-min and 60-min intervals. The logger can be accessed remotely, and all instrument parameters can be examined as well as the measurement data. This allows the tracking of instrument performance. Data was also collected at 1-minute intervals by an external datalogger using analog output connections as a back-up. The measurement data was averaged using Envista processing software over a 1-hour and 24-hour period to compare to the applicable ambient air quality criteria.

2.4 TSP High Volume Air Samplers

The Tisch TE-5170 Total Suspended Particulate (TSP) high volume (Hi-Vol) air samplers were outfitted with a TSP gabled inlet capable of collecting particulate of all aerodynamic diameters. Each Hi-Vol is equipped with a mass flow controller, which ensures a flow rate of 40 cubic feet per minute (CFM), a chart recorder for measuring cfm flow throughout the run time, an elapsed timer and a wheel timer for starting and stopping each sample. In the latter part of 2019, the pin-based wheel timer was modified with an automated relay system controlled by a data logger to toggle the sampler on and off, and the chart recorder system was replaced by a digital pressure transducer to record the blower output pressure. Teflon coated glass fibre filters are outfitted at the top of the hi-vol samplers where air is drawn through the filter, thereby collecting TSP. Each Hi-Vol is calibrated quarterly (every three months) to ensure accuracy and validity of the volume of air drawn through the sampler.

The Teflon coated glass fibre filter media was pre and post weighed by ALS Laboratories in Burlington, Ontario. The filters are then analyzed for total particulate weight, metals analysis and mercury.



2.5 Polyurethane Foam Samplers

The D&F, and PAH samples were collected using Tisch TE-1000 samplers, which are listed as reference devices for U.S. EPA Methods TO-9 and TO-13. The samplers use a collection filter that is 'backed-up' by a polyurethane foam (PUF) plug. The airborne compounds present in the particulate phase are collected on the Teflon coated glass fibre filter and any compounds present in the vapour phase are absorbed in the PUF plug. Each PUF sampler is equipped with a mass flow controller, which can sustain 8 CFM of flow over the sampling period, an elapsed timer and a wheel timer for starting and stopping each sample.

In the latter part of 2019, the pin-based wheel timer was modified with an automated relay system controlled by a data logger to toggle the sampler on and off, and the chart recorder system was replaced by a digital pressure transducer to record the blower output pressure. Each PUF sampler is calibrated quarterly (every three months) to ensure accuracy and validity of the volume of air drawn through the sampler.

The filter and PUF media/glassware is proofed and analyzed by ALS Laboratories in Burlington, Ontario. The filters and PUF/XAD plugs are then analyzed for PAH's and D&F's.

2.6 Meteorological Towers

Meteorological data was collected from the Rundle Road and Courtice stations. This is done so that a vector could be associated with the applicable contaminant concentrations. The Rundle Road and Courtice stations are outfitted with a Campbell Scientific HMP60 Temperature / Relative Humidity probe, and a Texas Instruments TE525M rain gauge. Meteorological data was collected at 1-minute intervals and was averaged using Envista processing software over a 1-hour period.

3 AIR QUALITY CRITERIA AND STANDARDS

The monitored contaminant concentrations were compared to air quality criteria and standards set by the MECP and by Environment Canada. The MECP developed Ambient Air Quality Criteria (AAQCs) which are the maximum desirable concentrations in the outdoor air, based on effects to the environment and health (MECP, 2012). Not all contaminants have an applicable regulatory limit; therefore, other criteria were used for comparison. These included human health risk assessment (HHRA) criteria.

Environment Canada has established a Canadian Ambient Air Quality Standard (CAAQS) which are health-based air quality objectives for the outdoor air (Environment Canada, 2013). The current CAAQS' for PM_{2.5} are 27 µg/m³ for the 3-year average of annual 98th percentile 24-hour concentration, and 8.8 µg/m³ for the 3-year average of annual average concentrations (in effect as of 2020). The CAAQS' are listed in **Table 1**. No direct comparison to the 2020 CAAQS' is appropriate for this report, as the standards are only applicable to 3-year averaged data which is provided in the annual reports.



Table 1: PM_{2.5}, SO₂ and NO₂ CAAQS' by Implementation Year

Parameter	Averaging Time	Year Applied		Statistical Form
		2020	2025	
Fine Particulate Matter (PM _{2.5})	24-hour	27 µg/m ³		The 3-year average of the annual 98 th percentile of the daily 24-hour average concentrations
	Annual	8.8 µg/m ³		The 3-year average of the annual average of all 1-hour concentrations
Sulphur Dioxide (SO ₂)	1-hour	70 ppb	65 ppb	The 3-year average of the annual 99 th percentile of the SO ₂ daily maximum 1-hour average concentrations
	Annual	5 ppb	4 ppb	The average over a single calendar year of all 1-hour average SO ₂ concentrations
Nitrogen Dioxide (NO ₂)	1-hour	60 Ppb	42 ppb	The 3-year average of the annual 98 th percentile of the daily maximum 1-hour average concentrations
	Annual	17 Ppb	12 Ppb	The average over a single calendar year of all 1-hour average concentrations

(CCME,2019)

All applicable criteria and standards are shown in the 'Summary of Ambient Measurements' section of this report.

4 MECP AUDITS

There was an MECP audit conducted on March 26, 2024. All instruments met their respective audit criteria.

5 SUMMARY OF AMBIENT MEASUREMENTS

Ambient air quality monitoring results for all contaminants sampled at the Courtice and Rundle Road stations are discussed herein. Summary statistics from January to March 2024 are presented in a summary format below and in a more detailed matrix format in **Appendix A** for continuous measurements and **Appendix B** for discrete measurements.

5.1 Meteorological Station Results

5.1.1 Courtice Station Results

The Courtice station collected the following meteorological parameters: wind speed, wind direction, relative humidity, ambient temperature, ambient pressure and precipitation. The meteorological tower at the station is at a height of approximately 10 meters tall. The Courtice station maintained an average of 100% of data collection for all of the parameters measured during Q1.



Hourly statistics from the meteorological station are presented in **Table 2**. A wind rose showing trends in wind speed and wind direction during Q1 is provided in **Figure 4**. A wind direction cut-off was applied for wind speeds less than or equal to 1.8 kph for the wind rose.

Figure 4: Wind Roses of Hourly Wind Speed and Wind Direction – January to March 2024






Table 2: Hourly Statistics from the Courtice Meteorological Station

Courtice Station MET Statistics	Maximum 1 hr. Mean					Minimum 1 hr. Mean					Monthly Mean					Total	% Valid hours						
	Parameter	WS	Temp	RH	Pres	Rain	WS	Temp	RH	Pres	Rain	WS	Temp	RH	Pres		Rain	Rain	WS	WD	Temp	RH	Pres
Units	(km/hr.)	(C)	(%)	Hg	mm	(km/hr.)	(C)	(%)	Hg	mm	(km/hr.)	(C)	(%)	Hg	mm	mm	(%)						
January	49.0	6.0	100.0	30.2	4.3	0.4	-15.7	44.0	28.6	0.0	15.0	-1.8	74.2	29.7	0.1	58.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
February	43.8	11.2	100.0	30.1	4.1	0.2	-14.4	31.1	28.9	0.0	11.9	0.0	67.6	29.7	0.0	20.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
March	38.4	17.1	100.0	30.2	4.3	0.3	-7.8	29.4	29.2	0.0	14.3	3.8	67.6	29.7	0.1	47.4	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Q1 Arithmetic Mean											13.7	0.7	69.9	29.7	0.1	125.4	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Notes:

¹ – Rain total, monthly and quarterly means not presented due to not meeting data validity criteria of >75%

5.1.2 Rundle Road Station Results

The Rundle Road station collected the following meteorological parameters: wind speed, wind direction, relative humidity, ambient temperature and precipitation. The meteorological tower at the station is at a height of approximately 10 meters tall. The Rundle Road station maintained a minimum average of 99.9% data collection for all of the meteorological parameters measured during Q1. Hourly statistics from the meteorological station is presented in **Table 3**. A wind rose showing trends in wind speed and wind direction during Q1 is provided in **Figure 4**. A wind direction cut-off was applied for wind speeds less than or equal to 1.8 kph for the wind rose.

Table 3: Hourly Statistics from the Rundle Road Meteorological Station

Rundle Road Station MET Statistics	Maximum 1 hr. Mean				Minimum 1 hr. Mean				Monthly Mean				Total	% Valid Hours					
	Parameter	WS	Temp	RH	Rain	WS	Temp	RH	Rain	WS	Temp	RH		Rain	Rain	WS	WD	Temp	RH
Units	(km/hr.)	(C)	(%)	mm	(km/hr.)	(C)	(%)	mm	(km/hr.)	(C)	(%)	mm	mm	(%)					
January	39.0	6.0	100.0	4.1	0.1	-16.2	46.9	0.0	11.6	-2.3	79.4	0.1	72.2	100.0	100.0	100.0	100.0	100.0	100.0
February	34.0	11.1	100.0	4.5	0.1	-16.2	35.3	0.0	8.6	-0.6	74.1	0.0	20.9	100.0	100.0	100.0	100.0	100.0	100.0
March	26.4	17.3	100.0	4.5	0.3	-9.7	33.1	0.0	10.3	3.0	72.7	0.1	50.6	99.6	99.6	99.6	99.6	99.6	99.6
Q1 Arithmetic Mean									10.2	0.0	75.4	0.1	143.7	99.9	99.9	99.9	99.9	99.9	99.9

5.2 NO_x, SO₂ and PM_{2.5} Summary Table Results

Table 4 provides a summary of Maximum 1-hour Rolling Means, Maximum 24-hour Rolling Means, Monthly Means, Quarterly Means and Percent valid data for the Courtice station. **Table 5** provides a summary of Maximum 1-hour Means, Maximum 24-hour Means, Monthly Means, Quarterly Means and Percent valid data for the Rundle Road station. **Table 6** provides a summary of exceedance statistics for both Courtice and Rundle Road stations. At the Courtice station, there were one-hundred and fifty-seven (157) exceedance events of the rolling 10-minute SO₂ AAQC and sixty-three (63) exceedance events of the 1-hour SO₂ AAQC in Q1. At the Rundle Road station, there were no exceedances events of the rolling 10-minute SO₂ AAQC or the 1-hour SO₂ AAQC in Q1.



Table 4: Summary of Courtice Station Continuous Data Statistics

Courtice Monitoring Station Data Statistics	Maximum Rolling 10 min Mean	Maximum Rolling 1 hr Mean					Maximum 24 hr Rolling Mean					Monthly Mean					% Valid Hours					
Compound	SO ₂	PM _{2.5}	NO _x	NO	NO ₂	SO ₂	PM _{2.5}	NO _x	NO	NO ₂	SO ₂	PM _{2.5}	NO _x	NO	NO ₂	SO ₂	PM _{2.5}	NO _x	NO	NO ₂	SO ₂	
Units	ppb	(µg/m ³)	ppb				(µg/m ³)	ppb				(µg/m ³)	ppb				(%)					
AAQC/CAAQS	67				200	40	27 ^A			100												
January	157.9	33.8	64.3	36.0	32.9	81.4	19.8	21.2	6.5	15.5	10.8	5.9	8.0	1.3	6.8	3.0	99.9	99.7	99.7	99.7	99.5	
February	364.3	27.4	68.7	40.7	39.1	160.3	16.4	23.5	7.2	17.4	38.2	3.8	8.3	1.8	6.5	8.1	99.7	99.7	99.7	99.7	99.6	
March	71.6	26.3	60.7	37.4	31.5	44.9	17.0	21.5	7.4	14.2	11.8	4.1	5.5	1.0	4.5	1.5	99.5	99.5	99.5	99.5	99.5	
Q1 Arithmetic Mean												4.6	7.3	1.4	5.9	4.2	99.7	99.6	99.6	99.6	99.5	

^A The 24-hour PM_{2.5} CAAQS applies to the 98th percentile over 3 consecutive years.

Table 5: Summary of Rundle Road Station Continuous Data Statistics

Rundle Road Monitoring Station Data Statistics	Maximum Rolling 10 min Mean	Maximum Rolling 1 hr Mean					Maximum 24 hr Rolling Mean					Monthly Mean					% Valid Hours					
Compound	SO ₂	PM _{2.5}	NO _x	NO	NO ₂	SO ₂	PM _{2.5}	NO _x	NO	NO ₂	SO ₂	PM _{2.5}	NO _x	NO	NO ₂	SO ₂	PM _{2.5}	NO _x	NO	NO ₂	SO ₂	
Units	ppb	(µg/m ³)	ppb				(µg/m ³)	ppb				(µg/m ³)	ppb				(%)					
AAQC/CAAQS	67				200	40	27 ^A			100												
January	2.0	28.4	40.9	22.0	27.4	1.7	19.0	16.8	5.3	14.1	0.4	6.2	7.9	1.4	6.6	0.1	99.7	99.6	99.6	99.6	99.6	
February	2.9	37.6	57.4	36.2	30.2	2.0	20.6	22.1	6.0	16.9	0.8	5.9	6.2	1.2	5.3	0.2	99.9	99.7	99.7	99.7	99.7	
March	3.5	23.8	26.8	11.3	23.6	2.7	16.8	13.9	3.3	11.0	0.5	4.3	4.4	1.0	3.4	0.2	99.6	99.5	99.5	99.5	99.3	
Q1 Arithmetic Mean												5.5	6.2	1.2	5.1	0.2	99.7	99.6	99.6	99.6	99.5	

^A The 24-hour PM_{2.5} CAAQS applies to the 98th percentile over 3 consecutive years.

Table 6: Summary of Exceedance Statistics

Event Statistics	Rolling Mean > 10 min AAQC for Courtice	Rolling Mean > 10 min AAQC for Rundle Road	Mean > 1 hr AAQC for Courtice Monitoring Station			Mean > 1 hr AAQC for Rundle Road Monitoring Station			Rolling Mean > 24 hr AAQC for Courtice Monitoring Station			Rolling Mean > 24 hr AAQC for Rundle Road Monitoring Station		
Compound	SO ₂	SO ₂	PM _{2.5}	NO ₂	SO ₂	PM _{2.5}	NO ₂	SO ₂	PM _{2.5}	NO ₂	SO ₂	PM _{2.5}	NO ₂	SO ₂
Units	No.	No.	No.			No.			No.			No.		
January	17	0		0	8		0	0	N/A	0		N/A	0	
February	139	0		0	53		0	0	N/A	0		N/A	0	
March	1	0		0	2		0	0	N/A	0		N/A	0	
Q1 Total	157	0		0	63		0	0	N/A	0		N/A	0	



5.3 Oxides of Nitrogen Results

5.3.1 Courtice Station Results

Data recovery levels were high for oxides of nitrogen (99.7% valid data). Monitoring results were compared to the AAQC for NO₂ only, as it is the only parameter that has AAQC values for 1-hour and 24-hour averaging periods (there are no AAQC's for NO or NO_x). There were no exceedances above the AAQC values for the entirety of the sampling period for rolling 1-hour and 24-hour averaged data. The highest NO₂ value seen among the 1-hour rolling averages was 39.1 ppb, which is 19.6% of the AAQC. The highest NO₂ value seen among the rolling 24-hour averages was 17.4 ppb, which is 17.4% of the AAQC. The measurements are summarized in **Table 4** above. A pollution rose is presented in **Figure 5** for the Courtice station during Q1 composed of hourly average NO₂ concentrations. A pollution rose indicates the percentage of time that the wind originates from a given direction coupled with the pollutant measurement for that time in either parts per billion (ppb) or micrograms per meter cubed (µg/m³). In order to show where possible major sources of pollutants are coming from, levels below 5 ppb were omitted from the graphic wind rose representation.

The Courtice station pollution rose in **Figure 5** shows the majority of the NO₂ impacts were largely from the north-northeast to east and west. The station is downwind of the DYEC when winds are from the northeast and east-northeast directions, which happened frequently during the monitoring period, therefore it is likely that the DYEC contributed to the observed concentrations. There are additional impacts from the southwest, west-southwest, west-northwest to north-northwest, which indicates reception from surrounding industry or the highway and railway corridors.


5.3.2 Rundle Road Station Results

Data recovery levels were high for oxides of nitrogen (99.6% valid data). There were no exceedances above the AAQC values for the entirety of the sampling period for rolling 1-hour and 24-hour averaged data. The highest NO₂ value seen among the 1-hour rolling averages was 30.2 ppb, which is 15.1% of the AAQC. The highest NO₂ value seen among the rolling 24-hour averages was 16.9 ppb, which is 16.9% of the AAQC. The measurements are summarized in **Table 5** above.

A pollution rose is presented in **Figure 5** for the Rundle Road station during Q1 composed of hourly average NO₂ concentrations. In order to show where possible major sources of pollutants are coming from, levels below 5 ppb were omitted from the graphic wind rose representation.

The Rundle Road station pollution rose in **Figure 5** shows that the majority of elevated NO₂ events at the Rundle Road station occurred when winds were primarily from the west-southwest. The station is downwind of the DYEC when winds are from the south-southwest and southwest directions. Elevated concentrations occurred occasionally from the southwest during the monitoring period, therefore it is likely that the DYEC partially contributed to the observed concentrations. There are additional impacts from the west and the east to east-northeast which indicates reception from surrounding industry or the highway and railway corridors.

Figure 5: Pollution Roses of Hourly Average NO₂ Concentrations – January to March 2024



5.4 Sulphur Dioxide Results

5.4.1 Courtice Station Results

Data recovery levels were high for sulphur dioxide (99.5% valid data). Monitoring results were compared to the AAQC for 10-minute and 1-hour rolling average periods. In 2024, there have been more frequent SO₂ concentrations elevated above the AAQC's than in previous years due to the new limits imposed at the start of 2020. The highest SO₂ value seen among the 10-min rolling averages was 364.9 ppb, which is 543.7% of the AAQC. The highest SO₂ value seen among the 1-hour rolling averages was 160.3 ppb, which is 400.8% of the AAQC. There were one-hundred and fifty-seven (157) exceedance events above the rolling 10-minute AAQC and sixty-three (63) exceedance events above the rolling 1-hour AAQC. A table outlining the interpretation of the exceedance period can be found in **Appendix E**.

The SO₂ statistical results are summarized in **Table 4** above. A pollution rose is presented in **Figure 6** for the Courtice station during Q1 composed of hourly average SO₂ concentrations. In order to show where possible major sources of pollutants are coming from, levels below 5 ppb were omitted from the graphic wind rose representation. A pollution rose is presented in **Figure 7** for the Courtice station during Q1 composed of 5-minute average SO₂ concentrations with levels below 67 ppb omitted to illustrate directionality of exceedance concentrations.

The Courtice station pollution rose in **Figure 6** shows that the majority of elevated SO₂ events at Courtice occurred from the north to northeast directions. The events were likely a result of emissions from surrounding industrial sources with contributions from the DYEC in the northeast direction.



The Courtice station pollution rose in **Figure 7** shows that <1.00% of the 5-min SO₂ events are elevated >67 ppb and the majority occurred from the north-northwest to north-northeast directions. The pollution rose indicates that the DYEC was not a contributor to SO₂ levels at the station and that the levels may be related to other industrial activity nearby.

A Technical Memorandum summarizing the DYEC SO₂ continuous emissions monitoring system (CEMS) data during the exceedance events recorded at the Courtice and Rundle Road Ambient Monitoring stations for Q1, is included in **Appendix F**. The Memorandum indicates that based on the in-stack concentration levels measured by the CEMS, that there were no unusual levels of SO₂ emissions during the ambient station exceedance events and that the facility's impact from the stack emissions on ambient air quality would be expected to be quite low.

5.4.2 Rundle Road Station Results

Data recovery levels were high for sulphur dioxide (99.5% valid data). Monitoring results were compared to the AAQC for 10-minute and 1-hour rolling average periods. The highest SO₂ value seen among the 10-min rolling averages was 3.5 ppb, which is 5.22% of the AAQC. The highest SO₂ value seen among the 1-hour rolling averages was 2.7 ppb, which is 6.8% of the AAQC.

The SO₂ statistical results are summarized in **Table 5** above. A pollution rose is presented in **Figure 6** for the Rundle Road station during Q1 composed of hourly average SO₂ concentrations. In order to show where possible major sources of pollutants are coming from, levels below 5 ppb were omitted from the graphic wind rose representation. A pollution rose is presented in **Figure 7** for the Rundle Road station during Q1 composed of 5-minute average SO₂ concentrations with levels below 67 ppb omitted to illustrate directionality of exceedance concentrations.

The Rundle Road station pollution rose in **Figure 6** shows that there were no events of elevated SO₂ at the Rundle Road during Q1 of 2024.

The Rundle Road station pollution rose in **Figure 7** shows that there were no 5-min SO₂ events that are elevated >67 ppb.

Figure 6: Pollution Roses of Hourly Average SO₂ Concentrations – January to March 2024





Figure 7: Pollution Roses of 5-minute Average SO₂ Concentrations >67 ppb – January to March 2024





5.5 Fine Particulate Matter (PM_{2.5}) Results

5.5.1 Courtice Station Results

Data recovery levels were high for particulate matter less than 2.5 microns (99.7.0% valid data). There is no 1-hour AAQC or standard for PM_{2.5}, but there is a 24-hour CAAQS of 27 µg/m³ for the 3-year average of the annual 98th percentile 24-hour concentrations, and 8.8 µg/m³ for the 3-year average of the annual average concentrations (in effect as of 2020). Note that since the reported data is only quarterly and the CAAQS is applicable to the 3-year average, the CAAQS' for PM_{2.5} was not applicable to the data. The highest PM_{2.5} value seen among the 1-hour rolling averages was 33.8 µg/m³ and the highest value seen among the 24-hour rolling averages was 19.8 µg/m³. The results are summarized in **Table 4** above. A pollution rose is presented in **Figure 8** for the Courtice station during Q1 composed of hourly average PM_{2.5} concentrations. In order to show where possible major sources of pollutants are coming from, levels below 5 µg/m³ were omitted from the graphic wind rose representation.

The Courtice station pollution rose in **Figure 8** shows that the majority of elevated PM_{2.5} events at Courtice occurred when winds were from the east-northeast to east, which places the station downwind of the DYEC occasionally. Other contributions are in line with nearby industrial activity.


5.5.2 Rundle Road Station Results

Data recovery levels were high for particulate matter less than 2.5 microns (99.7% valid data). The highest PM_{2.5} value seen among the 1-hour rolling averages was 37.6 µg/m³ and the highest value seen among the 24-hour rolling averages was 20.6 µg/m³. The results are summarized in **Table 5** above. A pollution rose is presented in **Figure 8** for the Rundle Road station during Q1 composed of hourly average PM_{2.5} concentrations. In order to show where possible major sources of pollutants are coming from, levels below 5 µg/m³ were omitted from the graphic wind rose representation.

The Rundle Road pollution rose in **Figure 8** shows that the majority of elevated PM_{2.5} events at the Rundle Road station occurred when winds were from the southwest to west. Elevated concentrations were frequent from the west-southwest during the monitoring period, therefore it is not likely that the DYEC partially contributed to the observed concentrations. Other possible contributions include surrounding industry, nearby high traffic areas and urban background.



Figure 8: Pollution Roses of Hourly Average PM_{2.5} Concentrations – January to March 2024



5.6 TSP and Metals Hi-Vol Results

All of the TSP Hi-Vols operated on a discrete schedule every 6 days according to the NAPS schedule during Q1 with the sample days being: January 1, 7, 13, 19, 25, 31, February 6, 12, 18, 24, March 1, 7, 13, 19, 25, and 31, 2024.

5.6.1 Courtice Station Results

Data recovery levels were high for the TSP sampler at the Courtice station (94% valid data). There were no exceedances of any of the AAQC's Criteria for TSP, mercury or metals during Q1. **Table 7** is a summary of the statistics for this station.



Table 7: Summary of TSP Sampler Courtice Station

Contaminant	Units	MECP Criteria	No. > Criteria	Geometric Mean	Arithmetic Mean	Q1 Minimum Concentration	Q1 Maximum Concentration	January Maximum Concentration	February Maximum Concentration	March Maximum Concentration	Number of Valid Samples	% Valid data
Particulate (TSP)	µg/m ³	120	0	18.8	20.9	7.71	40.75	25.42	37.81	40.75	15	94
Total Mercury (Hg)	µg/m ³	2	0	0.0	5.83E-06	2.83E-06	1.29E-05	3.02E-06	1.19E-05	1.29E-05	15	94
Aluminum (Al)	µg/m ³	-	0	0.1	1.44E-01	3.04E-02	2.77E-01	1.16E-01	2.77E-01	2.60E-01	15	94
Antimony (Sb)	µg/m ³	25	0	0.0	1.21E-03	2.78E-04	3.23E-03	1.68E-03	2.34E-03	3.23E-03	15	94
Arsenic (As)	µg/m ³	0.3	0	0.0	8.98E-04	8.48E-04	9.29E-04	9.05E-04	9.11E-04	9.29E-04	15	94
Barium (Ba)	µg/m ³	10	0	0.0	6.91E-03	2.55E-03	1.40E-02	1.31E-02	1.40E-02	1.20E-02	15	94
Beryllium (Be)	µg/m ³	0.01	0	0.0	1.50E-05	1.41E-05	1.55E-05	1.51E-05	1.52E-05	1.55E-05	15	94
Bismuth (Bi)	µg/m ³	-	-	0.0	5.39E-04	5.09E-04	5.57E-04	5.43E-04	5.46E-04	5.57E-04	15	94
Boron (B)	µg/m ³	120	0	0.0	4.49E-03	4.24E-03	4.64E-03	4.53E-03	4.55E-03	4.64E-03	15	94
Cadmium (Cd)	µg/m ³	0.025	0	0.0	1.08E-04	5.52E-05	2.59E-04	1.01E-04	2.59E-04	1.70E-04	15	94
Chromium (Cr)	µg/m ³	0.5	0	0.0	1.59E-03	9.62E-04	3.17E-03	2.05E-03	3.17E-03	2.65E-03	15	94
Cobalt (Co)	µg/m ³	0.1	0	0.0	1.07E-04	4.10E-05	2.16E-04	1.30E-04	1.98E-04	2.16E-04	15	94
Copper (Cu)	µg/m ³	50	0	0.0	1.64E-02	5.67E-03	3.43E-02	3.43E-02	2.88E-02	2.33E-02	15	94
Iron (Fe)	µg/m ³	4	0	0.3	3.68E-01	1.21E-01	8.60E-01	4.20E-01	8.60E-01	6.35E-01	15	94
Lead (Pb)	µg/m ³	0.5	0	0.0	2.54E-03	1.14E-03	8.73E-03	2.93E-03	2.83E-03	8.73E-03	15	94
Magnesium (Mg)	µg/m ³	-	-	0.2	2.18E-01	6.16E-02	4.64E-01	1.94E-01	4.17E-01	4.64E-01	15	94
Manganese (Mn)	µg/m ³	0.4	0	0.0	9.34E-03	2.82E-03	2.36E-02	1.14E-02	1.64E-02	2.36E-02	15	94
Molybdenum (Mo)	µg/m ³	120	0	0.0	8.18E-04	3.98E-04	2.03E-03	2.03E-03	1.11E-03	8.88E-04	15	94
Nickel (Ni)	µg/m ³	0.2	0	0.0	8.76E-04	5.13E-04	1.28E-03	1.18E-03	1.12E-03	1.28E-03	15	94
Phosphorus (P)	µg/m ³	-	-	0.2	2.24E-01	2.12E-01	2.32E-01	2.26E-01	2.28E-01	2.32E-01	15	94
Selenium (Se)	µg/m ³	10	0	0.0	5.25E-04	3.68E-04	1.54E-03	3.92E-04	3.95E-04	1.54E-03	15	94
Silver (Ag)	µg/m ³	1	0	0.0	3.40E-05	2.64E-05	1.02E-04	1.02E-04	2.73E-05	2.79E-05	15	94
Strontium (Sr)	µg/m ³	120	0	0.0	5.78E-03	1.87E-03	1.65E-02	4.58E-03	1.65E-02	9.45E-03	15	94
Thallium (Tl)	µg/m ³	-	-	0.0	2.69E-05	2.55E-05	2.79E-05	2.72E-05	2.73E-05	2.79E-05	15	94
Tin (Sn)	µg/m ³	10	0	0.0	8.46E-04	3.97E-04	1.67E-03	1.67E-03	9.50E-04	1.25E-03	15	94
Titanium (Ti)	µg/m ³	120	0	0.0	7.31E-03	3.11E-03	1.73E-02	7.40E-03	1.73E-02	1.36E-02	15	94
Uranium (Ur)	µg/m ³	1.5	0	0.0	2.71E-05	4.10E-06	1.34E-04	5.02E-05	3.63E-05	1.34E-04	15	94
Vanadium (V)	µg/m ³	2	0	0.0	1.50E-03	1.41E-03	1.55E-03	1.51E-03	1.52E-03	1.55E-03	15	94
Zinc (Zn)	µg/m ³	120	0	0.0	3.69E-02	1.74E-02	1.11E-01	3.72E-02	9.29E-02	1.11E-01	15	94
Zirconium (Zr)	µg/m ³	-	0	0.0	5.98E-04	5.66E-04	6.19E-04	6.04E-04	6.07E-04	6.19E-04	15	94

Note: All non-detectable results were reported as 1/2 of the detection limit

1 - Quarterly averages not presented due to not meeting data validity criteria of >75%

5.6.1 Rundle Road Station Results

Data recovery levels were high for the TSP sampler at the Rundle Road station (94% valid data). There were no exceedances of any of the AAQC's for TSP, mercury or metals during Q1. **Table 8** is a summary of the station statistics.

Table 8: Summary of TSP Sampler Rundle Road Station

Contaminant	Units	MECP Criteria	No. > Criteria	Geometric Mean	Arithmetic Mean	Q1 Minimum Concentration	Q1 Maximum Concentration	January Maximum Concentration	February Maximum Concentration	March Maximum Concentration	Number of Valid Samples	% Valid data
Particulate (TSP)	µg/m ³	120	0	23.8	29.0	8.93	87.06	87.06	41.23	46.68	15	94
Total Mercury (Hg)	µg/m ³	2	0	3.98E-06	4.54E-06	2.94E-06	9.75E-06	3.07E-06	8.28E-06	9.75E-06	15	94
Aluminum (Al)	µg/m ³	-	0	1.62E-01	1.87E-01	5.66E-02	3.18E-01	3.18E-01	2.71E-01	3.13E-01	15	94
Antimony (Sb)	µg/m ³	25	0	5.94E-04	9.12E-04	1.56E-04	4.65E-03	1.89E-03	1.05E-03	4.65E-03	15	94
Arsenic (As)	µg/m ³	0.3	0	8.95E-04	8.95E-04	8.76E-04	9.20E-04	9.20E-04	8.92E-04	9.14E-04	15	94
Barium (Ba)	µg/m ³	10	0	5.98E-03	7.15E-03	1.87E-03	1.56E-02	1.56E-02	1.28E-02	1.16E-02	15	94
Beryllium (Be)	µg/m ³	0.01	0	1.49E-05	1.49E-05	1.46E-05	1.53E-05	1.53E-05	1.49E-05	1.52E-05	15	94
Bismuth (Bi)	µg/m ³	-	-	5.37E-04	5.37E-04	5.26E-04	5.52E-04	5.52E-04	5.35E-04	5.48E-04	15	94
Boron (B)	µg/m ³	120	0	4.47E-03	4.47E-03	4.38E-03	4.60E-03	4.60E-03	4.46E-03	4.57E-03	15	94
Cadmium (Cd)	µg/m ³	0.025	0	8.07E-05	1.15E-04	3.55E-05	6.39E-04	1.07E-04	6.39E-04	1.96E-04	15	94
Chromium (Cr)	µg/m ³	0.5	0	1.47E-03	1.65E-03	9.93E-04	2.97E-03	2.88E-03	2.97E-03	2.76E-03	15	94
Cobalt (Co)	µg/m ³	0.1	0	1.30E-04	1.48E-04	4.81E-05	2.79E-04	2.79E-04	2.06E-04	2.47E-04	15	94
Copper (Cu)	µg/m ³	50	0	3.78E-02	4.19E-02	1.31E-02	6.93E-02	6.21E-02	6.84E-02	5.32E-02	15	94
Iron (Fe)	µg/m ³	4	0	3.44E-01	4.08E-01	1.22E-01	8.28E-01	8.28E-01	6.90E-01	6.76E-01	15	94
Lead (Pb)	µg/m ³	0.5	0	2.37E-03	3.22E-03	8.46E-04	1.56E-02	3.95E-03	4.79E-03	1.56E-02	15	94
Magnesium (Mg)	µg/m ³	-	-	2.91E-01	4.07E-01	1.04E-01	1.72E+00	1.72E+00	8.15E-01	6.00E-01	15	94
Manganese (Mn)	µg/m ³	0.4	0	9.82E-03	1.26E-02	3.88E-03	3.37E-02	3.37E-02	2.56E-02	2.53E-02	15	94
Molybdenum (Mo)	µg/m ³	120	0	2.17E-03	2.43E-03	6.09E-04	3.74E-03	3.74E-03	3.46E-03	3.66E-03	15	94
Nickel (Ni)	µg/m ³	0.2	0	9.08E-04	1.00E-03	4.81E-04	2.27E-03	1.44E-03	1.12E-03	2.27E-03	15	94
Phosphorus (P)	µg/m ³	-	-	2.24E-01	2.24E-01	2.19E-01	2.30E-01	2.30E-01	2.23E-01	2.29E-01	15	94
Selenium (Se)	µg/m ³	10	0	5.54E-04	8.76E-04	3.80E-04	5.42E-03	5.42E-03	3.87E-04	1.68E-03	15	94
Silver (Ag)	µg/m ³	1	0	3.47E-05	3.87E-05	2.63E-05	9.38E-05	9.38E-05	6.42E-05	2.74E-05	15	94
Strontium (Sr)	µg/m ³	120	0	6.84E-03	9.05E-03	2.27E-03	3.26E-02	3.26E-02	1.67E-02	1.29E-02	15	94
Thallium (Tl)	µg/m ³	-	-	2.85E-05	2.94E-05	2.63E-05	6.58E-05	2.76E-05	2.68E-05	6.58E-05	15	94
Tin (Sn)	µg/m ³	10	0	9.22E-04	1.07E-03	3.77E-04	2.29E-03	1.45E-03	1.22E-03	2.29E-03	15	94
Titanium (Ti)	µg/m ³	120	0	7.47E-03	9.06E-03	3.21E-03	1.96E-02	1.96E-02	1.49E-02	1.62E-02	15	94
Uranium (Ur)	µg/m ³	1.5	0	2.01E-05	2.94E-05	5.42E-06	1.29E-04	5.11E-05	2.87E-05	1.29E-04	15	94
Vanadium (V)	µg/m ³	2	0	1.49E-03	1.49E-03	1.46E-03	1.53E-03	1.53E-03	1.49E-03	1.52E-03	15	94
Zinc (Zn)	µg/m ³	120	0	3.44E-02	4.61E-02	1.12E-02	1.85E-01	9.61E-02	1.85E-01	6.35E-02	15	94
Zirconium (Zr)	µg/m ³	-	0	5.97E-04	5.97E-04	5.84E-04	6.13E-04	6.13E-04	5.95E-04	6.09E-04	15	94

Note: All non-detectable results were reported as 1/2 of the detection limit



5.7 PAH Results

All of the PUF Hi-Vols operated on a discrete schedule every 12 days for PAH's according to the NAPS schedule during Q1 with the sample days being: January 7, 19, 31, February 12, 24, March 7, 19, and 31, 2024

5.7.1 Courtice Station Results

Data recovery levels were high for the PAH results at the Courtice station (100% valid data). There were no exceedances of any of the AAQC's during Q1 of 2024. **Table 9** outlines the statistics summary for this station.



Table 9: Statistics Summary of PAH Results for Courtice Station

Contaminant	Units	MECP Criteria (µg/m³)	No. > Criteria	Arithmetic Mean	Minimum Q1 Concentration	Maximum Q1 Concentration	January Maximum Concentration	February Maximum Concentration	March Maximum Concentration	Number of Valid Samples	% Valid data
1-Methylnaphthalene	ng/m³	-	0	2.02E+00	6.34E-01	3.42E+00	3.42E+00	2.27E+00	2.16E+00	8	100
2-Methylnaphthalene	ng/m³	-	0	3.27E+00	1.15E+00	6.29E+00	6.29E+00	3.44E+00	3.71E+00	8	100
Acenaphthene	ng/m³	-	-	5.55E-01	2.94E-01	8.20E-01	7.62E-01	8.20E-01	6.09E-01	8	100
Acenaphthylene	ng/m³	-	0	3.06E-01	6.34E-02	8.33E-01	6.08E-01	8.33E-01	2.02E-01	8	100
Anthracene	ng/m³	-	0	4.30E-02	6.03E-03	1.09E-01	6.36E-02	1.09E-01	4.21E-02	8	100
Benzo(a)Anthracene	ng/m³	-	-	1.54E-02	4.31E-03	4.29E-02	2.72E-02	4.29E-02	9.27E-03	8	100
Benzo(a)fluorene	ng/m³	-	-	3.67E-02	1.54E-03	1.01E-01	5.03E-02	1.01E-01	2.61E-02	8	100
Benzo(a)Pyrene (Historically High)	ng/m³	0.05	0	1.53E-02	1.54E-03	4.98E-02	2.36E-02	4.98E-02	1.12E-02	8	100
Benzo(b)Fluoranthene	ng/m³	-	-	5.71E-02	2.24E-02	1.10E-01	1.10E-01	1.06E-01	3.58E-02	8	100
Benzo(b)fluorene	ng/m³	-	-	7.49E-03	1.54E-03	1.81E-02	1.25E-02	1.81E-02	7.86E-03	8	100
Benzo(e)Pyrene	ng/m³	-	-	3.38E-02	1.02E-02	7.32E-02	6.08E-02	7.32E-02	1.48E-02	8	100
Benzo(g,h,i)Perylene	ng/m³	-	-	3.43E-02	9.75E-03	7.10E-02	5.47E-02	7.10E-02	2.60E-02	8	100
Benzo(k)Fluoranthene	ng/m³	-	-	4.85E-02	1.36E-02	1.21E-01	7.47E-02	1.21E-01	3.30E-02	8	100
Biphenyl	ng/m³	-	-	1.44E+00	6.03E-01	2.50E+00	2.50E+00	1.76E+00	1.02E+00	8	100
Chrysene	ng/m³	-	-	9.10E-02	3.17E-02	1.67E-01	1.49E-01	1.67E-01	5.06E-02	8	100
Dibenzo(a,h)Anthracene	ng/m³	-	-	6.66E-03	1.54E-03	1.73E-02	7.48E-03	9.56E-03	1.73E-02	8	100
Fluoranthene	ng/m³	-	-	3.51E-01	1.14E-01	5.63E-01	5.63E-01	5.55E-01	2.89E-01	8	100
Fluorene	ng/m³	-	-	7.00E-01	3.57E-01	1.16E+00	1.16E+00	9.46E-01	6.28E-01	8	100
Indeno(1,2,3-cd)Pyrene	ng/m³	-	-	3.17E-02	1.20E-02	6.47E-02	5.73E-02	6.47E-02	1.69E-02	8	100
Naphthalene	ng/m³	22500	0	9.99E+00	2.38E+00	1.89E+01	1.89E+01	8.18E+00	8.27E+00	8	100
o-Terphenyl	ng/m³	-	-	5.64E-03	1.54E-03	1.15E-02	1.15E-02	7.67E-03	5.17E-03	8	100
Perylene	ng/m³	-	-	4.57E-03	1.54E-03	1.02E-02	5.56E-03	1.02E-02	6.95E-03	8	100
Phenanthrene	ng/m³	-	-	1.43E+00	6.95E-01	2.15E+00	1.99E+00	2.15E+00	1.50E+00	8	100
Pyrene	ng/m³	-	-	1.99E-01	4.15E-02	3.79E-01	3.14E-01	3.79E-01	1.65E-01	8	100
Tetralin	ng/m³	-	-	6.66E-01	1.84E-01	1.25E+00	1.25E+00	5.29E-01	8.18E-01	8	100
Total PAH	ng/m³	-	-	2.14E+01	7.95	35.98	3.60E+01	2.11E+01	19.54	8	100

Notes: All non-detectable results were reported as 1/2 of the detection limit



5.7.2 Rundle Road Station Results

Data recovery levels were high for the PAH results at the Rundle Road station (100% valid data). There were no exceedances of any of the AAQC's during Q1 of 2024. **Table 10** outlines the statistics summary for this station.

Table 10: Statistics Summary of PAH Results for Rundle Road Station

Contaminant	Units	MECP Criteria (µg/m³)	No. > Criteria	Arithmetic Mean	Minimum Q1 Concentration	Maximum Q1 Concentration	January Maximum Concentration	February Maximum Concentration	March Maximum Concentration	Number of Valid Samples	% Valid data
1-Methylnaphthalene	ng/m³	-	0	2.59E+00	1.04E+00	5.64E+00	5.64E+00	2.01E+00	2.80E+00	8	100
2-Methylnaphthalene	ng/m³	-	0	4.11E+00	1.64E+00	9.80E+00	9.80E+00	3.28E+00	4.57E+00	8	100
Acenaphthene	ng/m³	-	-	8.99E-01	1.50E-01	1.88E+00	1.88E+00	7.70E-01	1.29E+00	8	100
Acenaphthylene	ng/m³	-	0	4.29E-01	1.94E-01	1.15E+00	1.15E+00	3.09E-01	3.83E-01	8	100
Anthracene	ng/m³	-	0	7.45E-02	2.99E-02	1.54E-01	1.54E-01	3.34E-02	7.69E-02	8	100
Benzo(a)Anthracene	ng/m³	-	-	1.87E-02	6.06E-03	4.26E-02	4.26E-02	1.74E-02	2.10E-02	8	100
Benzo(a)fluorene	ng/m³	-	-	5.08E-02	1.12E-02	1.17E-01	1.17E-01	3.53E-02	4.26E-02	8	100
Benzo(a)Pyrene (Historically High)	ng/m³	0.05	0	1.90E-02	5.57E-03	4.55E-02	4.55E-02	2.04E-02	2.17E-02	8	100
Benzo(b)Fluoranthene	ng/m³	-	-	7.43E-02	3.04E-02	1.73E-01	1.73E-01	5.62E-02	7.17E-02	8	100
Benzo(b)fluorene	ng/m³	-	-	9.20E-03	1.45E-03	2.23E-02	2.23E-02	5.93E-03	7.76E-03	8	100
Benzo(e)Pyrene	ng/m³	-	-	4.62E-02	1.79E-02	9.78E-02	9.78E-02	3.75E-02	3.62E-02	8	100
Benzo(g,h,i)Perylene	ng/m³	-	-	4.55E-02	1.37E-02	8.19E-02	8.19E-02	3.56E-02	4.38E-02	8	100
Benzo(k)Fluoranthene	ng/m³	-	-	5.82E-02	2.70E-02	1.30E-01	1.30E-01	4.98E-02	4.54E-02	8	100
Biphenyl	ng/m³	-	-	1.66E+00	9.77E-01	2.92E+00	2.92E+00	1.48E+00	1.19E+00	8	100
Chrysene	ng/m³	-	-	1.10E-01	4.87E-02	2.01E-01	2.01E-01	7.48E-02	1.09E-01	8	100
Dibenzo(a,h)Anthracene	ng/m³	-	-	7.52E-03	1.45E-03	1.80E-02	1.80E-02	4.20E-03	6.84E-03	8	100
Fluoranthene	ng/m³	-	-	4.73E-01	1.37E-01	8.18E-01	8.18E-01	3.03E-01	5.47E-01	8	100
Fluorene	ng/m³	-	-	9.57E-01	3.51E-01	1.74E+00	1.74E+00	7.38E-01	1.25E+00	8	100
Indeno(1,2,3-cd)Pyrene	ng/m³	-	-	4.27E-02	1.55E-02	8.54E-02	8.54E-02	3.34E-02	3.68E-02	8	100
Naphthalene	ng/m³	22500	0	1.09E+01	3.19E+00	2.20E+01	2.20E+01	6.32E+00	9.75E+00	8	100
o-Terphenyl	ng/m³	-	-	6.43E-03	1.45E-03	1.86E-02	1.86E-02	5.49E-03	5.14E-03	8	100
Perylene	ng/m³	-	-	5.11E-03	1.45E-03	9.83E-03	9.83E-03	5.02E-03	5.80E-03	8	100
Phenanthrene	ng/m³	-	-	1.99E+00	7.57E-01	3.19E+00	3.19E+00	1.35E+00	2.43E+00	8	100
Pyrene	ng/m³	-	-	2.65E-01	6.70E-02	4.98E-01	4.98E-01	1.79E-01	2.70E-01	8	100
Tetralin	ng/m³	-	-	6.94E-01	1.34E-01	1.85E+00	1.85E+00	4.92E-01	1.08E+00	8	100
Total PAH	ng/m³	-	-	2.55E+01	1.24E+01	5.21E+01	5.21E+01	1.72E+01	2.47E+01	8	100

Note: All non-detectable results were reported as 1/2 of the detection limit

5.8 Dioxin and Furan Results

All of the PUF Hi-Vols operated on a discrete schedule every 24 days for D&F's according to the NAPS schedule during Q1 with the sample days being: January 19, February 12, March 7 and 31, 2024.

5.8.1 Courtice Station Results

Data recovery levels were high for the D&F results at the Courtice station (100% valid data). There were no exceedances of any of the AAQC's for any of the D&F's during Q1. **Table 11** is a summary of the statistics for this station.

Table 11: Courtice Station Q1 Monitoring Results for Dioxins and Furans

Contaminant	Units	MECP Criteria	No. > Criteria	Arithmetic Mean	Q1 Minimum Concentration	Q1 Maximum Concentration	January Maximum Concentration	February Maximum Concentration	March Maximum Concentration	Number of Valid Samples	% Valid data
2,3,7,8-TCDD	pg/m ³	-	-	1.69E-03	3.93E-04	5.02E-03	6.72E-04	6.94E-04	5.02E-03	4	100
1,2,3,7,8-PeCDD	pg/m ³	-	-	1.36E-03	8.62E-04	2.18E-03	1.17E-03	1.25E-03	2.18E-03	4	100
1,2,3,4,7,8-HxCDD	pg/m ³	-	-	2.19E-04	1.37E-04	3.19E-04	3.19E-04	2.16E-04	2.03E-04	4	100
1,2,3,6,7,8-HxCDD	pg/m ³	-	-	2.24E-04	1.29E-04	4.06E-04	2.03E-04	1.29E-04	4.06E-04	4	100
1,2,3,7,8,9-HxCDD	pg/m ³	-	-	2.46E-04	1.15E-04	3.71E-04	2.34E-04	1.15E-04	3.71E-04	4	100
1,2,3,4,6,7,8-HpCDD	pg/m ³	-	-	5.01E-04	3.66E-04	7.03E-04	7.03E-04	3.66E-04	4.70E-04	4	100
OCDD	pg/m ³	-	-	4.93E-05	4.39E-05	6.17E-05	6.17E-05	4.50E-05	4.67E-05	4	100
2,3,7,8-TCDF	pg/m ³	-	-	7.53E-05	4.72E-05	1.06E-04	1.06E-04	7.73E-05	7.05E-05	4	100
1,2,3,7,8-PeCDF	pg/m ³	-	-	3.89E-05	2.26E-05	5.56E-05	2.53E-05	5.21E-05	5.56E-05	4	100
2,3,4,7,8-PeCDF	pg/m ³	-	-	3.66E-04	1.83E-04	5.21E-04	2.44E-04	5.21E-04	5.18E-04	4	100
1,2,3,4,7,8-HxCDF	pg/m ³	-	-	9.15E-05	5.33E-05	1.14E-04	1.14E-04	1.07E-04	9.12E-05	4	100
1,2,3,6,7,8-HxCDF	pg/m ³	-	-	1.15E-04	3.76E-05	2.48E-04	2.48E-04	1.06E-04	6.92E-05	4	100
2,3,4,6,7,8-HxCDF	pg/m ³	-	-	9.77E-05	7.23E-05	1.29E-04	1.14E-04	7.57E-05	1.29E-04	4	100
1,2,3,7,8,9-HxCDF	pg/m ³	-	-	8.00E-05	4.55E-05	1.36E-04	1.36E-04	8.99E-05	4.87E-05	4	100
1,2,3,4,6,7,8-HpCDF	pg/m ³	-	-	3.30E-05	2.04E-05	4.38E-05	4.38E-05	4.26E-05	2.52E-05	4	100
1,2,3,4,7,8,9-HpCDF	pg/m ³	-	-	8.05E-06	7.21E-06	8.99E-06	7.66E-06	8.99E-06	8.33E-06	4	100
OCDF	pg/m ³	-	-	3.49E-06	2.05E-06	4.65E-06	4.65E-06	4.21E-06	3.06E-06	4	100
Total Toxic Equivalency	pg TEQ/m ³	0.1 1 ^[1]	0	5.21E-03	3.90E-03	7.59E-03	4.41E-03	3.90E-03	7.59E-03	4	100

Notes: All non-detectable results were reported as 1/2 of the detection limit

[1] O. Reg. 419/05 Schedule Upper Risk Thresholds



5.8.2 Rundle Road Station Results

Data recovery levels were acceptable for the D&F results at the Rundle Road station (75% valid data). There were no exceedances of any of the AAQC's Criteria for any of the D&Fs during Q1. **Table 12** is a summary of the statistics for this station. The January 19th sample was compromised during the lab's extraction and preparation process.

Table 12: Rundle Road Station Q1 Monitoring Results for Dioxins and Furans

Contaminant	Units	MECP Criteria	No. > Criteria	Arithmetic Mean	Q1 Minimum Concentration	Q1 Maximum Concentration	January Maximum Concentration	February Maximum Concentration	March Maximum Concentration	Number of Valid Samples	% Valid data
2,3,7,8-TCDD	pg/m ³	-	-	6.11E-04	4.10E-04	8.52E-04	0.00E+00	8.52E-04	5.71E-04	3	75
1,2,3,7,8-PeCDD	pg/m ³	-	-	1.85E-03	1.14E-03	3.27E-03	0.00E+00	1.14E-03	3.27E-03	3	75
1,2,3,4,7,8-HxCDD	pg/m ³	-	-	2.62E-04	8.04E-05	5.68E-04	0.00E+00	8.04E-05	5.68E-04	3	75
1,2,3,6,7,8-HxCDD	pg/m ³	-	-	5.79E-04	2.21E-04	1.30E-03	0.00E+00	2.21E-04	1.30E-03	3	75
1,2,3,7,8,9-HxCDD	pg/m ³	-	-	3.48E-04	2.94E-04	4.10E-04	0.00E+00	2.94E-04	4.10E-04	3	75
1,2,3,4,6,7,8-HpCDD	pg/m ³	-	-	5.51E-04	1.50E-04	9.01E-04	0.00E+00	1.50E-04	9.01E-04	3	75
OCDD	pg/m ³	-	-	4.36E-05	2.43E-05	5.39E-05	0.00E+00	2.43E-05	5.39E-05	3	75
2,3,7,8-TCDF	pg/m ³	-	-	8.09E-05	5.21E-05	1.07E-04	0.00E+00	1.07E-04	8.33E-05	3	75
1,2,3,7,8-PeCDF	pg/m ³	-	-	3.28E-05	2.22E-05	4.12E-05	0.00E+00	3.50E-05	4.12E-05	3	75
2,3,4,7,8-PeCDF	pg/m ³	-	-	5.61E-04	3.12E-04	9.40E-04	0.00E+00	9.40E-04	4.31E-04	3	75
1,2,3,4,7,8-HxCDF	pg/m ³	-	-	2.16E-04	1.07E-04	2.92E-04	0.00E+00	1.07E-04	2.92E-04	3	75
1,2,3,6,7,8-HxCDF	pg/m ³	-	-	1.50E-04	1.26E-04	1.85E-04	0.00E+00	1.26E-04	1.85E-04	3	75
2,3,4,6,7,8-HxCDF	pg/m ³	-	-	1.97E-04	1.70E-04	2.47E-04	0.00E+00	1.70E-04	2.47E-04	3	75
1,2,3,7,8,9-HxCDF	pg/m ³	-	-	1.51E-04	8.36E-05	1.89E-04	0.00E+00	1.89E-04	1.82E-04	3	75
1,2,3,4,6,7,8-HpCDF	pg/m ³	-	-	9.83E-05	7.00E-05	1.45E-04	0.00E+00	7.98E-05	1.45E-04	3	75
1,2,3,4,7,8,9-HpCDF	pg/m ³	-	-	2.03E-05	9.62E-06	2.98E-05	0.00E+00	2.98E-05	2.14E-05	3	75
OCDF	pg/m ³	-	-	3.04E-06	2.51E-06	3.46E-06	0.00E+00	3.46E-06	3.13E-06	3	75
Total Toxic Equivalency	pg TEQ/m ³	0.1 [1]	0	5.76E-03	4.14E-03	8.59E-03	0.00E+00	4.54E-03	8.59E-03	3	75

Notes: All non-detectable results were reported as 1/2 of the detection limit

[1] O. Reg. 419/05 Schedule Upper Risk Thresholds



6 DATA REQUESTS

The following sections outline any instrumentation issues encountered that have caused data loss at any of the monitors at each of the stations.

Appendix C contains monthly IZS zero trends for the NO_x and SO₂ analyzers at the Courtice and Rundle Road stations.

Edit logs identifying missing data, maintenance times, calibrations and any other missing data have been included in **Appendix D**.

6.1 Continuous Monitoring

On March 21, 2024, the Rundle Road station's MET (WS, WD, Temp, RH and Rain) sensors incurred 3 hours of data loss from 10:00 to 13:00 due to a malfunction with the data logger.

On March 26, 2024, the Rundle Road station's NO_x & SO₂ analyzer incurred 1 hour of data loss from 14:00 to 15:00 due to site shelter maintenance.

6.2 Discrete Monitoring

The January 13, 2024, Courtice and Rundle TSP samples were invalidated due to equipment malfunctions.

The January 19, 2024, Rundle Dioxin and Furan sample was invalidated due to sample contamination by the lab.

7 CONCLUSIONS

This Q1 report provides a summary of the ambient air quality data collected at the Courtice and Rundle Road stations. There were one-hundred and fifty-seven (157) exceedance events above the rolling 10-minute SO₂ AAQC and sixty-three (63) exceedance events above the rolling 1-hour SO₂ AAQC at the Courtice station. There were no exceedance of the Benzo(a) Pyrene AAQC at the Courtice or the Rundle Road stations. Data recovery rates were acceptable and valid for all measured Q1 continuous and discrete parameters, except for the TSP, Metals and Rain at the Courtice station.



8 REFERENCES

1. Canadian Council of Ministers of the Environment (CCME), 2012. Guidance Document on Achievement Determination Canadian Ambient Air Quality Standards for Fine Particulate Matter and Ozone. PN 1483 978-1-896997-91-9 PDF
2. Canadian Council of Ministers of the Environment (CCME), 2019. Guidance Document on Air Zone Management. PN 1593978-1-77202-050-2 PDF
3. Ontario Ministry of the Environment and Climate Change, 2018. [Technical Assessment and Standards Development Branch] Ontario Air Standards for Sulphur Dioxide (SO₂). [Online]
4. Human Toxicology and Air Standards Section, Technical Assessment and Standards Development Branch, Ontario Ministry of the Environment, Conservation and Parks (MECP). 2020. Ontario's Ambient Air Quality Criteria. MECP, Toronto, ON, Canada.

9 GENERAL STATEMENT OF LIMITATIONS

This report entitled "2024 Q1 Ambient Air Quality Monitoring Report", dated May 2, 2024, was prepared by RWDI AIR Inc. ("RWDI") for The Regional Municipality of Durham ("Client"). The findings and conclusions presented in this report have been prepared for the Client and are specific to the project described herein ("Project"). This report was prepared using scientific principles, published methodologies and professional judgment in assessing available information and data. The findings presented within this document are based on available data within the limits of the existing information, budgeted scope of work, and schedule. The conclusions contained in this report are based on the information available to RWDI when this report was prepared; subsequent changes made by the Client after the date of this report have not been reflected in the conclusions.

This report was prepared for the exclusive use of The Regional Municipality of Durham, The Regional Municipality of York and the MECP. Any use which a third party makes of this report, or any reliance on or decisions made based on it, are the responsibility of such third parties. RWDI accepts no responsibility for damages, if any, suffered by any third party as result of decisions made or actions based on this report.

The background features a large, light beige curved shape on the right side, and a blue curved shape on the left side that overlaps the beige one. The text 'APPENDIX A' is centered within the beige area.

APPENDIX A

Table A1: 2024 Summary Statistics for Q1

Courtice Monitoring Station Data Statistics	Maximum 10 min Rolling Mean	Maximum 1 hr Rolling Mean					Maximum 24 hr Rolling Mean					Monthly Mean					Valid Data							
		Compound	SO ₂	PM _{2.5}	NO _x	NO	NO ₂	SO ₂	PM _{2.5}	NO _x	NO	NO ₂	SO ₂	PM _{2.5}	NO _x	NO	NO ₂	SO ₂	PM _{2.5}	NO _x	NO	NO ₂	SO ₂	
Units	ppb	(µg/m ³)	ppb					(µg/m ³)	ppb					(µg/m ³)	ppb					(%)				
AAQC/CAAQS	67					200	40	27 ^A				100												
January	157.9	33.8	64.3	36.0	32.9	81.4	19.8	21.2	6.5	15.5	10.8	5.9	8.0	1.3	6.8	3.0	99.9	99.7	99.7	99.7	99.5			
February	364.3	27.4	68.7	40.7	39.1	160.3	16.4	23.5	7.2	17.4	38.2	3.8	8.3	1.8	6.5	8.1	99.7	99.7	99.7	99.7	99.6			
March	71.6	26.3	60.7	37.4	31.5	44.9	17.0	21.5	7.4	14.2	11.8	4.1	5.5	1.0	4.5	1.5	99.5	99.5	99.5	99.5	99.5			
Q1 Arithmetic Mean												4.6	7.3	1.4	5.9	4.2	99.7	99.6	99.6	99.6	99.5			

Rundle Monitoring Station Data Statistics	Maximum 10 min Rolling Mean	Maximum 1 hr Rolling Mean					Maximum 24 hr Rolling Mean					Monthly Mean					Valid Data							
		Compound	SO ₂	PM _{2.5}	NO _x	NO	NO ₂	SO ₂	PM _{2.5}	NO _x	NO	NO ₂	SO ₂	PM _{2.5}	NO _x	NO	NO ₂	SO ₂	PM _{2.5}	NO _x	NO	NO ₂	SO ₂	
Units	ppb	(µg/m ³)	ppb					(µg/m ³)	ppb					(µg/m ³)	ppb					(%)				
AAQC/CAAQS	67					200	40	27 ^A				100												
January	2.0	28.4	40.9	22.0	27.4	1.7	19.0	16.8	5.3	14.1	0.4	6.2	7.9	1.4	6.6	0.1	99.7	99.6	99.6	99.6	99.6			
February	2.9	37.6	57.4	36.2	30.2	2.0	20.6	22.1	6.0	16.9	0.8	5.9	6.2	1.2	5.3	0.2	99.9	99.7	99.7	99.7	99.7			
March	3.5	23.8	26.8	11.3	23.6	2.7	16.8	13.9	3.3	11.0	0.5	4.3	4.4	1.0	3.4	0.2	99.6	99.5	99.5	99.5	99.3			
Q1 Arithmetic Mean												5.5	6.2	1.2	5.1	0.2	99.7	99.6	99.6	99.6	99.5			

Event Statistics	Rolling Mean > 10 min AAQC for Courtice	Rolling Mean > 10 min AAQC for Rundle	Rolling Mean > 1 hr AAQC for Courtice			Rolling Mean > 1 hr AAQC for Rundle			Rolling Mean > 24 hr AAQC for Courtice Monitoring Station			Rolling Mean > 24 hr AAQC for Rundle Monitoring Station		
			Compound	SO ₂	No.	PM _{2.5}	NO ₂	SO ₂	PM _{2.5}	NO ₂	SO ₂	PM _{2.5}	NO ₂	SO ₂
Units	No.	No.			No.			No.			No.			
January	17	0			0	8		0	0	N/A	0		N/A	
February	139	0			0	53		0	0	N/A	0		N/A	
March	1	0			0	2		0	0	N/A	0		N/A	
Q1 Total	157	0			0	63		0	0	N/A	0		N/A	

Courtice Station MET Statistics	Maximum 1 hr Mean					Minimum 1 hr Mean					Monthly Mean					Total		Valid Data				
	Parameter	WS	Temp	RH	Pres	Rain	WS	Temp	RH	Pres	Rain	WS	Temp	RH	Pres	Rain	Rain	WS	WD	Temp	RH	Pres
Units	(km/hr)	(°C)	(%)	"Hg	mm	(km/hr)	(°C)	(%)	"Hg	mm	(km/hr)	(°C)	(%)	"Hg	mm	mm	(%)					
January	49.0	6.0	100.0	30.2	4.3	0.4	-15.7	44.0	28.6	0.0	15.0	-1.8	74.2	29.7	0.1	58.0	100.0	98.1	100.0	100.0	100.0	100.0
February	43.8	11.2	100.0	30.1	4.1	0.2	-14.4	31.1	28.9	0.0	11.9	0.0	67.6	29.7	0.0	20.0	100.0	97.6	100.0	100.0	100.0	100.0
March	38.4	17.1	100.0	30.2	4.3	0.3	-7.8	29.4	29.2	0.0	14.3	3.8	67.6	29.7	0.1	47.4	100.0	98.0	100.0	100.0	100.0	100.0
Q1 Arithmetic Mean											13.7	0.7	69.9	29.7	0.1	125.4	100.0	97.9	100.0	100.0	100.0	100.0

Rundle Station MET Statistics	Maximum 1 hr Mean				Minimum 1 hr Mean				Monthly Mean				Total	Valid Data				
	Parameter	WS	Temp	RH	Rain	WS	Temp	RH	Rain	WS	Temp	RH	Rain	Rain	WS	WD	Temp	RH
Units	(km/hr)	(°C)	(%)	mm	(km/hr)	(°C)	(%)	mm	(km/hr)	(°C)	(%)	mm	mm	(%)				
January	39.0	6.0	100.0	4.1	0.1	-16.2	46.9	0.0	11.6	-2.3	79.4	0.1	72.2	100.0	95.4	100.0	100.0	100.0
February	34.0	11.1	100.0	4.5	0.1	-16.2	35.3	0.0	8.6	-0.6	74.1	0.0	20.9	100.0	92.1	100.0	100.0	100.0
March	26.4	17.3	100.0	4.5	0.3	-9.7	33.1	0.0	10.3	3.0	72.7	0.1	50.6	99.6	93.7	99.6	99.6	99.7
Q1 Arithmetic Mean									10.2	0.0	75.4	0.1	143.7	99.9	93.8	99.9	99.9	99.9

Table A2: 2024 Q1 Station Courtice Monitoring Results for PM2.5

Data Statistics	Rolling Mean > 24 hr AAQC	Arithmetic Mean	Maximum 1 hr Rolling Mean	Maximum 24 hr Rolling Mean	Number of Valid Hours	Valid Data
Month	PM _{2.5}	PM _{2.5}	PM _{2.5}	PM _{2.5}	PM _{2.5}	PM _{2.5}
	No.	(ug/m ³)	(ug/m ³)	(ug/m ³)	No.	%
January	N/A	5.9	33.8	19.8	743	99.9
February	N/A	3.8	27.4	16.4	694	99.7
March	N/A	4.1	26.3	17.0	740	99.5

Table A3: 2024 Q1 Station Rundle Monitoring Results for PM2.5

Data Statistics	Rolling Mean > 24 hr AAQC	Arithmetic Mean	Maximum 1 hr Rolling Mean	Maximum 24 hr Rolling Mean	Number of Valid Hours	Valid Data
Month	PM _{2.5}	PM _{2.5}	PM _{2.5}	PM _{2.5}	PM _{2.5}	PM _{2.5}
	No.	(ug/m ³)	(ug/m ³)	(ug/m ³)	No.	%
January	N/A	6.2	28.4	19.0	742	99.7
February	N/A	5.9	37.6	20.6	695	99.9
March	N/A	4.3	23.8	16.8	741	99.6

Table A4: 2024 Q1 Station Courtice Monitoring Results for NO_x

Data Statistics	Events > 1 hr AAQC	Events > 24 hr AAQC	Arithmetic Mean	Maximum 1 hr Rolling Mean	Maximum 24 hr Rolling Mean	Number of Valid Hours	Valid Data
Month	NO _x	NO _x	NO _x	NO _x	NO _x	NO _x	NO _x
	No.	No.	(ppb)	(ppb)	(ppb)	No.	%
January	N/A	N/A	8.0	64.3	21.2	742	99.7
February	N/A	N/A	8.3	68.7	23.5	694	99.7
March	N/A	N/A	5.5	60.7	21.5	740	99.5

Table A5: 2024 Q1 Station Rundle Monitoring Results for NOx

Data Statistics	Events > 1 hr AAQC	Events > 24 hr AAQC	Arithmetic Mean	Maximum 1 hr Rolling Mean	Maximum 24 hr Rolling Mean	Number of Valid Hours	Valid Data
Month	NO _x	NO _x	NO _x	NO _x	NO _x	NO _x	NO _x
	No.	No.	(ppb)	(ppb)	(ppb)	No.	%
January	N/A	N/A	7.9	40.9	16.8	741	99.6
February	N/A	N/A	6.2	57.4	22.1	694	99.7
March	N/A	N/A	4.4	26.8	13.9	740	99.5

Table A6: 2024 Q1 Station Courtice Monitoring Results for NO

Data Statistics	Events > 1 hr AAQC	Events > 24 hr AAQC	Arithmetic Mean	Maximum 1 hr Rolling Mean	Maximum 24 hr Rolling Mean	Number of Valid Hours	Valid Data
Month	NO	NO	NO	NO	NO	NO	NO
	No.	No.	(ppb)	(ppb)	(ppb)	No.	%
January	N/A	N/A	1.3	36.0	6.5	742	99.7
February	N/A	N/A	1.8	40.7	7.2	694	99.7
March	N/A	N/A	1.0	37.4	7.4	740	99.5

Table A7: 2024 Q1 Station Rundle Monitoring Results for NO

Data Statistics	Events > 1 hr AAQC	Events > 24 hr AAQC	Arithmetic Mean	Maximum 1 hr Rolling Mean	Maximum 24 hr Rolling Mean	Number of Valid Hours	Valid Data
Month	NO	NO	NO	NO	NO	NO	NO
	No.	No.	(ppb)	(ppb)	(ppb)	No.	%
January	N/A	N/A	1.4	22.0	5.3	741	99.6
February	N/A	N/A	1.2	36.2	6.0	694	99.7
March	N/A	N/A	1.0	11.3	3.3	740	99.5

Table A8: 2024 Q1 Station Courtice Monitoring Results for NO2

Data Statistics	Events > 1 hr AAQC	Events > 24 hr AAQC	Arithmetic Mean	Maximum 1 hr Rolling Mean	Maximum 24 hr Rolling Mean	Number of Valid Hours	Valid Data
Month	NO ₂	NO ₂	NO ₂	NO ₂	NO ₂	NO ₂	NO ₂
	No.	No.	(ppb)	(ppb)	(ppb)	No.	%
January	0	0	6.8	32.9	15.5	742	99.7
February	0	0	6.5	39.1	17.4	694	99.7
March	0	0	4.5	31.5	14.2	740	99.5

Table A9: 2024 Q1 Station Rundle Monitoring Results for NO2

Data Statistics	Events > 1 hr AAQC	Events > 24 hr AAQC	Arithmetic Mean	Maximum 1 hr Rolling Mean	Maximum 24 hr Rolling Mean	Number of Valid Hours	Valid Data
Month	NO ₂	NO ₂	NO ₂	NO ₂	NO ₂	NO ₂	NO ₂
	No.	No.	(ppb)	(ppb)	(ppb)	No.	%
January	0	0	6.6	27.4	14.1	741	99.6
February	0	0	5.3	30.2	16.9	694	99.7
March	0	0	3.4	23.6	11.0	740	99.5

Table A10: 2024 Q1 Station Courtice Monitoring Results for SO2

Data Statistics	Events > 10 min AAQC	Events > 1 hr AAQC	Arithmetic Mean	Maximum 10 min Rolling Mean	Maximum 1 hr Rolling Mean	Maximum 24 hr Rolling Mean	Number of Valid Hours	Valid Data
Month	SO ₂	SO ₂	SO ₂	SO ₂	SO ₂	SO ₂	SO ₂	SO ₂
	No.	No.	(ppb)	(ppb)	(ppb)	(ppb)	No.	%
January	17	8	3.0	157.9	81.4	10.8	740	99.5
February	139	53	8.1	364.3	160.3	38.2	693	99.6
March	1	2	1.5	71.6	44.9	11.8	740	99.5

Table A11: 2024 Q1 Station Rundle Monitoring Results for SO2

Data Statistics	Events > 10 min AAQC	Events > 1 hr AAQC	Arithmetic Mean	Maximum 10 min Rolling Mean	Maximum 1 hr Rolling Mean	Maximum 24 hr Rolling Mean	Number of Valid Hours	Valid Data
Month	SO ₂	SO ₂	SO ₂	SO ₂	SO ₂	SO ₂	SO ₂	SO ₂
	No.	No.	(ppb)	(ppb)	(ppb)	(ppb)	No.	%
January	0	0	0.1	2.0	1.7	0.4	741	99.6
February	0	0	0.2	2.9	2.0	0.8	694	99.7
March	0	0	0.2	3.5	2.7	0.5	739	99.3

Table A12: 2024 Q1 Courtice Meterological Station Windspeed Data Summary

MET Statistics	Maximum 1 hr Mean	Minimum 1 hr	Monthly Mean	Valid Data
Month	Wind Speed	Wind Speed	Wind Speed	Wind Speed
	(km/hr)	(km/hr)	(km/hr)	(%)
January	49.0	0.4	15.0	100.0
February	43.8	0.2	11.9	100.0
March	38.4	0.3	14.3	100.0

Table A13: 2024 Q1 Rundle Meterological Station Windspeed Data Summary

MET Statistics	Maximum 1 hr Mean	Minimum 1 hr	Monthly Mean	Valid Hours
Month	Wind Speed	Wind Speed	Wind Speed	Wind Speed
	(km/hr)	(km/hr)	(km/hr)	(%)
January	39.0	0.1	11.6	100.0
February	34.0	0.1	8.6	100.0
March	26.4	0.3	10.3	99.6

Table A14: 2024 Q1 Courtice Meterological Station Wind Direction Data Summary

MET Statistics	Valid Data
Month	Wind Direction (%)
January	98.1
February	97.6
March	98.0

Table A15: 2024 Q1 Rundle Meterological Station Wind Direction Data Summary

MET Statistics	Valid Data
Month	Wind Direction
	(%)
January	95.4
February	92.1
March	93.7

Table A16: 2024 Q1 Courtice Meterological Station Temperature Data Summary

MET Statistics	Maximum 1 hr Mean	Minimum 1 hr	Monthly Mean	Valid Data
Month	Temperature	Temperature	Temperature	Temperature
	(°C)	(°C)	(°C)	(%)
January	6.0	-15.7	-1.8	100.0
February	11.2	-14.4	0.0	100.0
March	17.1	-7.8	3.8	100.0

Table A17: 2024 Q1 Rundle Meterological Station Temperature Data Summary

MET Statistics	Maximum 1 hr Mean	Minimum 1 hr	Monthly Mean	Valid Data
Month	Temperature	Temperature	Temperature	Temperature
	(°C)	(°C)	(°C)	(%)
January	6.0	-16.2	-2.3	100.0
February	11.1	-16.2	-0.6	100.0
March	17.3	-9.7	3.0	99.6

Table A18: 2024 Q1 Courtice Meterological Station Relative Humidity Data Summary

MET Statistics	Maximum 1 hr Mean	Minimum 1 hr	Monthly Mean	Valid Data
Month	Relative Humidity	Relative Humidity	Relative Humidity	Relative Humidity
	(%)	(%)	(%)	(%)
January	100.0	44.0	74.2	100.0
February	100.0	31.1	67.6	100.0
March	100.0	29.4	67.6	100.0

Table A19: 2024 Q1 Rundle Meterological Station Relative Humidity Data Summary

MET Statistics	Maximum 1 hr Mean	Minimum 1 hr	Monthly Mean	Valid Data
Month	Relative Humidity	Relative Humidity	Relative Humidity	Relative Humidity
	(%)	(%)	(%)	(%)
January	100.0	46.9	79.4	100.0
February	100.0	35.3	74.1	100.0
March	100.0	33.1	72.7	99.6

Table A20: 2024 Q1 Courtice Meterological Station Precipitation Data Summary

MET Statistics	Maximum 1 hr Mean	Minimum 1 hr	Monthly Mean	Total	Valid Data
Month	Precipitation	Precipitation	Precipitation	Precipitation	Precipitation
	(mm)	(mm)	(mm)	(mm)	%
January	4.3	0.0	0.1	58.0	100.0
February	4.1	0.0	0.0	20.0	100.0
March	4.3	0.0	0.1	47.4	100.0

Table A21: 2024 Q1 Rundle Meterological Station Precipitation Data Summary

MET Statistics	Maximum 1 hr Mean	Minimum 1 hr	Monthly Mean	Total	Valid Data
Month	Precipitation	Precipitation	Precipitation	Precipitation	Precipitation
	(mm)	(mm)	(mm)	(mm)	%
January	4.1	0.0	0.1	72.2	100.0
February	4.5	0.0	0.0	20.9	100.0
March	4.5	0.0	0.1	50.6	99.7

Table A22: 2024 Q1 Courtice Meterological Station Pressure Data Summary

MET Statistics	Maximum 1 hr Mean	Minimum 1 hr	Monthly Mean	Valid Data
Month	Pressure	Pressure	Pressure	Pressure
	("Hg)	("Hg)	("Hg)	(%)
January	30.2	28.6	29.7	100.0
February	30.1	28.9	29.7	100.0
March	30.2	29.2	29.7	100.0

A large decorative graphic on the left side of the page, featuring a blue triangle at the top left corner and a large, light beige circular shape that overlaps the triangle and extends across the page.

APPENDIX B

Table B1: Summary of Sample Flow Rate and Sample Duration for Dioxins & Furans

Sample Date	Courtice			Rundle		
	Filter ID	Sample Duration	Sample Volume	Filter ID	Sample Duration	Sample Volume
	No.	(min)	(m ³)	No.	(min)	(m ³)
January 19, 2024	L2754118-4	1440	320	Invalid		
February 12, 2024	L2754417-2	1440	317	L2754417-3	1440	317
March 7, 2024	L2754926-2	1440	318	L2754926-1	1440	317
March 31, 2024	L2755184-1	1440	317	L2755184-2	1440	329

Table B2: 2024 Courtice Station Q1 Monitoring Results for Dioxins & Furans

Contaminant	Units	MECP Criteria	HHRA Health Based Criteria	19 Jan 24	12 Feb 24	7 Mar 24	31 Mar 24	MECP Criteria (µg/m³)	No. > Criteria	Arithmetic Mean	Q1 Minimum Concentration	Q1 Maximum Concentration	January Maximum Concentration	February Maximum Concentration	March Maximum Concentration	Number of Valid Samples	% Valid data
2,3,7,8-TCDD	pg TEQ/m³	-	-	6.72E-04	6.94E-04	3.93E-04	5.02E-03	-	-	1.69E-03	3.93E-04	5.02E-03	6.72E-04	6.94E-04	5.02E-03	4	100
1,2,3,7,8-PeCDD	pg TEQ/m³	-	-	1.17E-03	1.25E-03	2.18E-03	8.62E-04	-	-	1.36E-03	8.62E-04	2.18E-03	1.17E-03	1.25E-03	2.18E-03	4	100
1,2,3,4,7,8-HxCDD	pg TEQ/m³	-	-	3.19E-04	2.16E-04	1.37E-04	2.03E-04	-	-	2.19E-04	1.37E-04	3.19E-04	3.19E-04	2.16E-04	2.03E-04	4	100
1,2,3,6,7,8-HxCDD	pg TEQ/m³	-	-	2.03E-04	1.29E-04	4.06E-04	1.57E-04	-	-	2.24E-04	1.29E-04	4.06E-04	2.03E-04	1.29E-04	4.06E-04	4	100
1,2,3,7,8,9-HxCDD	pg TEQ/m³	-	-	2.34E-04	1.15E-04	3.71E-04	2.64E-04	-	-	2.46E-04	1.15E-04	3.71E-04	2.34E-04	1.15E-04	3.71E-04	4	100
1,2,3,4,6,7,8-HpCDD	pg TEQ/m³	-	-	7.03E-04	3.66E-04	4.65E-04	4.70E-04	-	-	5.01E-04	3.66E-04	7.03E-04	7.03E-04	3.66E-04	4.70E-04	4	100
OCDD	pg TEQ/m³	-	-	6.17E-05	4.50E-05	4.67E-05	4.39E-05	-	-	4.93E-05	4.39E-05	6.17E-05	6.17E-05	4.50E-05	4.67E-05	4	100
2,3,7,8-TCDF	pg TEQ/m³	-	-	1.06E-04	7.73E-05	4.72E-05	7.05E-05	-	-	7.53E-05	4.72E-05	1.06E-04	1.06E-04	7.73E-05	7.05E-05	4	100
1,2,3,7,8-PeCDF	pg TEQ/m³	-	-	2.53E-05	5.21E-05	5.56E-05	2.26E-05	-	-	3.89E-05	2.26E-05	5.56E-05	2.53E-05	5.21E-05	5.56E-05	4	100
2,3,4,7,8-PeCDF	pg TEQ/m³	-	-	2.44E-04	5.21E-04	5.18E-04	1.83E-04	-	-	3.66E-04	1.83E-04	5.21E-04	2.44E-04	5.21E-04	5.18E-04	4	100
1,2,3,4,7,8-HxCDF	pg TEQ/m³	-	-	1.14E-04	1.07E-04	9.12E-05	5.33E-05	-	-	9.15E-05	5.33E-05	1.14E-04	1.14E-04	1.07E-04	9.12E-05	4	100
1,2,3,6,7,8-HxCDF	pg TEQ/m³	-	-	2.48E-04	1.06E-04	6.92E-05	3.76E-05	-	-	1.15E-04	3.76E-05	2.48E-04	2.48E-04	1.06E-04	6.92E-05	4	100
2,3,4,6,7,8-HxCDF	pg TEQ/m³	-	-	1.14E-04	7.57E-05	7.23E-05	1.29E-04	-	-	9.77E-05	7.23E-05	1.29E-04	1.14E-04	7.57E-05	1.29E-04	4	100
1,2,3,7,8,9-HxCDF	pg TEQ/m³	-	-	1.36E-04	8.99E-05	4.87E-05	4.55E-05	-	-	8.00E-05	4.55E-05	1.36E-04	1.36E-04	8.99E-05	4.87E-05	4	100
1,2,3,4,6,7,8-HpCDF	pg TEQ/m³	-	-	4.38E-05	4.26E-05	2.52E-05	2.04E-05	-	-	3.30E-05	2.04E-05	4.38E-05	4.38E-05	4.26E-05	2.52E-05	4	100
1,2,3,4,7,8,9-HpCDF	pg TEQ/m³	-	-	7.66E-06	8.99E-06	8.33E-06	7.21E-06	-	-	8.05E-06	7.21E-06	8.99E-06	7.66E-06	8.99E-06	8.33E-06	4	100
OCDF	pg TEQ/m³	-	-	4.65E-06	4.21E-06	3.06E-06	2.05E-06	-	-	3.49E-06	2.05E-06	4.65E-06	4.65E-06	4.21E-06	3.06E-06	4	100
Total Toxic Equivalency	pg TEQ/m³	0.1 1 ^[1]	-	4.41E-03	3.90E-03	4.93E-03	7.59E-03	0.1	0	5.21E-03	3.90E-03	7.59E-03	4.41E-03	3.90E-03	7.59E-03	4	100

NOTE: All non-detectable results were reported as 1/2 of the detection limit

[1] O. Reg. 419/05 Schedule 6, Upper Risk Thresholds

Table B3: 2024 Rundle Road Station Q1 Monitoring Results for Dioxins & Furans

Contaminant	Units	MECP Criteria	HHRA Health Based Criteria	19 Jan 24	12 Feb 24	7 Mar 24	31 Mar 24	MECP Criteria (µg/m³)	No. > Criteria	Arithmetic Mean	Q1 Minimum Concentration	Q1 Maximum Concentration	January Maximum Concentration	February Maximum Concentration	March Maximum Concentration	Number of Valid Samples	% Valid data
2,3,7,8-TCDD	pg TEQ/m³	-	-	Invalid	8.52E-04	4.10E-04	5.71E-04	-	-	6.11E-04	4.10E-04	8.52E-04	0.00E+00	8.52E-04	5.71E-04	3	75
1,2,3,7,8-PeCDD	pg TEQ/m³	-	-		1.14E-03	1.15E-03	3.27E-03	-	-	1.85E-03	1.14E-03	3.27E-03	0.00E+00	1.14E-03	3.27E-03	3	75
1,2,3,4,7,8-HxCDD	pg TEQ/m³	-	-		8.04E-05	1.37E-04	5.68E-04	-	-	2.62E-04	8.04E-05	5.68E-04	0.00E+00	8.04E-05	5.68E-04	3	75
1,2,3,6,7,8-HxCDD	pg TEQ/m³	-	-		2.21E-04	2.21E-04	1.30E-03	-	-	5.79E-04	2.21E-04	1.30E-03	0.00E+00	2.21E-04	1.30E-03	3	75
1,2,3,7,8,9-HxCDD	pg TEQ/m³	-	-		2.94E-04	4.10E-04	3.40E-04	-	-	3.48E-04	2.94E-04	4.10E-04	0.00E+00	2.94E-04	4.10E-04	3	75
1,2,3,4,6,7,8-HpCDD	pg TEQ/m³	-	-		1.50E-04	6.03E-04	9.01E-04	-	-	5.51E-04	1.50E-04	9.01E-04	0.00E+00	1.50E-04	9.01E-04	3	75
OCDD	pg TEQ/m³	-	-		2.43E-05	5.27E-05	5.39E-05	-	-	4.36E-05	2.43E-05	5.39E-05	0.00E+00	2.43E-05	5.39E-05	3	75
2,3,7,8-TCDF	pg TEQ/m³	-	-		1.07E-04	5.21E-05	8.33E-05	-	-	8.09E-05	5.21E-05	1.07E-04	0.00E+00	1.07E-04	8.33E-05	3	75
1,2,3,7,8-PeCDF	pg TEQ/m³	-	-		3.50E-05	2.22E-05	4.12E-05	-	-	3.28E-05	2.22E-05	4.12E-05	0.00E+00	3.50E-05	4.12E-05	3	75
2,3,4,7,8-PeCDF	pg TEQ/m³	-	-		9.40E-04	3.12E-04	4.31E-04	-	-	5.61E-04	3.12E-04	9.40E-04	0.00E+00	9.40E-04	4.31E-04	3	75
1,2,3,4,7,8-HxCDF	pg TEQ/m³	-	-		1.07E-04	2.92E-04	2.50E-04	-	-	2.16E-04	1.07E-04	2.92E-04	0.00E+00	1.07E-04	2.92E-04	3	75
1,2,3,6,7,8-HxCDF	pg TEQ/m³	-	-		1.26E-04	1.39E-04	1.85E-04	-	-	1.50E-04	1.26E-04	1.85E-04	0.00E+00	1.26E-04	1.85E-04	3	75
2,3,4,6,7,8-HxCDF	pg TEQ/m³	-	-		1.70E-04	1.72E-04	2.47E-04	-	-	1.97E-04	1.70E-04	2.47E-04	0.00E+00	1.70E-04	2.47E-04	3	75
1,2,3,7,8,9-HxCDF	pg TEQ/m³	-	-		1.89E-04	8.36E-05	1.82E-04	-	-	1.51E-04	8.36E-05	1.89E-04	0.00E+00	1.89E-04	1.82E-04	3	75
1,2,3,4,6,7,8-HpCDF	pg TEQ/m³	-	-		7.98E-05	7.00E-05	1.45E-04	-	-	9.83E-05	7.00E-05	1.45E-04	0.00E+00	7.98E-05	1.45E-04	3	75
1,2,3,4,7,8,9-HpCDF	pg TEQ/m³	-	-		2.98E-05	9.62E-06	2.14E-05	-	-	2.03E-05	9.62E-06	2.98E-05	0.00E+00	2.98E-05	2.14E-05	3	75
OCDF	pg TEQ/m³	-	-	3.46E-06	3.13E-06	2.51E-06	-	-	3.04E-06	2.51E-06	3.46E-06	0.00E+00	3.46E-06	3.13E-06	3	75	
Total Toxic Equivalency	pg TEQ/m³	0.1 1 ^[1]	-		4.54E-03	4.14E-03	8.59E-03	0.1	0	5.76E-03	4.14E-03	8.59E-03	0.00E+00	4.54E-03	8.59E-03	3	75

NOTE: All non-detectable results were reported as 1/2 of the detection limit

[1] O. Reg. 419/05 Schedule 6, Upper Risk Thresholds

Table B7: Summary of Sample Flow Rate and Sample Duration for TSP

Sample Date	Courtice			Rundle		
	Filter ID	Sample Duration	Sample Volume	Filter ID	Sample Duration	Sample Volume
	No.	(min)	(m ³)	No.	(min)	(m ³)
January 1, 2024	L2754202-4	1440	1676	L2754202-2	1440	1662
January 7, 2024	L2754202-3	1440	1707	L2754202-1	1440	1657
January 13, 2024	Invalid			Invalid		
January 19, 2024	L2754364-3	1440	1684	L2754364-1	1440	1696
January 25, 2024	L2754483-2	1440	1768	L2754483-4	1440	1681
January 31, 2024	L2754483-1	1440	1757	L2754483-3	1440	1631
February 6, 2024	L2754626-4	1440	1674	L2754626-2	1440	1692
February 12, 2024	L2754626-3	1440	1656	L2754626-1	1440	1681
February 18, 2024	L2754747-2	1440	1647	L2754747-4	1440	1690
February 24, 2024	L2754747-1	1440	1700	L2754747-3	1440	1712
March 1, 2024	L2754928-4	1440	1664	L2754928-1	1440	1615
March 7, 2024	L2754928-3	1440	1674	L2754928-2	1440	1650
March 13, 2024	L2755047-4	1440	1641	L2755047-2	1440	1622
March 19, 2024	L2755047-3	1440	1702	L2755047-1	1440	1662
March 25, 2024	L2755185-2	1440	1683	L2755185-3	1440	1645
March 31, 2024	L2755185-1	1440	1637	L2755185-4	1440	1637

Table B8: 2024 Courtice Station Q1 Monitoring Results for TSP and Metals

Contaminant	Units	1 Jan 24	7 Jan 24	13 Jan 24	19 Jan 24	25 Jan 24	31 Jan 24	6 Feb 24	12 Feb 24	18 Feb 24	24 Feb 24	1 Mar 24	7 Mar 24	13 Mar 24	19 Mar 24	25 Mar 24	31 Mar 24	MECP Criteria (µg/m³)	No. > Criteria	Geometric Mean	Arithmetic Mean	Q1 Minimum Concentration	Q1 Maximum Concentration	January Maximum Concentration	February Maximum Concentration	March Maximum Concentration	Number of Valid Samples	% Valid data	
Particulate (TSP)	µg/m³	8.87	16.64	Invalid	25.42	15.44	22.65	37.81	14.07	13.66	7.71	31.33	22.12	40.75	17.69	27.62	12.33	120	0	18.8	20.9	7.71	40.75	25.42	37.81	40.75	15	94	
Mercury (Hg)	µg/m³	3.02E-06	2.93E-06		2.97E-06	2.83E-06	2.85E-06	1.19E-05	3.02E-06	3.04E-06	7.65E-06	1.11E-05	3.03E-06	1.29E-05	7.82E-06	9.25E-06	3.01E-06	2	0	0.0	5.83E-06	2.83E-06	1.29E-05	3.02E-06	1.19E-05	1.29E-05	1.29E-05	15	94
Aluminum (Al)	µg/m³	3.04E-02	5.75E-02		7.90E-02	1.15E-01	1.16E-01	2.77E-01	1.33E-01	1.53E-01	9.94E-02	2.59E-01	1.96E-01	2.60E-01	6.26E-02	2.43E-01	8.30E-02	-	-	0.1	1.44E-01	3.04E-02	2.77E-01	1.16E-01	2.77E-01	2.60E-01	15	94	
Antimony (Sb)	µg/m³	2.78E-04	7.56E-04		4.57E-04	8.71E-04	1.68E-03	1.40E-03	1.03E-03	2.34E-03	3.00E-04	3.23E-03	7.94E-04	1.45E-03	2.74E-03	4.38E-04	3.91E-04	25	0	0.0	1.21E-03	2.78E-04	3.23E-03	1.68E-03	2.34E-03	3.23E-03	15	94	
Arsenic (As)	µg/m³	9.05E-04	8.79E-04		8.91E-04	8.48E-04	8.54E-04	8.96E-04	9.06E-04	9.11E-04	8.82E-04	9.29E-04	9.09E-04	9.25E-04	9.03E-04	9.25E-04	9.03E-04	0.3	0	0.0	8.98E-04	8.48E-04	9.29E-04	9.05E-04	9.11E-04	9.29E-04	15	94	
Barium (Ba)	µg/m³	2.55E-03	6.15E-03		4.06E-03	5.29E-03	1.31E-02	1.40E-02	8.70E-03	3.64E-03	3.89E-03	1.20E-02	8.36E-03	1.09E-02	3.60E-03	4.03E-03	3.33E-03	10	0	0.0	6.91E-03	2.55E-03	1.40E-02	1.31E-02	1.40E-02	1.20E-02	15	94	
Beryllium (Be)	µg/m³	1.51E-05	1.46E-05		1.48E-05	1.41E-05	1.42E-05	1.49E-05	1.51E-05	1.52E-05	1.47E-05	1.55E-05	1.52E-05	1.54E-05	1.50E-05	1.54E-05	1.50E-05	0.01	0	0.0	1.50E-05	1.41E-05	1.55E-05	1.51E-05	1.52E-05	1.55E-05	15	94	
Bismuth (Bi)	µg/m³	5.43E-04	5.27E-04		5.34E-04	5.09E-04	5.12E-04	5.38E-04	5.43E-04	5.46E-04	5.29E-04	5.57E-04	5.45E-04	5.55E-04	5.42E-04	5.55E-04	5.42E-04	-	-	0.0	5.39E-04	5.09E-04	5.57E-04	5.43E-04	5.46E-04	5.57E-04	15	94	
Boron (B)	µg/m³	4.53E-03	4.39E-03		4.45E-03	4.24E-03	4.27E-03	4.48E-03	4.53E-03	4.55E-03	4.41E-03	4.64E-03	4.55E-03	4.62E-03	4.51E-03	4.62E-03	4.51E-03	120	0	0.0	4.49E-03	4.24E-03	4.64E-03	4.53E-03	4.55E-03	4.64E-03	15	94	
Cadmium (Cd)	µg/m³	6.22E-05	1.01E-04		5.52E-05	7.35E-05	9.68E-05	7.77E-05	1.06E-04	2.59E-04	5.94E-05	6.44E-05	7.09E-05	1.70E-04	1.14E-04	1.58E-04	1.57E-04	0.025	0	0.0	1.08E-04	5.52E-05	2.59E-04	1.01E-04	2.59E-04	1.70E-04	15	94	
Chromium (Cr)	µg/m³	1.03E-03	9.96E-04		1.01E-03	9.62E-04	2.05E-03	3.17E-03	2.11E-03	1.03E-03	1.00E-03	2.48E-03	2.30E-03	2.65E-03	1.02E-03	1.05E-03	1.02E-03	0.5	0	0.0	1.59E-03	9.62E-04	3.17E-03	2.05E-03	3.17E-03	2.65E-03	15	94	
Cobalt (Co)	µg/m³	4.10E-05	5.68E-05		6.89E-05	5.83E-05	1.30E-04	1.98E-04	1.12E-04	9.29E-05	6.65E-05	1.50E-04	1.19E-04	2.16E-04	6.62E-05	1.41E-04	8.06E-05	0.1	0	0.0	1.07E-04	4.10E-05	2.16E-04	1.30E-04	1.98E-04	2.16E-04	15	94	
Copper (Cu)	µg/m³	5.67E-03	3.43E-02		1.29E-02	9.62E-03	2.45E-02	9.38E-03	2.88E-02	2.26E-02	2.16E-02	9.16E-03	2.33E-02	7.95E-03	8.30E-03	9.43E-03	1.88E-02	50	0	0.0	1.64E-02	5.67E-03	3.43E-02	3.43E-02	2.88E-02	2.33E-02	15	94	
Iron (Fe)	µg/m³	1.21E-01	2.34E-01		1.95E-01	2.01E-01	4.20E-01	8.60E-01	4.57E-01	2.50E-01	2.42E-01	5.46E-01	4.64E-01	6.35E-01	1.76E-01	4.69E-01	2.56E-01	4	0	0.3	3.68E-01	1.21E-01	8.60E-01	4.20E-01	8.60E-01	6.35E-01	15	94	
Lead (Pb)	µg/m³	1.35E-03	2.93E-03		1.39E-03	1.36E-03	2.74E-03	2.83E-03	2.05E-03	2.10E-03	1.99E-03	8.73E-03	1.72E-03	3.86E-03	1.90E-03	2.00E-03	1.14E-03	0.5	0	0.0	2.54E-03	1.35E-03	2.93E-03	2.93E-03	2.83E-03	8.73E-03	15	94	
Magnesium (Mg)	µg/m³	6.16E-02	8.03E-02		1.29E-01	9.33E-02	1.94E-01	4.17E-01	2.68E-01	1.82E-01	1.40E-01	3.43E-01	2.61E-01	4.64E-01	1.50E-01	3.19E-01	1.67E-01	-	-	0.2	2.18E-01	6.16E-02	4.64E-01	1.94E-01	4.17E-01	4.64E-01	15	94	
Manganese (Mn)	µg/m³	2.82E-03	4.30E-03		4.38E-03	4.02E-03	1.14E-02	1.64E-02	1.14E-02	8.44E-03	4.85E-03	1.33E-02	1.05E-02	2.36E-02	6.68E-03	1.09E-02	7.16E-03	0.4	0	0.0	9.34E-03	2.82E-03	2.36E-02	1.14E-02	1.64E-02	2.36E-02	15	94	
Molybdenum (Mo)	µg/m³	3.98E-04	2.03E-03		9.68E-04	8.37E-04	9.73E-04	6.39E-04	9.78E-04	1.11E-03	5.71E-04	6.81E-04	6.91E-04	8.88E-04	5.05E-04	4.44E-04	5.66E-04	120	0	0.0	8.18E-04	3.98E-04	2.03E-03	2.03E-03	1.11E-03	8.88E-04	15	94	
Nickel (Ni)	µg/m³	5.13E-04	8.55E-04		6.06E-04	5.77E-04	1.18E-03	1.12E-03	8.64E-04	8.32E-04	6.29E-04	1.05E-03	8.36E-04	1.28E-03	8.06E-04	9.43E-04	1.06E-03	0.2	0	0.0	8.76E-04	5.13E-04	1.28E-03	1.18E-03	1.12E-03	1.28E-03	15	94	
Phosphorus (P)	µg/m³	2.26E-01	2.20E-01		2.23E-01	2.12E-01	2.13E-01	2.24E-01	2.26E-01	2.28E-01	2.21E-01	2.32E-01	2.27E-01	2.31E-01	2.26E-01	2.31E-01	2.26E-01	-	-	0.2	2.24E-01	2.12E-01	2.32E-01	2.26E-01	2.28E-01	2.32E-01	15	94	
Selenium (Se)	µg/m³	3.92E-04	3.81E-04		3.86E-04	3.68E-04	3.70E-04	3.88E-04	3.93E-04	3.95E-04	3.82E-04	1.30E-03	3.94E-04	1.54E-03	3.91E-04	4.01E-04	3.91E-04	10	0	0.0	5.25E-04	3.92E-04	1.54E-03	3.92E-04	3.95E-04	1.54E-03	15	94	
Silver (Ag)	µg/m³	2.72E-05	2.64E-05		2.67E-05	5.49E-05	1.02E-04	2.69E-05	2.72E-05	2.73E-05	2.65E-05	2.79E-05	2.73E-05	2.77E-05	2.71E-05	2.77E-05	2.71E-05	1	0	0.0	3.40E-05	2.64E-05	1.02E-04	1.02E-04	2.73E-05	2.79E-05	15	94	
Strontium (Sr)	µg/m³	1.87E-03	2.17E-03		3.56E-03	4.58E-03	4.04E-03	1.65E-02	4.95E-03	3.10E-03	3.29E-03	8.67E-03	9.45E-03	9.37E-03	2.35E-03	8.75E-03	3.97E-03	120	0	0.0	5.78E-03	1.87E-03	1.65E-02	4.58E-03	1.65E-02	9.45E-03	15	94	
Thallium (Tl)	µg/m³	2.72E-05	2.64E-05		2.67E-05	2.55E-05	2.56E-05	2.69E-05	2.72E-05	2.73E-05	2.65E-05	2.79E-05	2.73E-05	2.77E-05	2.71E-05	2.77E-05	2.71E-05	-	-	0.0	2.69E-05	2.55E-05	2.79E-05	2.72E-05	2.73E-05	2.79E-05	15	94	
Tin (Sn)	µg/m³	1.10E-03	8.20E-04		4.33E-04	7.01E-04	1.67E-03	9.50E-04	8.94E-04	5.28E-04	4.53E-04	1.21E-03	6.24E-04	1.25E-03	6.98E-04	9.62E-04	3.97E-04	10	0	0.0	8.46E-04	3.97E-04	1.67E-03	1.67E-03	9.50E-04	1.25E-03	15	94	
Titanium (Ti)	µg/m³	3.32E-03	3.22E-03		3.27E-03	3.11E-03	7.40E-03	1.73E-02	7.85E-03	3.34E-03	3.24E-03	1.36E-02	1.15E-02	1.36E-02	3.31E-03	1.23E-02	3.31E-03	120	0	0.0	7.31E-03	3.11E-03	1.73E-02	7.40E-03	1.73E-02	1.36E-02	15	94	
Uranium (Ur)	µg/m³	4.10E-06	5.57E-06		8.31E-06	5.02E-05	2.51E-05	3.63E-05	1.28E-05	1.56E-05	8.24E-06	2.95E-05	3.60E-05	1.34E-04	8.66E-06	2.22E-05	9.21E-06	0.3	0	0.0	2.71E-05	4.10E-06	1.34E-04	5.02E-05	3.63E-05	1.34E-04	15	94	
Vanadium (V)	µg/m³	1.51E-03	1.46E-03		1.48E-03	1.41E-03	1.42E-03	1.49E-03	1.51E-03	1.52E-03	1.47E-03	1.55E-03	1.52E-03	1.54E-03	1.50E-03	1.54E-03	1.50E-03	2	0	0.0	1.50E-03	1.41E-03	1.55E-03	1.51E-03	1.52E-03	1.55E-03	15	94	
Zinc (Zn)	µg/m³	2.17E-02	3.72E-02	2.28E-02	1.86E-02	2.92E-02	3.15E-02	2.65E-02	9.29E-02	1.74E-02	2.76E-02	2.32E-02	3.91E-02	1.11E-01	3.42E-02	2.01E-02	120	0	0.0	3.69E-02	1.74E-02	1.11E-01	3.72E-02	9.29E-02	1.11E-01	15	94		
Zirconium (Zr)	µg/m³	6.04E-04	5.86E-04	5.94E-04	5.66E-04	5.69E-04	5.97E-04	6.04E-04	6.07E-04	5.88E-04	6.19E-04	6.06E-04	6.17E-04	6.02E-04	6.17E-04	6.02E-04	-	-	0.0	5.98E-04	5.66E-04	6.19E-04	6.04E-04	6.07E-04	6.19E-04	15	94		

NOTE:

Table B9: 2024 Rundle Road Station Q1 Monitoring Results for TSP and Metals

Contaminant	Units	1 Jan 24	7 Jan 24	13 Jan 24	19 Jan 24	25 Jan 24	31 Jan 24	6 Feb 24	12 Feb 24	18 Feb 24	24 Feb 24	1 Mar 24	7 Mar 24	13 Mar 24	19 Mar 24	25 Mar 24	31 Mar 24	MECP Criteria (µg/m³)	No. > Criteria	Geometric Mean	Arithmetic Mean	Q1 Minimum Concentration	Q1 Maximum Concentration	January Maximum Concentration	February Maximum Concentration	March Maximum Concentration	Number of Valid Samples	% Valid data	
Particulate (TSP)	µg/m³	13.36	13.13	Invalid	22.46	15.65	87.06	27.42	41.23	30.30	11.33	46.45	16.19	46.68	21.21	33.09	8.93	120	0	23.8	29.0	8.93	87.06	87.06	41.23	46.68	14	94	
Mercury (Hg)	µg/m³	3.01E-06	2.98E-06		2.95E-06	2.97E-06	3.07E-06	2.96E-06	2.97E-06	8.28E-06	7.59E-06	9.62E-06	2.99E-06	9.75E-06	9.75E-06	2.94E-06	3.05E-06	2.94E-06	2	0	3.98E-06	4.54E-06	2.94E-06	9.75E-06	3.07E-06	8.28E-06	9.75E-06	14	94
Aluminum (Al)	µg/m³	5.66E-02	8.05E-02		7.25E-02	1.18E-01	3.18E-01	1.71E-01	2.71E-01	2.36E-01	1.20E-01	3.00E-01	2.34E-01	2.71E-01	1.26E-01	3.13E-01	1.12E-01	1.12E-01	-	-	1.62E-01	1.87E-01	5.66E-02	3.18E-01	3.18E-01	2.71E-01	3.13E-01	14	94
Antimony (Sb)	µg/m³	1.56E-04	4.83E-04		2.24E-04	7.32E-04	1.89E-03	6.38E-04	1.05E-03	4.79E-04	2.16E-04	4.65E-03	7.35E-04	1.19E-03	5.82E-04	3.17E-04	3.29E-04	3.29E-04	25	0	5.94E-04	9.12E-04	1.56E-04	4.65E-03	1.89E-03	1.05E-03	4.65E-03	14	94
Arsenic (As)	µg/m³	9.03E-04	8.95E-04		8.84E-04	8.92E-04	9.20E-04	8.87E-04	8.92E-04	8.88E-04	8.76E-04	9.01E-04	8.96E-04	9.14E-04	8.81E-04	9.14E-04	8.81E-04	8.81E-04	0.3	0	8.95E-04	8.95E-04	8.76E-04	9.20E-04	9.20E-04	9.20E-04	9.14E-04	14	94
Barium (Ba)	µg/m³	1.87E-03	5.24E-03		2.84E-03	7.32E-03	1.56E-02	8.27E-03	1.28E-02	5.51E-03	2.37E-03	1.06E-02	9.74E-03	1.16E-02	5.08E-03	4.94E-03	3.38E-03	3.38E-03	10	0	5.98E-03	7.15E-03	1.87E-03	1.56E-02	1.56E-02	1.28E-02	1.16E-02	14	94
Beryllium (Be)	µg/m³	1.50E-05	1.49E-05		1.47E-05	1.49E-05	1.53E-05	1.48E-05	1.49E-05	1.48E-05	1.46E-05	1.50E-05	1.49E-05	1.52E-05	1.47E-05	1.52E-05	1.47E-05	1.47E-05	0.01	0	1.49E-05	1.49E-05	1.46E-05	1.53E-05	1.53E-05	1.49E-05	1.52E-05	14	94
Bismuth (Bi)	µg/m³	5.42E-04	5.37E-04		5.31E-04	5.35E-04	5.52E-04	5.32E-04	5.35E-04	5.33E-04	5.26E-04	5.41E-04	5.38E-04	5.48E-04	5.29E-04	5.48E-04	5.29E-04	5.29E-04	-	-	5.37E-04	5.37E-04	5.26E-04	5.52E-04	5.52E-04	5.35E-04	5.48E-04	14	94
Boron (B)	µg/m³	4.51E-03	4.47E-03		4.42E-03	4.46E-03	4.60E-03	4.43E-03	4.46E-03	4.44E-03	4.38E-03	4.51E-03	4.48E-03	4.57E-03	4.41E-03	4.57E-03	4.41E-03	4.41E-03	120	0	4.47E-03	4.47E-03	4.38E-03	4.60E-03	4.60E-03	4.46E-03	4.57E-03	14	94
Cadmium (Cd)	µg/m³	3.55E-05	1.07E-04		4.01E-05	8.86E-05	9.07E-05	6.26E-05	6.90E-05	6.39E-04	3.97E-05	7.51E-05	4.06E-05	1.96E-04	8.46E-05	6.95E-05	8.52E-05	8.52E-05	0.025	0	8.07E-05	1.15E-04	3.55E-05	6.39E-04	1.07E-04	6.39E-04	1.96E-04	14	94
Chromium (Cr)	µg/m³	1.02E-03	1.01E-03		1.00E-03	1.01E-03	2.88E-03	1.00E-03	2.97E-03	2.07E-03	9.93E-04	2.76E-03	2.27E-03	2.74E-03	9.99E-04	1.04E-03	9.99E-04	9.99E-04	0.5	0	1.47E-03	1.65E-03	9.93E-04	2.97E-03	2.88E-03	2.97E-03	2.76E-03	14	94
Cobalt (Co)	µg/m³	4.81E-05	1.39E-04		5.37E-05	5.53E-05	2.79E-04	1.90E-04	2.06E-04	1.57E-04	7.42E-05	1.88E-04	1.22E-04	2.47E-04	1.18E-04	1.79E-04	1.65E-04	1.65E-04	0.1	0	1.30E-04	1.48E-04	4.81E-05	2.79E-04	2.79E-04	2.06E-04	2.47E-04	14	94
Copper (Cu)	µg/m³	3.44E-02	6.21E-02		1.52E-02	4.18E-02	5.33E-02	5.00E-02	6.84E-02	2.64E-02	2.84E-02	3.55E-02	5.32E-02	3.07E-02	4.65E-02	1.31E-02	6.93E-02	6.93E-02	50	0	3.78E-02	4.19E-02	1.31E-02	6.93E-02	6.21E-02	6.84E-02	5.32E-02	14	94
Iron (Fe)	µg/m³	1.22E-01	2.06E-01		1.42E-01	2.16E-01	8.28E-01	5.48E-01	6.90E-01	4.40E-01	1.54E-01	6.19E-01	3.60E-01	6.76E-01	3.10E-01	5.43E-01	2.70E-01	2.70E-01	4	0	3.44E-01	4.08E-01	1.22E-01	8.28E-01	8.28E-01	6.90E-01	6.76E-01	14	94
Lead (Pb)	µg/m³	1.23E-03	3.95E-03		1.24E-03	1.42E-03	3.73E-03	2.33E-03	2.22E-03	4.79E-03	2.10E-03	1.56E-02	1.32E-03	3.38E-03	2.16E-03	1.97E-03	8.46E-04	8.46E-04	0.5	0	2.37E-03	3.22E-03	8.46E-04	1.56E-02	3.95E-03	4.79E-03	1.56E-02	14	94
Magnesium (Mg)	µg/m³	1.38E-01	1.07E-01		1.59E-01	1.04E-01	1.72E+00	3.19E-01	8.15E-01	3.86E-01	1.71E-01	6.00E-01	2.56E-01	5.62E-01	2.88E-01	3.16E-01	1.59E-01	1.59E-01	-	-	2.91E-01	4.07E-01	1.04E-01	1.72E+00	1.72E+00	8.15E-01	6.00E-01	14	94
Manganese (Mn)	µg/m³	4.01E-03	4.22E-03		4.99E-03	3.88E-03	3.37E-02	1.37E-02	2.56E-02	1.56E-02	4.57E-03	1.71E-02	9.56E-03	2.53E-02	1.01E-02	1.06E-02	6.23E-03	6.23E-03	0.4	0	9.82E-03	1.26E-02	3.88E-03	3.37E-02	3.37E-02	2.56E-02	2.53E-02	14	94
Molybdenum (Mo)	µg/m³	2.48E-03	3.74E-03		1.20E-03	3.56E-03	3.03E-03	2.59E-03	3.46E-03	9.82E-03	2.18E-03	2.73E-03	3.66E-03	2.06E-03	1.41E-03	6.09E-04	2.73E-03	2.73E-03	120	0	2.17E-03	2.43E-03	6.09E-04	3.74E-03	3.74E-03	3.46E-03	3.66E-03	14	94
Nickel (Ni)	µg/m³	4.81E-04	7.64E-04		4.83E-04	5.35E-04	1.44E-03	8.45E-04	1.12E-03	1.01E-03	5.14E-04	1.20E-03	8.24E-04	1.24E-03	2.27E-03	9.02E-04	1.38E-03	1.38E-03	0.2	0	9.08E-04	1.00E-03	4.81E-04	2.27E-03	1.44E-03	1.12E-03	2.27E-03	14	94
Phosphorus (P)	µg/m³	2.26E-01	2.24E-01		2.21E-01	2.23E-01	2.30E-01	2.22E-01	2.23E-01	2.22E-01	2.19E-01	2.25E-01	2.24E-01	2.29E-01	2.20E-01	2.29E-01	2.20E-01	2.20E-01	-	-	2.24E-01	2.24E-01	2.19E-01	2.30E-01	2.30E-01	2.23E-01	2.29E-01	14	94
Selenium (Se)	µg/m³	3.83E-04	3.88E-04		3.83E-04	3.87E-04	3.99E-04	3.84E-04	3.87E-04	3.85E-04	3.80E-04	1.68E-03	3.88E-04	1.40E-03	3.82E-04	3.96E-04	3.82E-04	3.82E-04	10	0	5.54E-04	8.76E-04	3.80E-04	5.42E-03	5.42E-03	3.87E-04	1.68E-03	14	94
Silver (Ag)	µg/m³	2.71E-05	2.68E-05		2.65E-05	6.90E-05	9.38E-05	5.91E-05	6.42E-05	2.66E-05	2.63E-05	2.70E-05	2.69E-05	2.74E-05	2.64E-05	2.74E-05	2.64E-05	2.64E-05	1	0	3.47E-05	3.87E-05	2.63E-05	9.38E-05	9.38E-05	6.42E-05	2.74E-05	14	94
Strontium (Sr)	µg/m³	2.59E-03	2.27E-03		4.66E-03	4.64E-03	3.26E-02	1.03E-02	1.67E-02	7.28E-03	3.86E-03	1.29E-02	7.29E-03	1.12E-02	5.17E-03	1.18E-02	2.64E-03	2.64E-03	120	0	6.84E-03	9.05E-03	2.27E-03	3.26E-02	3.26E-02	1.67E-02	1.29E-02	14	94
Thallium (Tl)	µg/m³	2.71E-05	2.68E-05		2.65E-05	2.68E-05	2.76E-05	2.66E-05	2.68E-05	2.66E-05	2.63E-05	2.70E-05	2.69E-05	2.74E-05	2.64E-05	6.58E-05	2.64E-05	2.64E-05	-	-	2.85E-05	2.94E-05	2.63E-05	6.58E-05	2.76E-05	2.68E-05	6.58E-05	14	94
Tin (Sn)	µg/m³	3.91E-04	6.98E-04		3.77E-04	1.10E-03	1.45E-03	7.33E-04	1.14E-03	1.22E-03	3.97E-04	1.50E-03	7.53E-04	2.16E-03	2.29E-03	9.38E-04	8.46E-04	8.46E-04	10	0	9.22E-04	1.07E-03	3.77E-04	2.29E-03	1.45E-03	1.22E-03	2.29E-03	14	94
Titanium (Ti)	µg/m³	3.31E-03	7.16E-03		3.24E-03	6.54E-03	1.96E-02	1.00E-02	1.49E-02	8.88E-03	3.21E-03	1.62E-02	1.19E-02	1.34E-02	3.23E-03	1.10E-02	3.23E-03	3.23E-03	120	0	7.47E-03	9.06E-03	3.21E-03	1.96E-02	1.96E-02	1.49E-02	1.62E-02	14	94
Uranium (Ur)	µg/m³	5.42E-06	7.28E-06		8.79E-06	4.12E-05	5.11E-05	2.80E-05	2.87E-05	2.27E-05	9.75E-06	4.09E-05	2.61E-05	1.29E-04	1.16E-05	2.39E-05	7.17E-06	7.17E-06	0.3	0	2.01E-05	2.94E-05	5.42E-06	1.29E-04	5.11E-05	2.87E-05	1.29E-04	14	94
Vanadium (V)	µg/m³	1.50E-03	1.49E-03		1.47E-03	1.49E-03	1.53E-03	1.48E-03	1.49E-03	1.48E-03	1.46E-03	1.50E-03	1.49E-03	1.52E-03	1.47E-03	1.52E-03	1.47E-03	1.47E-03	2	0	1.49E-03	1.49E-03	1.46E-03	1.53E-03	1.53E-03	1.49E-03	1.52E-03	14	94
Zinc (Zn)	µg/m³	2.10E-02	9.61E-02		2.79E-02	1.55E-02	4.14E-02	2.03E-02	3.40E-02	1.85E-01	1.12E-02	2.73E-02	2.20E-02	4.72E-02	6.35E-02	5.90E-02	2.06E-02	2.06E-02	120	0	3.44E-02	4.61E-02	1.12E-02	1.85E-01	9.61E-02	1.85E-01	6.35E-02	14	94
Zirconium (Zr)	µg/m³	6.02E-04	5.97E-04		5.90E-04	5.95E-04	6.13E-04	5.91E-04	5.95E-04	5.92E-04	5.84E-04	6.01E-04	5.97E-04	6.09E-04	5.88E-04	6.09E-04	5.88E-04	5.88E-04	-	-	5.97E-04	5.97E-04	5.84E-04	6.13E-04	6.13E-04	5.95E-04	6.09E-04	14	94

NOTE:

Table B4: Summary of Sample Flow Rate and Sample Duration for PAHs

Sample Date	Courtice			Rundle		
	Filter ID	Sample Duration	Sample Volume	Filter ID	Sample Duration	Sample Volume
	No.	(min)	(m ³)	No.	(min)	(m ³)
January 7, 2024	L2754201-2	1440	316	L2754201-1	1440	315
January 19, 2024	L2754118-4	1440	320	L2754118-2	1440	333
January 31, 2024	L27254267-3	1440	302	L2754262-2	1440	303
February 12, 2024	L2754625-2	1440	317	L2754625-1	1440	317
February 24, 2024	L2754746-1	1440	325	L2754746-2	1440	345
March 7, 2024	L2754926-2	1440	318	L2754926-1	1440	317
March 19, 2024	L2755046-2	1440	316	L2755046-1	1440	317
March 31, 2024	L2755184-1	1440	317	L2755184-2	1440	329

Table B5: 2024 Courtice Station Q1 Monitoring Results for PAHs

Contaminant	Units	MECP Criteria	7 Jan 24	19 Jan 24	31 Jan 24	12 Feb 24	24 Feb 24	7 Mar 24	19 Mar 24	31 Mar 24	No. > Criteria	Arithmetic Mean	Minimum Q1 Concentration	Maximum Q1 Concentration	January Maximum Concentration	February Maximum Concentration	March Maximum Concentration	Number of Valid Samples	% Valid data
1-Methylnaphthalene	ng/m ³	-	3.42E+00	1.68E+00	3.20E+00	2.27E+00	1.40E+00	2.16E+00	1.40E+00	6.34E-01	-	2.02E+00	6.34E-01	3.42E+00	3.42E+00	2.27E+00	2.16E+00	8	100
2-Methylnaphthalene	ng/m ³	-	4.75E+00	2.45E+00	6.29E+00	3.44E+00	2.17E+00	3.71E+00	2.18E+00	1.15E+00	-	3.27E+00	1.15E+00	6.29E+00	6.29E+00	3.44E+00	3.71E+00	8	100
Acenaphthene	ng/m ³	-	7.15E-01	2.94E-01	7.62E-01	8.20E-01	3.78E-01	5.53E-01	3.05E-01	6.09E-01	-	5.55E-01	2.94E-01	8.20E-01	7.62E-01	8.20E-01	6.09E-01	8	100
Acenaphthylene	ng/m ³	-	6.08E-01	1.64E-01	3.87E-01	8.33E-01	1.10E-01	2.02E-01	8.04E-02	6.34E-02	-	3.06E-01	6.34E-02	8.33E-01	6.08E-01	8.33E-01	2.02E-01	8	100
Anthracene	ng/m ³	-	5.95E-02	2.80E-02	6.36E-02	1.09E-01	6.03E-03	4.21E-02	1.43E-02	2.16E-02	-	4.30E-02	6.03E-03	1.09E-01	6.36E-02	1.09E-01	4.21E-02	8	100
Benzo(a)Anthracene	ng/m ³	-	1.56E-02	7.03E-03	2.72E-02	4.29E-02	4.31E-03	8.24E-03	8.64E-03	9.27E-03	-	1.54E-02	4.31E-03	4.29E-02	2.72E-02	4.29E-02	9.27E-03	8	100
Benzo(a)fluorene	ng/m ³	-	5.03E-02	3.01E-02	4.67E-02	1.01E-01	1.54E-03	2.61E-02	2.08E-02	1.68E-02	-	3.67E-02	1.54E-03	1.01E-01	5.03E-02	1.01E-01	2.61E-02	8	100
Benzo(a)Pyrene (Historically High)	ng/m ³	0.05[1] 5[2] 1.1[3]	1.46E-02	5.09E-03	2.36E-02	4.98E-02	1.54E-03	7.86E-03	8.64E-03	1.12E-02	-	1.53E-02	1.54E-03	4.98E-02	2.36E-02	4.98E-02	1.12E-02	8	100
Benzo(b)Fluoranthene	ng/m ³	-	1.10E-01	6.38E-02	6.13E-02	1.06E-01	2.24E-02	3.58E-02	2.51E-02	3.22E-02	-	5.71E-02	2.24E-02	1.10E-01	1.10E-01	1.06E-01	3.58E-02	8	100
Benzo(b)fluorene	ng/m ³	-	8.61E-03	4.56E-03	1.25E-02	1.81E-02	1.54E-03	7.86E-03	3.26E-03	3.41E-03	-	7.49E-03	1.54E-03	1.81E-02	1.25E-02	1.81E-02	7.86E-03	8	100
Benzo(e)Pyrene	ng/m ³	-	6.08E-02	4.06E-02	4.24E-02	7.32E-02	1.02E-02	1.48E-02	1.33E-02	1.48E-02	-	3.38E-02	1.02E-02	7.32E-02	6.08E-02	7.32E-02	1.48E-02	8	100
Benzo(g,h,i)Perylene	ng/m ³	-	5.47E-02	3.07E-02	3.68E-02	7.10E-02	9.75E-03	2.60E-02	2.32E-02	2.21E-02	-	3.43E-02	9.75E-03	7.10E-02	5.47E-02	7.10E-02	2.60E-02	8	100
Benzo(k)Fluoranthene	ng/m ³	-	7.47E-02	5.06E-02	4.87E-02	1.21E-01	1.36E-02	3.30E-02	2.88E-02	1.74E-02	-	4.85E-02	1.36E-02	1.21E-01	7.47E-02	1.21E-01	3.30E-02	8	100
Biphenyl	ng/m ³	-	2.50E+00	1.52E+00	2.36E+00	1.76E+00	9.48E-01	1.02E+00	7.91E-01	6.03E-01	-	1.44E+00	6.03E-01	2.50E+00	2.50E+00	1.76E+00	1.02E+00	8	100
Chrysene	ng/m ³	-	1.49E-01	1.11E-01	1.24E-01	1.67E-01	3.17E-02	5.06E-02	4.68E-02	4.83E-02	-	9.10E-02	3.17E-02	1.67E-01	1.49E-01	1.67E-01	5.06E-02	8	100
Dibenzo(a,h)Anthracene	ng/m ³	-	7.44E-03	4.78E-03	7.48E-03	9.56E-03	1.54E-03	1.73E-02	1.58E-03	3.60E-03	-	6.66E-03	1.54E-03	1.73E-02	7.48E-03	9.56E-03	1.73E-02	8	100
Fluoranthene	ng/m ³	-	4.87E-01	3.22E-01	5.63E-01	5.55E-01	1.14E-01	2.89E-01	2.26E-01	2.52E-01	-	3.51E-01	1.14E-01	5.63E-01	5.63E-01	5.55E-01	2.89E-01	8	100
Fluorene	ng/m ³	-	9.72E-01	5.50E-01	1.16E+00	9.46E-01	3.57E-01	5.57E-01	4.37E-01	6.28E-01	-	7.00E-01	3.57E-01	1.16E+00	1.16E+00	9.46E-01	6.28E-01	8	100
Indeno(1,2,3-cd)Pyrene	ng/m ³	-	5.73E-02	3.66E-02	3.71E-02	6.47E-02	1.20E-02	1.69E-02	1.40E-02	1.56E-02	-	3.17E-02	1.20E-02	6.47E-02	5.73E-02	6.47E-02	1.69E-02	8	100
Naphthalene	ng/m ³	22500	1.89E+01	1.19E+01	1.62E+01	6.53E+00	8.18E+00	8.27E+00	7.63E+00	2.38E+00	0	9.99E+00	2.38E+00	1.89E+01	1.89E+01	8.18E+00	8.27E+00	8	100
o-Terphenyl	ng/m ³	-	6.96E-03	3.81E-03	1.15E-02	7.67E-03	1.54E-03	4.15E-03	4.27E-03	5.17E-03	-	5.64E-03	1.54E-03	1.15E-02	1.15E-02	7.67E-03	5.17E-03	8	100
Perylene	ng/m ³	-	3.58E-03	1.56E-03	5.56E-03	1.02E-02	1.54E-03	6.95E-03	3.86E-03	3.31E-03	-	4.57E-03	1.54E-03	1.02E-02	5.56E-03	1.02E-02	6.95E-03	8	100
Phenanthrene	ng/m ³	-	1.95E+00	1.31E+00	1.99E+00	2.15E+00	6.95E-01	1.50E+00	7.82E-01	1.09E+00	-	1.43E+00	6.95E-01	2.15E+00	1.99E+00	2.15E+00	1.50E+00	8	100
Pyrene	ng/m ³	-	2.76E-01	1.68E-01	3.14E-01	3.79E-01	4.15E-02	1.65E-01	1.26E-01	1.25E-01	-	1.99E-01	4.15E-02	3.79E-01	3.14E-01	3.79E-01	1.65E-01	8	100
Tetralin	ng/m ³	-	7.72E-01	5.72E-01	1.25E+00	4.42E-01	5.29E-01	8.18E-01	7.66E-01	1.84E-01	-	6.66E-01	1.84E-01	1.25E+00	1.25E+00	5.29E-01	8.18E-01	8	100
Total PAH ^[4]	ng/m ³	-	35.98	21.36	34.98	21.07	15.04	19.54	14.93	7.95	-	2.14E+01	7.95	35.98	3.60E+01	2.11E+01	19.54	8	100

NOTE: All non-detectable results were reported as 1/2 of the detection limit

[1] AAQC

[2] O. Reg. 419/05 Schedule Upper Risk Thresholds

[3] O. Reg. 419/05 24 Hour Guideline

[4] Total PAH sums all PAH contaminants

Table B6: 2024 Rundle Road Station Q1 Monitoring Results for PAHs

Contaminant	Units	MECP Criteria	7 Jan 24	19 Jan 24	31 Jan 24	12 Feb 24	24 Feb 24	7 Mar 24	19 Mar 24	31 Mar 24	No. > Criteria	Arithmetic Mean	Minimum Q1 Concentration	Maximum Q1 Concentration	January Maximum Concentration	February Maximum Concentration	March Maximum Concentration	Number of Valid Samples	% Valid data
1-Methylnaphthalene	ng/m ³	-	3.75E+00	1.64E+00	5.64E+00	2.01E+00	1.15E+00	2.80E+00	2.67E+00	1.04E+00	-	2.59E+00	1.04E+00	5.64E+00	5.64E+00	2.01E+00	2.80E+00	8	100
2-Methylnaphthalene	ng/m ³	-	4.98E+00	2.32E+00	9.80E+00	3.28E+00	1.64E+00	4.57E+00	4.57E+00	1.71E+00	-	4.11E+00	1.64E+00	9.80E+00	9.80E+00	3.28E+00	4.57E+00	8	100
Acenaphthene	ng/m ³	-	8.44E-01	1.50E-01	1.88E+00	7.70E-01	2.50E-01	7.13E-01	1.29E+00	1.29E+00	-	8.99E-01	1.50E-01	1.88E+00	1.88E+00	7.70E-01	1.29E+00	8	100
Acenaphthylene	ng/m ³	-	1.15E+00	2.40E-01	7.06E-01	3.09E-01	2.34E-01	2.17E-01	1.94E-01	3.83E-01	-	4.29E-01	1.94E-01	1.15E+00	1.15E+00	3.09E-01	3.83E-01	8	100
Anthracene	ng/m ³	-	1.54E-01	4.14E-02	1.54E-01	3.34E-02	2.99E-02	5.27E-02	5.43E-02	7.69E-02	-	7.45E-02	2.99E-02	1.54E-01	1.54E-01	3.34E-02	7.69E-02	8	100
Benzo(a)Anthracene	ng/m ³	-	2.68E-02	1.26E-02	4.26E-02	1.74E-02	6.06E-03	8.58E-03	1.46E-02	2.10E-02	-	1.87E-02	6.06E-03	4.26E-02	4.26E-02	1.74E-02	2.10E-02	8	100
Benzo(a)fluorene	ng/m ³	-	1.13E-01	4.05E-02	1.17E-01	3.53E-02	1.12E-02	2.63E-02	2.07E-02	4.26E-02	-	5.08E-02	1.12E-02	1.17E-01	1.17E-01	3.53E-02	4.26E-02	8	100
Benzo(a)Pyrene (Historically High)	ng/m ³	0.05[1] 5[2] 1.1[3]	2.18E-02	1.27E-02	4.55E-02	2.04E-02	5.57E-03	1.15E-02	1.28E-02	2.17E-02	-	1.90E-02	5.57E-03	4.55E-02	4.55E-02	2.04E-02	2.17E-02	8	100
Benzo(b)Fluoranthene	ng/m ³	-	1.73E-01	8.65E-02	1.03E-01	5.62E-02	3.04E-02	4.13E-02	3.22E-02	7.17E-02	-	7.43E-02	3.04E-02	1.73E-01	1.73E-01	5.62E-02	7.17E-02	8	100
Benzo(b)fluorene	ng/m ³	-	1.99E-02	7.12E-03	2.23E-02	5.93E-03	1.45E-03	7.76E-03	1.58E-03	7.45E-03	-	9.20E-03	1.45E-03	2.23E-02	2.23E-02	5.93E-03	7.76E-03	8	100
Benzo(e)Pyrene	ng/m ³	-	9.78E-02	5.53E-02	8.22E-02	3.75E-02	1.79E-02	1.93E-02	2.37E-02	3.62E-02	-	4.62E-02	1.79E-02	9.78E-02	9.78E-02	3.75E-02	3.62E-02	8	100
Benzo(g,h,i)Perylene	ng/m ³	-	8.19E-02	4.38E-02	7.69E-02	3.56E-02	1.37E-02	3.19E-02	3.63E-02	4.38E-02	-	4.55E-02	1.37E-02	8.19E-02	8.19E-02	3.56E-02	4.38E-02	8	100
Benzo(k)Fluoranthene	ng/m ³	-	1.30E-01	6.10E-02	8.05E-02	4.98E-02	2.70E-02	4.54E-02	4.23E-02	2.97E-02	-	5.82E-02	2.70E-02	1.30E-01	1.30E-01	4.98E-02	4.54E-02	8	100
Biphenyl	ng/m ³	-	2.88E+00	1.59E+00	2.92E+00	1.48E+00	9.77E-01	1.12E+00	1.16E+00	1.19E+00	-	1.66E+00	9.77E-01	2.92E+00	2.92E+00	1.48E+00	1.19E+00	8	100
Chrysene	ng/m ³	-	2.01E-01	1.32E-01	1.77E-01	7.48E-02	4.87E-02	5.99E-02	7.35E-02	1.09E-01	-	1.10E-01	4.87E-02	2.01E-01	2.01E-01	7.48E-02	1.09E-01	8	100
Dibenzo(a,h)Anthracene	ng/m ³	-	1.11E-02	1.05E-02	1.80E-02	4.20E-03	1.45E-03	3.94E-03	4.13E-03	6.84E-03	-	7.52E-03	1.45E-03	1.80E-02	1.80E-02	4.20E-03	6.84E-03	8	100
Fluoranthene	ng/m ³	-	7.33E-01	3.69E-01	8.18E-01	3.03E-01	1.37E-01	4.26E-01	4.48E-01	5.47E-01	-	4.73E-01	1.37E-01	8.18E-01	8.18E-01	3.03E-01	5.47E-01	8	100
Fluorene	ng/m ³	-	1.29E+00	5.02E-01	1.74E+00	7.38E-01	3.51E-01	7.54E-01	1.03E+00	1.25E+00	-	9.57E-01	3.51E-01	1.74E+00	1.74E+00	7.38E-01	1.25E+00	8	100
Indeno(1,2,3-cd)Pyrene	ng/m ³	-	8.54E-02	4.92E-02	7.03E-02	3.34E-02	1.55E-02	2.39E-02	2.71E-02	3.68E-02	-	4.27E-02	1.55E-02	8.54E-02	8.54E-02	3.34E-02	3.68E-02	8	100
Naphthalene	ng/m ³	22500	1.96E+01	1.16E+01	2.20E+01	5.87E+00	6.32E+00	8.52E+00	9.75E+00	3.19E+00	0	1.09E+01	3.19E+00	2.20E+01	2.20E+01	6.32E+00	9.75E+00	8	100
o-Terphenyl	ng/m ³	-	7.24E-03	3.51E-03	1.86E-02	5.49E-03	1.45E-03	4.95E-03	5.08E-03	5.14E-03	-	6.43E-03	1.45E-03	1.86E-02	1.86E-02	5.49E-03	5.14E-03	8	100
Perylene	ng/m ³	-	4.29E-03	5.71E-03	9.83E-03	5.02E-03	1.45E-03	5.80E-03	4.01E-03	4.74E-03	-	5.11E-03	1.45E-03	9.83E-03	9.83E-03	5.02E-03	5.80E-03	8	100
Phenanthrene	ng/m ³	-	2.83E+00	1.36E+00	3.19E+00	1.35E+00	7.57E-01	2.16E+00	1.88E+00	2.43E+00	-	1.99E+00	7.57E-01	3.19E+00	3.19E+00	1.35E+00	2.43E+00	8	100
Pyrene	ng/m ³	-	4.44E-01	2.17E-01	4.98E-01	1.79E-01	6.70E-02	1.92E-01	2.49E-01	2.70E-01	-	2.65E-01	6.70E-02	4.98E-01	4.98E-01	1.79E-01	2.70E-01	8	100
Tetralin	ng/m ³	-	5.27E-01	3.63E-01	1.85E+00	4.92E-01	2.56E-01	8.52E-01	1.08E+00	1.34E-01	-	6.94E-01	1.34E-01	1.85E+00	1.85E+00	4.92E-01	1.08E+00	8	100
Total PAH ^[4]	ng/m ³	-	40.17	20.90	52.09	17.18	12.35	22.67	24.67	13.95	-	2.55E+01	1.24E+01	5.21E+01	5.21E+01	1.72E+01	2.47E+01	8	100

NOTE: All non-detectable results were reported as 1/2 of the detection limit

[1] AAQC

[2] O. Reg. 419/05 Schedule Upper Risk Thresholds


[3] O. Reg. 419/05 24 Hour Guideline

[4] Total PAH sums all PAH contaminants


A large decorative graphic on the left side of the page, featuring a blue triangle at the top left corner and a large, light beige circular shape that overlaps the triangle and extends across the page.

APPENDIX C


NO_x Zeros (Courtice Monitoring Station)




NO Zeros (Courtice Monitoring Station)




NO₂ Zeros (Courtice Monitoring Station)




SO₂ Zeros (Courtice Monitoring Station)




NO_x Zeros (Rundle Monitoring Station)




NO Zeros (Rundle Monitoring Station)



NO₂ Zeros (Rundle Monitoring Station)



SO₂ Zeros (Rundle Monitoring Station)



The background features a large, light beige curved shape on the right side, and a blue curved shape on the left side, separated by a white curved line.

APPENDIX D

Table D1: Q1 Edit Log for PM_{2.5} at Courtice Station

Emitter's Name: Durham York Energy Centre										
Contact	Name: Ms. Lyndsay Waller		Phone: (905) 404-0888 ext 4107			Email: Lyndsay.Waller@Durham.ca				
Station Number: 45201				Station Name: Courtice Station						
Station Address: 100 Osbourne Road				Emitter Address: The Region of Durham, 605 Rossland Road, Whitby, ON						
Pollutants or Parameter: PM _{2.5}			Instrument Make & Model: Thermo Scientific Model 5030 SHARP Monitor				s/n: E-1563			
Data Edit Period		Start Date: January 1, 2024			End Date: March 31, 2024			All testing done in EST		
Edit #	Edit date (dd/mm/yyyy)	Editor's Name	Edit Action	Starting		Ending		Duration Deleted Hours	Reason	
				Date (dd/mm/yyyy)	Hour (xx:xx)	Date (dd/mm/yyyy)	Hour (xx:xx)			
1	24/01/2024	SRS	Hours deleted	24/01/2024	15:00	24/01/2024	16:00	1	Monthly calibration	
2	12/02/2024	AXT	Zero Corrections	01/01/2024	00:00	01/02/2024	00:00	-	Correcting Values <0 to 0	
3	28/02/2024	SRS	Hours deleted	28/02/2024	12:00	28/02/2024	14:00	2	Monthly calibration	
4	01/03/2024	AXT	Zero Offset Adjustment	24/01/2024	16:00	28/02/2024	12:00	-	Zero Drift Adjustment Based on 'As Found' Calibration	
5	01/03/2024	AXT	Zero Corrections	01/02/2024	00:00	01/03/2024	00:00	-	Correcting Values <0 to 0	
6	22/03/2024	SRS	Hours deleted	22/03/2024	11:00	22/03/2024	13:00	2	Monthly calibration	
7	26/03/2024	SRS	Hours deleted	26/03/2024	09:00	26/03/2024	11:00	2	Quarterly Audit	
8	02/04/2024	AXT	Zero Corrections	01/03/2024	00:00	01/04/2024	00:00	-	Correcting Values <0 to 0	

Table D2: Q1 Edit Log for PM_{2.5} at Rundle Road Station

Emitter's Name: Durham York Energy Centre										
Contact	Name: Ms. Lyndsay Waller			Phone: (905) 404-0888 ext 4107			Email: Lyndsay.Waller@Durham.ca			
Station Number: 45200				Station Name: Rundle Road Station						
Station Address: Rundle Road				Emitter Address: The Region of Durham, 605 Rossland Road, Whitby, ON						
Pollutants or Parameter: PM _{2.5}			Instrument Make & Model: Thermo Scientific Model 5030 SHARP Monitor				s/n: E-1569			
Data Edit Period		Start Date: January 1, 2024			End Date: March 31, 2024			All testing done in EST		
Edit #	Edit date (dd/mm/yyyy)	Editor's Name	Edit Action	Starting		Ending		Duration	Reason	
				Date (dd/mm/yyyy)	Hour (xx:xx)	Date (dd/mm/yyyy)	Hour (xx:xx)	Deleted Hours		
1	25/01/2024	SRA	Hours Deleted	25/01/2024	11:00	25/01/2024	13:00	2	Monthly calibration	
2	28/02/2024	SRS	Hours Deleted	28/02/2024	14:00	28/02/2024	15:00	1	Monthly calibration	
3	21/03/2024	SRS	Hours Deleted	21/03/2024	13:00	21/03/2024	15:00	2	Monthly calibration	
4	26/03/2024	SRS	Hours Deleted	26/03/2024	11:00	26/03/2024	12:00	1	Quarterly Audit	

Table D3: Q1 Edit Log for NO_x at Courtice Station

Emitter's Name: Durham York Energy Centre										
Contact	Name: Ms. Lyndsay Waller			Phone: (905) 404-0888 ext 4107			Email: Lyndsay.Waller@Durham.ca			
Station Number: 45201				Station Name: Courtice Station						
Station Address: 100 Osbourne Road				Emitter Address: The Region of Durham, 605 Rossland Road, Whitby, ON						
Pollutants or Parameter: NOx			Instrument Make & Model: Teledyne Nitrogen Oxide Analyzer Model T200				s/n: 675			
Data Edit Period		Start Date: January 1, 2024			End Date: March 31, 2024			All testing done in EST		
Edit #	Edit date (dd/mm/yyyy)	Editor's Name	Edit Action	Starting		Ending		Duration Deleted Hours	Reason	
				Date (dd/mm/yyyy)	Hour (xx:xx)	Date (dd/mm/yyyy)	Hour (xx:xx)			
1	24/01/2024	SRS	Hours deleted	24/01/2024	14:00	24/01/2024	16:00	2	Monthly calibration	
2	12/02/2024	AXT	Zero Corrections	01/01/2024	00:00	01/02/2024	00:00	-	Correcting Values <0 to 0	
3	28/02/2024	SRS	Hours deleted	28/02/2024	12:00	28/02/2024	14:00	2	Monthly calibration	
4	01/03/2024	AXT	Zero Corrections	01/02/2024	00:00	01/03/2024	00:00	-	Correcting Values <0 to 0	
5	22/03/2024	SRS	Hours deleted	22/03/2024	11:00	22/03/2024	13:00	2	Monthly calibration	
6	26/03/1934	SRS	Hours deleted	26/03/1934	09:00	26/03/1934	11:00	2	Quarterly audit	
7	02/04/2024	AXT	Zero Corrections	01/03/2024	00:00	01/04/2024	00:00	-	Correcting Values <0 to 0	

Table D4: Q1 Edit Log for NO_x at Rundle Road Station

Emitter's Name: Durham York Energy Centre										
Contact	Name: Ms. Lyndsay Waller			Phone: (905) 404-0888 ext 4107			Email: Lyndsay.Waller@Durham.ca			
Station Number: 45200				Station Name: Rundle Road Station						
Station Address: Rundle Road				Emitter Address: The Region of Durham, 605 Rossland Road, Whitby, ON						
Pollutants or Parameter: NO _x			Instrument Make & Model: Teledyne Nitrogen Oxide Analyzer Model T200				s/n: 676			
Data Edit Period		Start Date: January 1, 2024			End Date: March 31, 2024			All testing done in EST		
Edit #	Edit date (dd/mm/yyyy)	Editor's Name	Edit Action	Starting		Ending		Duration Deleted Hours	Reason	
				Date (dd/mm/yyyy)	Hour (xx:xx)	Date (dd/mm/yyyy)	Hour (xx:xx)			
1	25/01/2024	SRS	Hours deleted	25/01/2024	11:00	25/01/2024	14:00	3	Monthly calibration	
2	12/02/2024	AXT	Zero Corrections	01/01/2024	00:00	01/02/2024	00:00	-	Correcting Values <0 to 0	
3	28/02/2024	SRS	Hours deleted	28/02/2024	15:00	28/02/2024	17:00	2	Monthly calibration	
4	01/03/2024	AXT	Zero Corrections	01/02/2024	00:00	01/03/2024	00:00	-	Correcting Values <0 to 0	
5	21/03/2024	SRS	Hours Deleted	21/03/2024	12:00	21/03/2024	14:00	2	Monthly calibration	
6	26/03/2024	SRS	Hours Deleted	26/03/2024	11:00	26/03/2024	13:00	2	Quarterly Audit	
7	26/03/2024	SRS	Hours Deleted	26/03/2024	14:00	26/03/2024	15:00	1	Shelter maintenance	
8	02/04/2024	AXT	Zero Corrections	01/03/2024	00:00	01/04/2024	00:00	-	Correcting Values <0 to 0	

Table D5: Q1 Edit Log for SO₂ at Courtice Station

Emitter's Name: Durham York Energy Centre										
Contact	Name: Ms. Lyndsay Waller			Phone: (905) 404-0888 ext 4107			Email: Lyndsay.Waller@Durham.ca			
Station Number: 45201				Station Name: Courtice Station						
Station Address: 100 Osbourne Road				Emitter Address: The Region of Durham, 605 Rossland Road, Whitby, ON						
Pollutants or Parameter: SO ₂			Instrument Make & Model: Teledyne Sulfur Dioxide Analyzer Model T100				s/n: 565			
Data Edit Period		Start Date: January 1, 2024			End Date: March 31, 2024			All testing done in EST		
Edit #	Edit Date (dd/mm/yyyy)	Editor's Name	Edit Action	Starting		Ending		Duration Deleted Hours	Reason	
				Date (dd/mm/yyyy)	Hour (xx:xx)	Date (dd/mm/yyyy)	Hour (xx:xx)			
1	24/01/2024	SRS	Hours deleted	24/01/2024	11:00	24/01/2024	14:00	3	Monthly calibration	
2	28/02/2024	SRS	Hours deleted	28/02/2024	10:00	28/02/2024	12:00	2	Monthly calibration	
3	01/03/2024	AXT	Zero Corrections	1/1/2024	00:00	01/03/2024	00:00	-	Correcting Values <0 to 0	
4	14/03/2024	AXT	Zero Offset Adjustment	24/01/2024	14:00	28/02/2024	10:20	-	Zero Drift Adjustment Based on 'As Found' Calibration	
5	22/03/2024	SRS	Hours deleted	22/03/2024	10:00	22/03/2024	12:00	2	Monthly calibration	
6	26/03/2024	SRS	Hours deleted	26/03/1934	09:00	26/03/1934	11:00	2	Quarterly Audit	
7	02/04/2024	AXT	Zero Corrections	01/03/2024	00:00	01/04/2024	00:00	-	Correcting Values <0 to 0	

Table D6: Q1 Edit Log for SO₂ at Rundle Road Station

Emitter's Name: Durham York Energy Centre										
Contact	Name: Ms. Lyndsay Waller			Phone: (905) 404-0888 ext 4107			Email: Lyndsay.Waller@Durham.ca			
Station Number: 45200				Station Name: Rundle Road Station						
Station Address: Rundle Road				Emitter Address: The Region of Durham, 605 Rossland Road, Whitby, ON						
Pollutants or Parameter: SO ₂			Instrument Make & Model: Teledyne Sulfur Dioxide Analyzer Model T100				s/n: 566			
Data Edit Period		Start Date: January 1, 2024			End Date: March 31, 2024			All testing done in EST		
Edit #	Edit date (dd/mm/yyyy)	Editor's Name	Edit Action	Starting		Ending		Duration Deleted Hours	Reason	
				Date (dd/mm/yyyy)	Hour (xx:xx)	Date (dd/mm/yyyy)	Hour (xx:xx)			
1	12/02/2024	AXT	Hours deleted	17/01/2023	09:00	17/01/2023	10:00	1	Power Failure	
2	25/01/2024	SRS	Hours deleted	25/01/2024	11:00	25/01/2024	13:00	2	Monthly calibration	
3	12/02/2024	AXT	Zero Corrections	01/01/2024	00:00	01/02/2024	00:00	-	Correcting Values <0 to 0	
4	28/02/2024	SRS	Hours deleted	28/02/2024	14:00	28/02/2024	16:00	2	Monthly calibration	
5	01/03/2024	AXT	Zero Corrections	01/02/2024	00:00	01/03/2024	00:00	-	Correcting Values <0 to 0	
6	21/03/2024	SRS	Hours Deleted	21/03/2024	14:00	21/03/2024	16:00	2	Monthly calibration	
7	26/03/2024	SRS	Hours Deleted	26/03/2024	11:00	26/03/2024	13:00	2	Quarterly Audit	
8	26/03/2024	SRS	Hours Deleted	26/03/2024	14:00	26/03/2024	15:00	1	Shelter maintenance	
9	04/02/2024	AXT	Zero Corrections	01/03/2024	00:00	01/04/2024	00:00	-	Correcting Values <0 to 0	

Table D7: Q1 Edit Log for Meteorological Parameters at Courtice Road Station

Emitter's Name: Durham York Energy Centre										
Contact	Name: Ms. Lyndsay Waller			Phone: (905) 404-0888 ext 4107			Email: Lyndsay.Waller@Durham.ca			
Station Number: 45201					Station Name: Courtice Station					
Station Address: 100 Osbourne Road					Emitter Address: The Region of Durham, 605 Rossland Road, Whitby, ON					
Pollutants or Parameter: WS, WD, Ambient T, P, RH and Rain				Instrument Make & Model: Miscellaneous Meterological Instrumentation				s/n: N/A		
Data Edit Period		Start Date: January 1, 2024			End Date: March 31, 2024			All testing done in EST		
Edit #	Edit date (dd/mm/yyyy)	Editor's Name	Edit Action	Starting		Ending		Duration		Reason
				Date (dd/mm/yyyy)	Hour (xx:xx)	Date (dd/mm/yyyy)	Hour (xx:xx)	Deleted Hours		

Table D8: Q1 Edit Log for Meteorological Parameters at Rundle Road Station

Emitter's Name: Durham York Energy Centre										
Contact	Name: Ms. Lyndsay Waller			Phone: (905) 404-0888 ext 4107			Email: Lyndsay.Waller@Durham.ca			
Station Number: 45200				Station Name: Rundle Station						
Station Address: Rundle Road				Emitter Address: The Region of Durham, 605 Rossland Road, Whitby, ON						
Pollutants or Parameter: WS, WD, Ambient T, P, RH and Rain				Instrument Make & Model: Miscellaneous Meterological Instrumentation				s/n: N/A		
Data Edit Period		Start Date: January 1, 2024			End Date: March 31, 2024			All testing done in EST		
Edit #	Edit date (dd/mm/yyyy)	Editor's Name	Edit Action	Starting		Ending		Duration Deleted Hours	Reason	
				Date (dd/mm/yyyy)	Hour (xx:xx)	Date (dd/mm/yyyy)	Hour (xx:xx)			
1	09/04/2023	AXT	Hours deleted	21/03/2024	10:00	21/03/2024	13:00	3	No data recorded - PC malfunction - RH, Rain, WS, WD,	

Table D9: Q1 Edit Log for Discrete Sampling at Courtice Station

Emitter's Name: Durham York Energy Center										
Contact	Name: Ms. Lyndsay Waller			Phone: (905) 404-0888 ext 4107			Email: Lyndsay.Waller@Durham.ca			
Station Number: 45201				Station Name: Courtice Station						
Station Address: 100 Osbourne Road				Emitter Address: The Region of Durham, 605 Rossland Road, Whitby, ON						
Pollutants or Parameter: N/A			Instrument Make & Model: N/A				s/n:			
Data Edit Period		Start Date: January 1, 2024			End Date: March 31, 2024			All testing done in EST		
Edit #	Edit date (dd/mm/yyyy)	Editor's Name	Edit Action	Starting		Ending		Duration Deleted Hours	Reason	
				Date (dd/mm/yyyy)	Hour (xx:xx)	Date (dd/mm/yyyy)	Hour (xx:xx)			
1	12/02/2024	AXT	Hours deleted	13/01/2024	00:00	14/01/2024	00:00	24	TSP - Invalid - equipment malfunction	

Table D10: Q1 Edit Log for Discrete Sampling at Rundle Station

Emitter's Name: Durham York Energy Center										
Contact	Name: Ms. Lyndsay Waller			Phone: (905) 404-0888 ext 4107			Email: Lyndsay.Waller@Durham.ca			
Station Number: 45200				Station Name: Rundle Station						
Station Address: Rundle Rd				Emitter Address: The Region of Durham, 605 Rossland Road, Whitby, ON						
Pollutants or Parameter: N/A			Instrument Make & Model: N/A				s/n:			
Data Edit Period		Start Date: January 1, 2024			End Date: March 31, 2024			All testing done in EST		
Edit #	Edit date (dd/mm/yyyy)	Editor's Name	Edit Action	Starting		Ending		Duration Deleted Hours	Reason	
				Date (dd/mm/yyyy)	Hour (xx:xx)	Date (dd/mm/yyyy)	Hour (xx:xx)			
1	12/02/2024	AXT	Hours deleted	13/01/2024	00:00	14/01/2024	00:00	24	TSP - Invalid - equipment malfunction	
2	12/02/2024	AXT	Hours deleted	19/01/2024	00:00	20/01/2024	00:00	24	PAH - Sample contamination	

The background features a large, light beige curved shape on the right side, and a blue curved shape on the left side, separated by a white curved line.

APPENDIX E

SO2 Exceedance Report

Table E1

Durham York Energy Centre
 Courtice, Ontario
 Courtice Station
 Baseline Corrected Data

Date (dd/mm/yyyy)	Time (EST)	SO ₂	SO ₂
		5-min Avg. (ppb)	10-minute Running Avg. (ppb)
06/01/2024	2:10	-	-
06/01/2024	2:15	86	-
06/01/2024	2:20	171	129
06/01/2024	2:25	53	112
06/01/2024	2:30	47	50
06/01/2024	2:35	25	36
06/01/2024	2:40	15	20
Hidden cells with no values exceeding limit.			
08/01/2024	17:15	1	1
08/01/2024	17:20	1	1
08/01/2024	17:25	8	4
08/01/2024	17:30	157	82
08/01/2024	17:35	28	92
08/01/2024	17:40	31	29
08/01/2024	17:45	15	23
Hidden cells with no values exceeding limit.			
12/01/2024	3:10	33	18
12/01/2024	3:15	20	26
12/01/2024	3:20	19	19
12/01/2024	3:25	169	94
12/01/2024	3:30	147	158
12/01/2024	3:35	73	110
12/01/2024	3:40	26	50
12/01/2024	3:45	57	42
12/01/2024	3:50	66	62
12/01/2024	3:55	104	85
12/01/2024	4:00	91	97
12/01/2024	4:05	34	63
12/01/2024	4:10	16	25
12/01/2024	4:15	90	53
12/01/2024	4:20	103	97
12/01/2024	4:25	46	74
12/01/2024	4:30	112	79
12/01/2024	4:35	84	98
12/01/2024	4:40	27	56
12/01/2024	4:45	16	22
Hidden cells with no values exceeding limit.			
23/01/2024	7:10	1	1
23/01/2024	7:15	1	1
23/01/2024	7:20	54	27
23/01/2024	7:25	109	81
23/01/2024	7:30	60	85
23/01/2024	7:35	62	61
23/01/2024	7:40	23	42
Hidden cells with no values exceeding limit.			
23/01/2024	8:45	8	11
23/01/2024	8:50	37	23
23/01/2024	8:55	91	64
23/01/2024	9:00	51	71
23/01/2024	9:05	21	36
23/01/2024	9:10	58	40
23/01/2024	9:15	43	51
Hidden cells with no values exceeding limit.			
28/01/2024	17:25	10	12
28/01/2024	17:30	8	9
28/01/2024	17:35	79	43
28/01/2024	17:40	56	67
28/01/2024	17:45	42	49
28/01/2024	17:50	33	37
28/01/2024	17:55	44	38
Hidden cells with no values exceeding limit.			
28/01/2024	20:05	6	7
28/01/2024	20:10	6	6
28/01/2024	20:15	90	48
28/01/2024	20:20	49	69
28/01/2024	20:25	38	43

28/01/2024	20:30	34	36
28/01/2024	20:35	30	32
Hidden cells with no values exceeding limit.			
29/01/2024	19:20	3	4
29/01/2024	19:25	2	3
29/01/2024	19:30	10	6
29/01/2024	19:35	128	69
29/01/2024	19:40	51	90
29/01/2024	19:45	71	61
29/01/2024	19:50	20	46
29/01/2024	19:55	105	63
29/01/2024	20:00	105	105
29/01/2024	20:05	22	64
29/01/2024	20:10	13	18
29/01/2024	20:15	9	11
29/01/2024	20:20	83	46
29/01/2024	20:25	122	103
29/01/2024	20:30	67	94
29/01/2024	20:35	82	74
29/01/2024	20:40	85	84
29/01/2024	20:45	25	55
29/01/2024	20:50	26	26
Hidden cells with no values exceeding limit.			
29/01/2024	22:00	10	12
29/01/2024	22:05	21	16
29/01/2024	22:10	82	52
29/01/2024	22:15	64	73
29/01/2024	22:20	111	87
29/01/2024	22:25	86	98
29/01/2024	22:30	53	69
29/01/2024	22:35	35	44
29/01/2024	22:40	21	28

Notes:

D, T & V	- Date, Time & Exceedence Value Reported
Faded Values	- Not used to calculate the number of reportable exceedences
	- Range of 5-minute measurements that contribute to the Exceedence Value Reported
<u>Max</u>	- Maximum of the Range
<u>Min</u>	- Minimum of the Range

Ambient Air Quality Criteria (AAQC) for SO₂ = 67 ppb for 10-minute running average

Total Number of Reportable Exceedences:

17

SO2 Exceedance Report

Table E2

Durham York Energy Centre
 Courtice, Ontario
 Courtice Station
 Baseline Corrected Data

Date (dd/mm/yyyy)	Time (EST)	SO ₂	SO ₂
		5-min Avg. (ppb)	10-minute Running Avg. (ppb)
03/02/2024	3:15	29	18
03/02/2024	3:20	65	47
03/02/2024	3:25	66	65
03/02/2024	3:30	69	67
03/02/2024	3:35	54	61
03/02/2024	3:40	28	41
03/02/2024	3:45	37	33
Hidden cells with no values exceeding limit.			
03/02/2024	21:30	62	42
03/02/2024	21:35	59	60
03/02/2024	21:40	63	61
03/02/2024	21:45	105	84
03/02/2024	21:50	112	108
03/02/2024	21:55	80	96
03/02/2024	22:00	38	59
03/02/2024	22:05	18	28
03/02/2024	22:10	14	16
03/02/2024	22:15	13	13
03/02/2024	22:20	98	55
03/02/2024	22:25	37	68
03/02/2024	22:30	100	69
03/02/2024	22:35	105	103
03/02/2024	22:40	70	88
03/02/2024	22:45	111	91
03/02/2024	22:50	98	105
03/02/2024	22:55	31	64
03/02/2024	23:00	18	24
Hidden cells with no values exceeding limit.			
04/02/2024	0:40	5	5
04/02/2024	0:45	5	5
04/02/2024	0:50	99	52
04/02/2024	0:55	37	68
04/02/2024	1:00	42	39
04/02/2024	1:05	81	61
04/02/2024	1:10	45	63
04/02/2024	1:15	76	60
04/02/2024	1:20	70	73
04/02/2024	1:25	23	46
04/02/2024	1:30	14	19
04/02/2024	1:35	40	27
Hidden cells with no values exceeding limit.			
04/02/2024	2:25	9	8
04/02/2024	2:30	19	14
04/02/2024	2:35	65	42
04/02/2024	2:40	76	70
04/02/2024	2:45	45	60
04/02/2024	2:50	38	41
04/02/2024	2:55	38	38
Hidden cells with no values exceeding limit.			
04/02/2024	3:15	6	7
04/02/2024	3:20	5	6
04/02/2024	3:25	52	29
04/02/2024	3:30	320	186
04/02/2024	3:35	94	207
04/02/2024	3:40	131	112
04/02/2024	3:45	168	150
04/02/2024	3:50	42	105
04/02/2024	3:55	24	33
04/02/2024	4:00	86	55
04/02/2024	4:05	232	159
04/02/2024	4:10	218	225
04/02/2024	4:15	199	209
04/02/2024	4:20	212	206
04/02/2024	4:25	195	204
04/02/2024	4:30	47	121

04/02/2024	4:35	29	38
04/02/2024	4:40	20	24
04/02/2024	4:45	15	18
04/02/2024	4:50	17	16
04/02/2024	4:55	98	58
04/02/2024	5:00	169	133
04/02/2024	5:05	55	112
04/02/2024	5:10	74	65
04/02/2024	5:15	34	54
Hidden cells with no values exceeding limit.			
04/02/2024	7:10	4	4
04/02/2024	7:15	16	10
04/02/2024	7:20	88	52
04/02/2024	7:25	64	76
04/02/2024	7:30	92	78
04/02/2024	7:35	71	81
04/02/2024	7:40	23	47
04/02/2024	7:45	14	19
04/02/2024	7:50	11	12
04/02/2024	7:55	9	10
04/02/2024	8:00	78	44
04/02/2024	8:05	93	86
04/02/2024	8:10	45	69
04/02/2024	8:15	23	34
04/02/2024	8:20	14	19
Hidden cells with no values exceeding limit.			
04/02/2024	19:10	29	43
04/02/2024	19:15	4	17
04/02/2024	19:20	70	37
04/02/2024	19:25	82	76
04/02/2024	19:30	13	48
04/02/2024	19:35	8	11
04/02/2024	19:40	5	7
04/02/2024	19:45	4	5
04/02/2024	19:50	3	3
04/02/2024	19:55	11	7
04/02/2024	20:00	163	87
04/02/2024	20:05	75	119
04/02/2024	20:10	19	47
04/02/2024	20:15	11	15
Hidden cells with no values exceeding limit.			
04/02/2024	20:35	5	5
04/02/2024	20:40	4	4
04/02/2024	20:45	3	4
04/02/2024	20:50	197	100
04/02/2024	20:55	198	197
04/02/2024	21:00	78	138
04/02/2024	21:05	142	110
04/02/2024	21:10	102	122
04/02/2024	21:15	45	74
04/02/2024	21:20	21	33
04/02/2024	21:25	13	17
Hidden cells with no values exceeding limit.			
04/02/2024	21:35	9	10
04/02/2024	21:40	7	8
04/02/2024	21:45	11	9
04/02/2024	21:50	152	82
04/02/2024	21:55	81	117
04/02/2024	22:00	31	56
04/02/2024	22:05	22	26
04/02/2024	22:10	80	51
04/02/2024	22:15	74	77
04/02/2024	22:20	23	49
04/02/2024	22:25	14	18
04/02/2024	22:30	9	11
Hidden cells with no values exceeding limit.			
05/02/2024	3:45	10	12
05/02/2024	3:50	8	9
05/02/2024	3:55	89	48
05/02/2024	4:00	97	93
05/02/2024	4:05	65	81
05/02/2024	4:10	37	51
05/02/2024	4:15	31	34
Hidden cells with no values exceeding limit.			
05/02/2024	19:45	3	3
05/02/2024	19:50	19	11

05/02/2024	19:55	95	57
05/02/2024	20:00	60	77
05/02/2024	20:05	58	59
05/02/2024	20:10	51	54
05/02/2024	20:15	29	40
Hidden cells with no values exceeding limit.			
05/02/2024	23:20	8	9
05/02/2024	23:25	6	7
05/02/2024	23:30	87	47
05/02/2024	23:35	72	80
05/02/2024	23:40	65	69
05/02/2024	23:45	43	54
05/02/2024	23:50	43	43
Hidden cells with no values exceeding limit.			
06/02/2024	0:10	10	13
06/02/2024	0:15	8	9
06/02/2024	0:20	7	8
06/02/2024	0:25	138	73
06/02/2024	0:30	112	125
06/02/2024	0:35	114	113
06/02/2024	0:40	102	108
06/02/2024	0:45	70	86
06/02/2024	0:50	84	77
06/02/2024	0:55	65	75
06/02/2024	1:00	21	43
06/02/2024	1:05	13	17
06/02/2024	1:10	10	12
Hidden cells with no values exceeding limit.			
06/02/2024	2:00		
06/02/2024	2:05		
06/02/2024	2:10		
06/02/2024	2:15	91	91
06/02/2024	2:20	72	81
06/02/2024	2:25	76	74
06/02/2024	2:30	45	60
06/02/2024	2:35	49	47
06/02/2024	2:40	16	33
Hidden cells with no values exceeding limit.			
06/02/2024	2:50	9	10
06/02/2024	2:55	46	28
06/02/2024	3:00	71	59
06/02/2024	3:05	65	68
06/02/2024	3:10	66	66
06/02/2024	3:15	65	66
06/02/2024	3:20	30	48
Hidden cells with no values exceeding limit.			
06/02/2024	5:20	4	4
06/02/2024	5:25	9	7
06/02/2024	5:30	101	55
06/02/2024	5:35	73	87
06/02/2024	5:40	71	72
06/02/2024	5:45	79	75
06/02/2024	5:50	55	67
06/02/2024	5:55	57	56
06/02/2024	6:00	36	46
Hidden cells with no values exceeding limit.			
06/02/2024	7:20	43	51
06/02/2024	7:25	16	30
06/02/2024	7:30	77	46
06/02/2024	7:35	77	77
06/02/2024	7:40	20	49
06/02/2024	7:45	13	16
06/02/2024	7:50	9	11
Hidden cells with no values exceeding limit.			
06/02/2024	18:25	4	4
06/02/2024	18:30	39	21
06/02/2024	18:35	29	34
06/02/2024	18:40	140	84
06/02/2024	18:45	110	125
06/02/2024	18:50	47	78
06/02/2024	18:55	87	67
06/02/2024	19:00	132	109
06/02/2024	19:05	77	105
06/02/2024	19:10	18	47
06/02/2024	19:15	11	14
Hidden cells with no values exceeding limit.			

06/02/2024	19:30	20	14
06/02/2024	19:35	12	16
06/02/2024	19:40	27	19
06/02/2024	19:45	109	68
06/02/2024	19:50	100	104
06/02/2024	19:55	22	61
06/02/2024	20:00	15	19
Hidden cells with no values exceeding limit.			
06/02/2024	20:20	10	11
06/02/2024	20:25	16	13
06/02/2024	20:30	89	52
06/02/2024	20:35	84	87
06/02/2024	20:40	108	96
06/02/2024	20:45	63	86
06/02/2024	20:50	33	48
06/02/2024	20:55	18	25
06/02/2024	21:00	11	14
Hidden cells with no values exceeding limit.			
06/02/2024	21:50	7	8
06/02/2024	21:55	7	7
06/02/2024	22:00	37	22
06/02/2024	22:05	132	84
06/02/2024	22:10	58	95
06/02/2024	22:15	38	48
06/02/2024	22:20	15	27
Hidden cells with no values exceeding limit.			
06/02/2024	22:40	11	12
06/02/2024	22:45	10	10
06/02/2024	22:50	85	48
06/02/2024	22:55	151	118
06/02/2024	23:00	118	135
06/02/2024	23:05	93	106
06/02/2024	23:10	51	72
06/02/2024	23:15	19	35
06/02/2024	23:20	13	16
Hidden cells with no values exceeding limit.			
07/02/2024	0:15	5	6
07/02/2024	0:20	4	4
07/02/2024	0:25	44	24
07/02/2024	0:30	98	71
07/02/2024	0:35	59	78
07/02/2024	0:40	29	44
07/02/2024	0:45	21	25
Hidden cells with no values exceeding limit.			
12/02/2024	18:35	0	0
12/02/2024	18:40	0	0
12/02/2024	18:45	1	0
12/02/2024	18:50	186	93
12/02/2024	18:55	219	203
12/02/2024	19:00	16	118
12/02/2024	19:05	9	12
12/02/2024	19:10	93	51
12/02/2024	19:15	20	57
12/02/2024	19:20	9	14
12/02/2024	19:25	93	51
12/02/2024	19:30	516	305
12/02/2024	19:35	213	364
12/02/2024	19:40	48	130
12/02/2024	19:45	24	36
12/02/2024	19:50	18	21
12/02/2024	19:55	125	72
12/02/2024	20:00	23	74
12/02/2024	20:05	54	38
12/02/2024	20:10	322	188
12/02/2024	20:15	100	211
12/02/2024	20:20	102	101
12/02/2024	20:25	42	72
12/02/2024	20:30	105	74
12/02/2024	20:35	84	94
12/02/2024	20:40	121	103
12/02/2024	20:45	28	75
12/02/2024	20:50	79	53
12/02/2024	20:55	265	172
12/02/2024	21:00	81	173
12/02/2024	21:05	154	117
12/02/2024	21:10	80	117

12/02/2024	21:15	30	55
12/02/2024	21:20	20	25
12/02/2024	21:25	25	22
12/02/2024	21:30	17	21
12/02/2024	21:35	53	35
12/02/2024	21:40	158	105
12/02/2024	21:45	109	134
12/02/2024	21:50	106	108
12/02/2024	21:55	84	95
12/02/2024	22:00	180	132
12/02/2024	22:05	96	138
12/02/2024	22:10	40	68
12/02/2024	22:15	23	31
12/02/2024	22:20	102	62
12/02/2024	22:25	126	114
12/02/2024	22:30	127	126
12/02/2024	22:35	161	144
12/02/2024	22:40	86	123
12/02/2024	22:45	74	80
12/02/2024	22:50	97	85
12/02/2024	22:55	42	70
12/02/2024	23:00	21	31
12/02/2024	23:05	55	38
12/02/2024	23:10	31	43
Hidden cells with no values exceeding limit.			
13/02/2024	2:15	3	3
13/02/2024	2:20	24	14
13/02/2024	2:25	58	41
13/02/2024	2:30	88	73
13/02/2024	2:35	80	84
13/02/2024	2:40	27	54
13/02/2024	2:45	17	22
13/02/2024	2:50	77	47
13/02/2024	2:55	145	111
13/02/2024	3:00	32	88
13/02/2024	3:05	137	84
13/02/2024	3:10	145	141
13/02/2024	3:15	181	163
13/02/2024	3:20	181	181
13/02/2024	3:25	105	143
13/02/2024	3:30	39	72
13/02/2024	3:35	71	55
13/02/2024	3:40	169	120
13/02/2024	3:45	103	136
13/02/2024	3:50	75	89
13/02/2024	3:55	101	88
13/02/2024	4:00	111	106
13/02/2024	4:05	140	126
13/02/2024	4:10	92	116
13/02/2024	4:15	35	63
13/02/2024	4:20	59	47
13/02/2024	4:25	93	76
13/02/2024	4:30	135	114
13/02/2024	4:35	74	105
13/02/2024	4:40	49	61
13/02/2024	4:45	24	36
13/02/2024	4:50	80	52
Hidden cells with no values exceeding limit.			
13/02/2024	5:45	8	11
13/02/2024	5:50	7	8
13/02/2024	5:55	7	7
13/02/2024	6:00	177	92
13/02/2024	6:05	156	167
13/02/2024	6:10	43	100
13/02/2024	6:15	73	58
13/02/2024	6:20	25	49
13/02/2024	6:25	31	28
Hidden cells with no values exceeding limit.			
13/02/2024	6:45	12	14
13/02/2024	6:50	9	10
13/02/2024	6:55	43	26
13/02/2024	7:00	150	97
13/02/2024	7:05	73	112
13/02/2024	7:10	56	64
13/02/2024	7:15	25	40
13/02/2024	7:20	16	20

13/02/2024	7:25	197	106
13/02/2024	7:30	38	117
13/02/2024	7:35	45	41
13/02/2024	7:40	133	89
13/02/2024	7:45	76	104
13/02/2024	7:50	37	56
13/02/2024	7:55	21	29
Hidden cells with no values exceeding limit.			
13/02/2024	8:15	22	19
13/02/2024	8:20	12	17
13/02/2024	8:25	96	54
13/02/2024	8:30	139	118
13/02/2024	8:35	37	88
13/02/2024	8:40	27	32
13/02/2024	8:45	18	22
Hidden cells with no values exceeding limit.			
13/02/2024	9:00	10	11
13/02/2024	9:05	9	10
13/02/2024	9:10	103	56
13/02/2024	9:15	70	87
13/02/2024	9:20	27	49
13/02/2024	9:25	18	23
13/02/2024	9:30	14	16
Hidden cells with no values exceeding limit.			
14/02/2024	20:30	5	7
14/02/2024	20:35	1	3
14/02/2024	20:40	21	11
14/02/2024	20:45	250	135
14/02/2024	20:50	61	156
14/02/2024	20:55	97	79
14/02/2024	21:00	49	73
14/02/2024	21:05	121	85
14/02/2024	21:10	32	77
14/02/2024	21:15	11	21
14/02/2024	21:20	5	8
14/02/2024	21:25	4	4
14/02/2024	21:30	3	3
14/02/2024	21:35	63	33
14/02/2024	21:40	131	97
14/02/2024	21:45	66	98
14/02/2024	21:50	20	43
14/02/2024	21:55	10	15
Hidden cells with no values exceeding limit.			
14/02/2024	22:20	21	12
14/02/2024	22:25	16	18
14/02/2024	22:30	100	58
14/02/2024	22:35	186	143
14/02/2024	22:40	86	136
14/02/2024	22:45	24	55
14/02/2024	22:50	35	29
Hidden cells with no values exceeding limit.			
14/02/2024	23:30	4	5
14/02/2024	23:35	3	3
14/02/2024	23:40	4	4
14/02/2024	23:45	132	68
14/02/2024	23:50	219	176
14/02/2024	23:55	86	153
15/02/2024	0:00	82	84
15/02/2024	0:05	53	67
15/02/2024	0:10	22	38
15/02/2024	0:15	15	18
15/02/2024	0:20	20	17
15/02/2024	0:25	140	80
15/02/2024	0:30	89	115
15/02/2024	0:35	106	97
15/02/2024	0:40	104	105
15/02/2024	0:45	29	66
15/02/2024	0:50	35	32
Hidden cells with no values exceeding limit.			
15/02/2024	1:00	39	33
15/02/2024	1:05	16	28
15/02/2024	1:10	107	61
15/02/2024	1:15	116	111
15/02/2024	1:20	84	100
15/02/2024	1:25	53	68
15/02/2024	1:30	26	39

15/02/2024	1:35	29	28
15/02/2024	1:40	102	66
15/02/2024	1:45	-	-
15/02/2024	1:50	-	-
15/02/2024	1:55	-	-
15/02/2024	2:00	-	-
15/02/2024	2:05	-	-
15/02/2024	2:10	-	-
15/02/2024	2:15	35	-
15/02/2024	2:20	145	90
15/02/2024	2:25	174	159
15/02/2024	2:30	141	157
15/02/2024	2:35	123	132
15/02/2024	2:40	94	109
15/02/2024	2:45	102	98
15/02/2024	2:50	72	87
15/02/2024	2:55	39	55
15/02/2024	3:00	38	39
15/02/2024	3:05	134	86
15/02/2024	3:10	107	120
15/02/2024	3:15	83	95
15/02/2024	3:20	69	76
15/02/2024	3:25	96	82
15/02/2024	3:30	59	77
15/02/2024	3:35	31	45
15/02/2024	3:40	35	33
Hidden cells with no values exceeding limit.			
17/02/2024	19:15	23	11
17/02/2024	19:20	49	36
17/02/2024	19:25	54	52
17/02/2024	19:30	106	80
17/02/2024	19:35	7	56
17/02/2024	19:40	3	5
17/02/2024	19:45	4	4
Hidden cells with no values exceeding limit.			
19/02/2024	4:15	1	0
19/02/2024	4:20	1	1
19/02/2024	4:25	19	10
19/02/2024	4:30	134	77
19/02/2024	4:35	107	120
19/02/2024	4:40	65	86
19/02/2024	4:45	105	85
19/02/2024	4:50	24	65
19/02/2024	4:55	21	22
19/02/2024	5:00	43	32
19/02/2024	5:05	11	27
19/02/2024	5:10	41	26
19/02/2024	5:15	187	114
19/02/2024	5:20	82	135
19/02/2024	5:25	124	103
19/02/2024	5:30	90	107
19/02/2024	5:35	111	100
19/02/2024	5:40	29	70
19/02/2024	5:45	12	21
19/02/2024	5:50	8	10
Hidden cells with no values exceeding limit.			
19/02/2024	6:10	8	34
19/02/2024	6:15	44	26
19/02/2024	6:20	65	55
19/02/2024	6:25	198	132
19/02/2024	6:30	43	121
19/02/2024	6:35	19	31
19/02/2024	6:40	107	63
Hidden cells with no values exceeding limit.			
19/02/2024	6:50	9	13
19/02/2024	6:55	29	19
19/02/2024	7:00	101	65
19/02/2024	7:05	55	78
19/02/2024	7:10	28	42
19/02/2024	7:15	12	20
19/02/2024	7:20	109	60
19/02/2024	7:25	125	117
19/02/2024	7:30	165	145
19/02/2024	7:35	125	145
19/02/2024	7:40	141	133
19/02/2024	7:45	97	119

19/02/2024	7:50	30	64
19/02/2024	7:55	20	25
19/02/2024	8:00	15	17
Hidden cells with no values exceeding limit.			
19/02/2024	22:10	9	49
19/02/2024	22:15	4	6
19/02/2024	22:20	122	63
19/02/2024	22:25	46	84
19/02/2024	22:30	42	44
19/02/2024	22:35	44	43
19/02/2024	22:40	32	38
Hidden cells with no values exceeding limit.			
19/02/2024	22:55	17	32
19/02/2024	23:00	8	13
19/02/2024	23:05	55	32
19/02/2024	23:10	79	67
19/02/2024	23:15	30	55
19/02/2024	23:20	17	24
19/02/2024	23:25	9	13
Hidden cells with no values exceeding limit.			
22/02/2024	7:25	2	2
22/02/2024	7:30	2	2
22/02/2024	7:35	38	20
22/02/2024	7:40	147	93
22/02/2024	7:45	83	115
22/02/2024	7:50	37	60
22/02/2024	7:55	71	54
22/02/2024	8:00	72	72
22/02/2024	8:05	38	55
22/02/2024	8:10	25	32
22/02/2024	8:15	14	20
Hidden cells with no values exceeding limit.			
22/02/2024	18:15	2	2
22/02/2024	18:20	2	2
22/02/2024	18:25	56	29
22/02/2024	18:30	279	167
22/02/2024	18:35	40	159
22/02/2024	18:40	64	52
22/02/2024	18:45	167	115
22/02/2024	18:50	110	138
22/02/2024	18:55	26	68
22/02/2024	19:00	18	22
22/02/2024	19:05	14	16
22/02/2024	19:10	9	11
Hidden cells with no values exceeding limit.			
22/02/2024	19:25	6	6
22/02/2024	19:30	6	6
22/02/2024	19:35	46	26
22/02/2024	19:40	112	79
22/02/2024	19:45	180	146
22/02/2024	19:50	164	172
22/02/2024	19:55	39	102
22/02/2024	20:00	24	31
22/02/2024	20:05	15	19
Hidden cells with no values exceeding limit.			
22/02/2024	21:25	5	5
22/02/2024	21:30	10	7
22/02/2024	21:35	77	44
22/02/2024	21:40	135	106
22/02/2024	21:45	92	113
22/02/2024	21:50	38	65
22/02/2024	21:55	42	40
Hidden cells with no values exceeding limit.			
22/02/2024	22:20	6	7
22/02/2024	22:25	5	6
22/02/2024	22:30	41	23
22/02/2024	22:35	114	77
22/02/2024	22:40	22	68
22/02/2024	22:45	14	18
22/02/2024	22:50	12	13
Hidden cells with no values exceeding limit.			
23/02/2024	0:10	10	12
23/02/2024	0:15	10	10
23/02/2024	0:20	87	49
23/02/2024	0:25	84	85
23/02/2024	0:30	161	122

23/02/2024	0:35	120	140
23/02/2024	0:40	90	105
23/02/2024	0:45	44	67
23/02/2024	0:50	92	68
23/02/2024	0:55	29	61
23/02/2024	1:00	19	24
23/02/2024	1:05	13	16
Hidden cells with no values exceeding limit.			
23/02/2024	2:55	5	5
23/02/2024	3:00	5	5
23/02/2024	3:05	70	38
23/02/2024	3:10	135	103
23/02/2024	3:15	114	125
23/02/2024	3:20	61	88
23/02/2024	3:25	97	79
23/02/2024	3:30	65	81
23/02/2024	3:35	45	55
23/02/2024	3:40	23	34
23/02/2024	3:45	15	19
Hidden cells with no values exceeding limit.			
25/02/2024	0:15	3	6
25/02/2024	0:20	7	5
25/02/2024	0:25	109	58
25/02/2024	0:30	52	81
25/02/2024	0:35	60	56
25/02/2024	0:40	28	44
25/02/2024	0:45	77	53
25/02/2024	0:50	59	68
25/02/2024	0:55	14	37
25/02/2024	1:00	7	10
25/02/2024	1:05	4	6
Hidden cells with no values exceeding limit.			
25/02/2024	18:45	0	0
25/02/2024	18:50	0	0
25/02/2024	18:55	42	21
25/02/2024	19:00	139	91
25/02/2024	19:05	15	77
25/02/2024	19:10	8	11
25/02/2024	19:15	5	6
Hidden cells with no values exceeding limit.			
25/02/2024	19:40	3	3
25/02/2024	19:45	5	4
25/02/2024	19:50	83	44
25/02/2024	19:55	190	137
25/02/2024	20:00	165	178
25/02/2024	20:05	43	104
25/02/2024	20:10	24	34
25/02/2024	20:15	13	19
25/02/2024	20:20	8	11
Hidden cells with no values exceeding limit.			
26/02/2024	5:15	1	2
26/02/2024	5:20	1	1
26/02/2024	5:25	89	45
26/02/2024	5:30	162	126
26/02/2024	5:35	20	91
26/02/2024	5:40	14	17
26/02/2024	5:45	22	18
26/02/2024	5:50	115	69
26/02/2024	5:55	64	90
26/02/2024	6:00	27	45
26/02/2024	6:05	14	20

Notes:

D, T & V	- Date, Time & Exceedence Value Reported
Faded Values	- Not used to calculate the number of reportable exceedences
	- Range of 5-minute measurements that contribute to the Exceedence Value Reported
<u>Max</u>	- Maximum of the Range
<u>Min</u>	- Minimum of the Range

Ambient Air Quality Criteria (AAQC) for SO₂ = 67 ppb for 10-minute running average

Total Number of Reportable Exceedences:

139

SO2 Exceedance Report

Table E3

Durham York Energy Centre
 Courtice, Ontario
 Courtice Station
 Baseline Corrected Data

Date (dd/mm/yyyy)	Time (EST)	SO ₂	SO ₂
		5-min Avg. (ppb)	10-minute Running Avg. (ppb)
01/03/2024	2:50	13	14
01/03/2024	2:55	9	11
01/03/2024	3:00	59	34
01/03/2024	3:05	84	<u>72</u>
01/03/2024	3:10	38	<u>61</u>
01/03/2024	3:15	13	26
01/03/2024	3:20	8	10

Notes:

D, T & V	- Date, Time & Exceedance Value Reported
Faded Values	- Not used to calculate the number of reportable exceedances
	- Range of 5-minute measurements that contribute to the Exceedance Value Reported
<u>Max</u>	- Maximum of the Range
<u>Min</u>	- Minimum of the Range

Ambient Air Quality Criteria (AAQC) for SO₂ = 67 ppb for 10-minute running average

Total Number of Reportable Exceedances: 1

SO2 Exceedance Report

Table E4

Durham York Energy Centre
 Courtice, Ontario
 Courtice Station
 Baseline Corrected Data

Date (dd/mm/yyyy)	Time (EST)	SO ₂	SO ₂
		5-min Avg. (ppb)	1-hr Running Avg. (ppb)
06/01/2024	1:50	-	1
06/01/2024	1:55	-	-
06/01/2024	2:00	-	-
06/01/2024	2:05	-	-
06/01/2024	2:10	-	-
06/01/2024	2:15	86	-
06/01/2024	2:20	171	-
06/01/2024	2:25	53	-
06/01/2024	2:30	47	-
06/01/2024	2:35	25	-
06/01/2024	2:40	15	-
06/01/2024	2:45	25	-
06/01/2024	2:50	10	-
06/01/2024	2:55	5	49
06/01/2024	3:00	4	44
06/01/2024	3:05	4	41
06/01/2024	3:10	8	38
06/01/2024	3:15	9	32
06/01/2024	3:20	9	18
06/01/2024	3:25	4	14
06/01/2024	3:30	8	11
06/01/2024	3:35	10	9
06/01/2024	3:40	7	9
06/01/2024	3:45	4	7
06/01/2024	3:50	3	6
06/01/2024	3:55	2	6
Hidden cells with no values exceeding limit.			
12/01/2024	2:30	1	1
12/01/2024	2:35	1	1
12/01/2024	2:40	1	1
12/01/2024	2:45	1	1
12/01/2024	2:50	33	5
12/01/2024	2:55	34	8
12/01/2024	3:00	5	8
12/01/2024	3:05	3	7
12/01/2024	3:10	33	9
12/01/2024	3:15	20	11
12/01/2024	3:20	19	12
12/01/2024	3:25	169	26
12/01/2024	3:30	147	39
12/01/2024	3:35	73	45
12/01/2024	3:40	26	47
12/01/2024	3:45	57	52
12/01/2024	3:50	66	54
12/01/2024	3:55	104	60
12/01/2024	4:00	91	67
12/01/2024	4:05	34	70
12/01/2024	4:10	16	69
12/01/2024	4:15	90	74
12/01/2024	4:20	103	81
12/01/2024	4:25	46	71
12/01/2024	4:30	112	68
12/01/2024	4:35	84	69
12/01/2024	4:40	27	69
12/01/2024	4:45	16	66
12/01/2024	4:50	12	61
12/01/2024	4:55	13	54
12/01/2024	5:00	32	49
12/01/2024	5:05	18	48
12/01/2024	5:10	32	49
12/01/2024	5:15	66	47
12/01/2024	5:20	68	44
12/01/2024	5:25	54	45
12/01/2024	5:30	24	37
12/01/2024	5:35	14	31

12/01/2024	5:40	12	30
Hidden cells with no values exceeding limit.			
23/01/2024	7:05	1	2
23/01/2024	7:10	1	2
23/01/2024	7:15	1	2
23/01/2024	7:20	54	6
23/01/2024	7:25	109	15
23/01/2024	7:30	60	20
23/01/2024	7:35	62	25
23/01/2024	7:40	23	27
23/01/2024	7:45	58	32
23/01/2024	7:50	26	33
23/01/2024	7:55	14	34
23/01/2024	8:00	8	35
23/01/2024	8:05	30	37
23/01/2024	8:10	37	40
23/01/2024	8:15	41	43
23/01/2024	8:20	83	46
23/01/2024	8:25	43	40
23/01/2024	8:30	31	38
23/01/2024	8:35	21	35
23/01/2024	8:40	13	34
23/01/2024	8:45	8	30
23/01/2024	8:50	37	31
23/01/2024	8:55	91	37
23/01/2024	9:00	51	41
23/01/2024	9:05	21	40
23/01/2024	9:10	58	42
23/01/2024	9:15	43	42
23/01/2024	9:20	51	39
23/01/2024	9:25	29	38
23/01/2024	9:30	14	36
23/01/2024	9:35	10	35
23/01/2024	9:40	52	39
23/01/2024	9:45	41	41
23/01/2024	9:50	43	42
23/01/2024	9:55	35	37
23/01/2024	10:00	29	35
23/01/2024	10:05	28	36
23/01/2024	10:10	36	34
23/01/2024	10:15	25	33
Hidden cells with no values exceeding limit.			
29/01/2024	18:55	5	4
29/01/2024	19:00	60	9
29/01/2024	19:05	12	10
29/01/2024	19:10	6	10
29/01/2024	19:15	4	10
29/01/2024	19:20	3	10
29/01/2024	19:25	2	11
29/01/2024	19:30	10	11
29/01/2024	19:35	128	22
29/01/2024	19:40	51	26
29/01/2024	19:45	71	32
29/01/2024	19:50	20	31
29/01/2024	19:55	105	40
29/01/2024	20:00	105	43
29/01/2024	20:05	22	44
29/01/2024	20:10	13	45
29/01/2024	20:15	9	45
29/01/2024	20:20	83	52
29/01/2024	20:25	122	62
29/01/2024	20:30	67	66
29/01/2024	20:35	82	63
29/01/2024	20:40	85	65
29/01/2024	20:45	25	62
29/01/2024	20:50	26	62
29/01/2024	20:55	16	55
29/01/2024	21:00	11	47
29/01/2024	21:05	8	46
29/01/2024	21:10	20	46
29/01/2024	21:15	81	52
29/01/2024	21:20	47	49
29/01/2024	21:25	50	43
29/01/2024	21:30	54	42
29/01/2024	21:35	22	37
29/01/2024	21:40	78	37

29/01/2024	21:45	49	39
29/01/2024	21:50	25	38
29/01/2024	21:55	14	38
29/01/2024	22:00	10	38
29/01/2024	22:05	21	39
29/01/2024	22:10	82	44
29/01/2024	22:15	64	43
29/01/2024	22:20	111	48
29/01/2024	22:25	86	51
29/01/2024	22:30	53	51
29/01/2024	22:35	35	52
29/01/2024	22:40	21	48
29/01/2024	22:45	14	45
29/01/2024	22:50	11	43
29/01/2024	22:55	10	43
29/01/2024	23:00	9	43
29/01/2024	23:05	7	42
29/01/2024	23:10	6	36
29/01/2024	23:15	6	31

Notes:

D, T & V	- Date, Time & Exceedence Value Reported
Faded Values	- Not used to calculate the number of reportable exceedences
	- Range of 5-minute measurements that contribute to the Exceedence Value Reported
<u>Max</u>	- Maximum of the Range
<u>Min</u>	- Minimum of the Range

Ambient Air Quality Criteria (AAQC) for SO₂ = 40 ppb for 1-hour running average

Total Number of Reportable Exceedences: **8**

SO2 Exceedance Report

Table E5

Durham York Energy Centre
 Courtice, Ontario
 Courtice Station
 Baseline Corrected Data

Date (dd/mm/yyyy)	Time (EST)	SO ₂	SO ₂
		5-min Avg. (ppb)	1-hr Running Avg. (ppb)
03/02/2024	20:50	4	8
03/02/2024	20:55	3	8
03/02/2024	21:00	3	8
03/02/2024	21:05	3	8
03/02/2024	21:10	2	8
03/02/2024	21:15	2	8
03/02/2024	21:20	2	8
03/02/2024	21:25	22	10
03/02/2024	21:30	62	15
03/02/2024	21:35	59	17
03/02/2024	21:40	63	19
03/02/2024	21:45	105	28
03/02/2024	21:50	112	36
03/02/2024	21:55	80	43
03/02/2024	22:00	38	46
03/02/2024	22:05	18	47
03/02/2024	22:10	14	48
03/02/2024	22:15	13	49
03/02/2024	22:20	98	57
03/02/2024	22:25	37	58
03/02/2024	22:30	100	61
03/02/2024	22:35	105	65
03/02/2024	22:40	70	66
03/02/2024	22:45	111	66
03/02/2024	22:50	98	65
03/02/2024	22:55	31	61
03/02/2024	23:00	18	59
03/02/2024	23:05	21	60
03/02/2024	23:10	22	60
03/02/2024	23:15	21	61
03/02/2024	23:20	35	56
03/02/2024	23:25	12	54
03/02/2024	23:30	9	46
03/02/2024	23:35	7	38
03/02/2024	23:40	6	32
03/02/2024	23:45	5	24
03/02/2024	23:50	5	16
03/02/2024	23:55	5	14
04/02/2024	0:00	12	13
Hidden cells with no values exceeding limit.			
04/02/2024	0:15	9	10
04/02/2024	0:20	46	11
04/02/2024	0:25	13	12
04/02/2024	0:30	7	12
04/02/2024	0:35	6	11
04/02/2024	0:40	5	11
04/02/2024	0:45	5	11
04/02/2024	0:50	99	19
04/02/2024	0:55	37	22
04/02/2024	1:00	42	24
04/02/2024	1:05	81	30
04/02/2024	1:10	45	33
04/02/2024	1:15	76	38
04/02/2024	1:20	70	40
04/02/2024	1:25	23	41
04/02/2024	1:30	14	42
04/02/2024	1:35	40	45
04/02/2024	1:40	18	46
04/02/2024	1:45	-	49
04/02/2024	1:50	-	44
04/02/2024	1:55	-	-
04/02/2024	2:00	-	-
04/02/2024	2:05	-	-
04/02/2024	2:10	-	-
04/02/2024	2:15	8	-

04/02/2024	2:20	7	-
04/02/2024	2:25	9	-
04/02/2024	2:30	19	-
04/02/2024	2:35	65	-
04/02/2024	2:40	76	-
04/02/2024	2:45	45	-
04/02/2024	2:50	38	-
04/02/2024	2:55	38	34
04/02/2024	3:00	18	32
04/02/2024	3:05	9	30
04/02/2024	3:10	8	28
04/02/2024	3:15	6	28
04/02/2024	3:20	5	28
04/02/2024	3:25	52	32
04/02/2024	3:30	320	57
04/02/2024	3:35	94	59
04/02/2024	3:40	131	64
04/02/2024	3:45	168	74
04/02/2024	3:50	42	74
04/02/2024	3:55	24	73
04/02/2024	4:00	86	79
04/02/2024	4:05	232	97
04/02/2024	4:10	218	115
04/02/2024	4:15	199	131
04/02/2024	4:20	212	148
04/02/2024	4:25	195	160
04/02/2024	4:30	47	137
04/02/2024	4:35	29	132
04/02/2024	4:40	20	123
04/02/2024	4:45	15	110
04/02/2024	4:50	17	108
04/02/2024	4:55	98	114
04/02/2024	5:00	169	121
04/02/2024	5:05	55	106
04/02/2024	5:10	74	94
04/02/2024	5:15	34	81
04/02/2024	5:20	21	65
04/02/2024	5:25	14	49
04/02/2024	5:30	11	46
04/02/2024	5:35	9	45
04/02/2024	5:40	8	44
04/02/2024	5:45	8	43
04/02/2024	5:50	34	45
04/02/2024	5:55	12	37
04/02/2024	6:00	9	24
04/02/2024	6:05	7	20
04/02/2024	6:10	7	14
04/02/2024	6:15	6	12
04/02/2024	6:20	6	11
04/02/2024	6:25	92	17
04/02/2024	6:30	17	18
04/02/2024	6:35	12	18
Hidden cells with no values exceeding limit.			
04/02/2024	7:00	5	15
04/02/2024	7:05	5	15
04/02/2024	7:10	4	15
04/02/2024	7:15	16	16
04/02/2024	7:20	88	22
04/02/2024	7:25	64	20
04/02/2024	7:30	92	26
04/02/2024	7:35	71	31
04/02/2024	7:40	23	32
04/02/2024	7:45	14	33
04/02/2024	7:50	11	33
04/02/2024	7:55	9	34
04/02/2024	8:00	78	40
04/02/2024	8:05	93	47
04/02/2024	8:10	45	50
04/02/2024	8:15	23	51
04/02/2024	8:20	14	45
04/02/2024	8:25	12	40
04/02/2024	8:30	11	34
04/02/2024	8:35	10	29
04/02/2024	8:40	10	27
04/02/2024	8:45	9	27
04/02/2024	8:50	9	27

04/02/2024	8:55	8	27
04/02/2024	9:00	8	21
04/02/2024	9:05	8	14
04/02/2024	9:10	7	11
Hidden cells with no values exceeding limit.			
04/02/2024	19:45	4	23
04/02/2024	19:50	3	23
04/02/2024	19:55	11	24
04/02/2024	20:00	163	38
04/02/2024	20:05	75	39
04/02/2024	20:10	19	38
04/02/2024	20:15	11	39
04/02/2024	20:20	7	33
04/02/2024	20:25	6	27
04/02/2024	20:30	5	26
04/02/2024	20:35	5	26
04/02/2024	20:40	4	26
04/02/2024	20:45	3	26
04/02/2024	20:50	197	42
04/02/2024	20:55	198	58
04/02/2024	21:00	78	51
04/02/2024	21:05	142	56
04/02/2024	21:10	102	63
04/02/2024	21:15	45	66
04/02/2024	21:20	21	67
04/02/2024	21:25	13	68
04/02/2024	21:30	11	68
04/02/2024	21:35	9	69
04/02/2024	21:40	7	69
04/02/2024	21:45	11	70
04/02/2024	21:50	152	66
04/02/2024	21:55	81	56
04/02/2024	22:00	31	52
04/02/2024	22:05	22	42
04/02/2024	22:10	80	40
04/02/2024	22:15	74	43
04/02/2024	22:20	23	43
04/02/2024	22:25	14	43
04/02/2024	22:30	9	43
04/02/2024	22:35	7	43
04/02/2024	22:40	6	43
04/02/2024	22:45	6	42
04/02/2024	22:50	6	30
04/02/2024	22:55	7	24
Hidden cells with no values exceeding limit.			
05/02/2024	3:15	10	16
05/02/2024	3:20	12	12
05/02/2024	3:25	9	10
05/02/2024	3:30	32	10
05/02/2024	3:35	48	13
05/02/2024	3:40	14	13
05/02/2024	3:45	10	13
05/02/2024	3:50	8	13
05/02/2024	3:55	89	20
05/02/2024	4:00	97	28
05/02/2024	4:05	65	33
05/02/2024	4:10	37	36
05/02/2024	4:15	31	37
05/02/2024	4:20	33	39
05/02/2024	4:25	47	42
05/02/2024	4:30	18	41
05/02/2024	4:35	11	38
05/02/2024	4:40	9	38
05/02/2024	4:45	44	41
05/02/2024	4:50	68	46
05/02/2024	4:55	50	42
05/02/2024	5:00	39	38
05/02/2024	5:05	27	35
05/02/2024	5:10	30	34
05/02/2024	5:15	48	35
05/02/2024	5:20	20	34
05/02/2024	5:25	13	31
05/02/2024	5:30	10	31
Hidden cells with no values exceeding limit.			
05/02/2024	23:20	8	20
05/02/2024	23:25	6	20

05/02/2024	23:30	87	27
05/02/2024	23:35	72	32
05/02/2024	23:40	65	36
05/02/2024	23:45	43	37
05/02/2024	23:50	43	39
05/02/2024	23:55	38	40
06/02/2024	0:00	43	40
06/02/2024	0:05	15	37
06/02/2024	0:10	10	37
06/02/2024	0:15	8	36
06/02/2024	0:20	7	36
06/02/2024	0:25	138	47
06/02/2024	0:30	112	50
06/02/2024	0:35	114	53
06/02/2024	0:40	102	56
06/02/2024	0:45	70	58
06/02/2024	0:50	84	62
06/02/2024	0:55	65	64
06/02/2024	1:00	21	62
06/02/2024	1:05	13	62
06/02/2024	1:10	10	62
06/02/2024	1:15	34	64
06/02/2024	1:20	42	67
06/02/2024	1:25	24	58
06/02/2024	1:30	47	52
06/02/2024	1:35	50	47
06/02/2024	1:40	35	41
06/02/2024	1:45	-	39
06/02/2024	1:50	-	34
06/02/2024	1:55	-	-
06/02/2024	2:00	-	-
06/02/2024	2:05	-	-
06/02/2024	2:10	-	-
06/02/2024	2:15	91	-
06/02/2024	2:20	72	-
06/02/2024	2:25	76	-
06/02/2024	2:30	45	-
06/02/2024	2:35	49	-
06/02/2024	2:40	16	-
06/02/2024	2:45	12	-
06/02/2024	2:50	9	-
06/02/2024	2:55	46	46
06/02/2024	3:00	71	49
06/02/2024	3:05	65	50
06/02/2024	3:10	66	51
06/02/2024	3:15	65	49
06/02/2024	3:20	30	46
06/02/2024	3:25	23	41
06/02/2024	3:30	15	39
06/02/2024	3:35	10	36
06/02/2024	3:40	8	35
06/02/2024	3:45	28	36
06/02/2024	3:50	18	37
06/02/2024	3:55	37	36
06/02/2024	4:00	48	35
06/02/2024	4:05	39	32
06/02/2024	4:10	32	29
06/02/2024	4:15	27	26
06/02/2024	4:20	16	25
06/02/2024	4:25	9	24
06/02/2024	4:30	7	23
Hidden cells with no values exceeding limit.			
06/02/2024	4:55	5	18
06/02/2024	5:00	6	14
06/02/2024	5:05	9	12
06/02/2024	5:10	9	10
06/02/2024	5:15	5	8
06/02/2024	5:20	4	7
06/02/2024	5:25	9	7
06/02/2024	5:30	101	15
06/02/2024	5:35	73	20
06/02/2024	5:40	71	26
06/02/2024	5:45	79	31
06/02/2024	5:50	55	35
06/02/2024	5:55	57	40
06/02/2024	6:00	36	42

06/02/2024	6:05	18	43
06/02/2024	6:10	9	43
06/02/2024	6:15	13	44
06/02/2024	6:20	12	44
06/02/2024	6:25	8	44
06/02/2024	6:30	24	38
06/02/2024	6:35	20	34
06/02/2024	6:40	32	30
06/02/2024	6:45	39	27
06/02/2024	6:50	23	24
06/02/2024	6:55	10	20
06/02/2024	7:00	7	18
06/02/2024	7:05	15	18
Hidden cells with no values exceeding limit.			
06/02/2024	17:40	1	1
06/02/2024	17:45	1	1
06/02/2024	17:50	2	1
06/02/2024	17:55	44	5
06/02/2024	18:00	14	6
06/02/2024	18:05	91	13
06/02/2024	18:10	28	15
06/02/2024	18:15	9	16
06/02/2024	18:20	5	16
06/02/2024	18:25	4	17
06/02/2024	18:30	39	20
06/02/2024	18:35	29	22
06/02/2024	18:40	140	34
06/02/2024	18:45	110	43
06/02/2024	18:50	47	47
06/02/2024	18:55	87	50
06/02/2024	19:00	132	60
06/02/2024	19:05	77	59
06/02/2024	19:10	18	58
06/02/2024	19:15	11	58
06/02/2024	19:20	10	58
06/02/2024	19:25	9	59
06/02/2024	19:30	20	57
06/02/2024	19:35	12	56
06/02/2024	19:40	27	46
06/02/2024	19:45	109	46
06/02/2024	19:50	100	51
06/02/2024	19:55	22	45
06/02/2024	20:00	15	36
06/02/2024	20:05	9	30
06/02/2024	20:10	7	29
06/02/2024	20:15	11	29
06/02/2024	20:20	10	29
06/02/2024	20:25	16	30
06/02/2024	20:30	89	36
06/02/2024	20:35	84	42
06/02/2024	20:40	108	48
06/02/2024	20:45	63	45
06/02/2024	20:50	33	39
06/02/2024	20:55	18	39
06/02/2024	21:00	11	38
06/02/2024	21:05	8	38
06/02/2024	21:10	6	38
06/02/2024	21:15	38	40
06/02/2024	21:20	56	44
06/02/2024	21:25	58	48
06/02/2024	21:30	34	43
06/02/2024	21:35	23	38
06/02/2024	21:40	11	30
06/02/2024	21:45	8	25
06/02/2024	21:50	7	23
06/02/2024	21:55	7	22
06/02/2024	22:00	37	24
06/02/2024	22:05	132	35
06/02/2024	22:10	58	39
06/02/2024	22:15	38	39
06/02/2024	22:20	15	36
06/02/2024	22:25	17	32
06/02/2024	22:30	50	34
06/02/2024	22:35	14	33
06/02/2024	22:40	11	33
06/02/2024	22:45	10	33

06/02/2024	22:50	85	39
06/02/2024	22:55	151	51
06/02/2024	23:00	118	58
06/02/2024	23:05	93	55
06/02/2024	23:10	51	54
06/02/2024	23:15	19	53
06/02/2024	23:20	13	53
06/02/2024	23:25	10	52
06/02/2024	23:30	9	49
06/02/2024	23:35	30	50
06/02/2024	23:40	30	52
06/02/2024	23:45	12	52
06/02/2024	23:50	9	45
06/02/2024	23:55	7	33
07/02/2024	0:00	6	24
Hidden cells with no values exceeding limit.			
12/02/2024	18:05	0	0
12/02/2024	18:10	0	0
12/02/2024	18:15	0	0
12/02/2024	18:20	0	0
12/02/2024	18:25	0	0
12/02/2024	18:30	0	0
12/02/2024	18:35	0	0
12/02/2024	18:40	0	0
12/02/2024	18:45	1	0
12/02/2024	18:50	186	16
12/02/2024	18:55	219	34
12/02/2024	19:00	16	35
12/02/2024	19:05	9	36
12/02/2024	19:10	93	44
12/02/2024	19:15	20	45
12/02/2024	19:20	9	46
12/02/2024	19:25	93	54
12/02/2024	19:30	516	97
12/02/2024	19:35	213	115
12/02/2024	19:40	48	119
12/02/2024	19:45	24	121
12/02/2024	19:50	18	107
12/02/2024	19:55	125	99
12/02/2024	20:00	23	99
12/02/2024	20:05	54	103
12/02/2024	20:10	322	122
12/02/2024	20:15	100	129
12/02/2024	20:20	102	137
12/02/2024	20:25	42	132
12/02/2024	20:30	105	98
12/02/2024	20:35	84	87
12/02/2024	20:40	121	93
12/02/2024	20:45	28	94
12/02/2024	20:50	79	99
12/02/2024	20:55	265	111
12/02/2024	21:00	81	115
12/02/2024	21:05	154	124
12/02/2024	21:10	80	103
12/02/2024	21:15	30	98
12/02/2024	21:20	20	91
12/02/2024	21:25	25	89
12/02/2024	21:30	17	82
12/02/2024	21:35	53	79
12/02/2024	21:40	158	82
12/02/2024	21:45	109	89
12/02/2024	21:50	106	92
12/02/2024	21:55	84	76
12/02/2024	22:00	180	85
12/02/2024	22:05	96	80
12/02/2024	22:10	40	76
12/02/2024	22:15	23	76
12/02/2024	22:20	102	83
12/02/2024	22:25	126	91
12/02/2024	22:30	127	100
12/02/2024	22:35	161	109
12/02/2024	22:40	86	103
12/02/2024	22:45	74	100
12/02/2024	22:50	97	100
12/02/2024	22:55	42	96
12/02/2024	23:00	21	83

12/02/2024	23:05	55	79
12/02/2024	23:10	31	79
12/02/2024	23:15	16	78
12/02/2024	23:20	11	70
12/02/2024	23:25	10	61
12/02/2024	23:30	46	54
12/02/2024	23:35	18	42
12/02/2024	23:40	12	36
12/02/2024	23:45	9	31
12/02/2024	23:50	7	23
12/02/2024	23:55	6	20
13/02/2024	0:00	7	19
13/02/2024	0:05	8	15
13/02/2024	0:10	17	14
13/02/2024	0:15	17	14
Hidden cells with no values exceeding limit.			
13/02/2024	1:30	3	6
13/02/2024	1:35	3	5
13/02/2024	1:40	3	5
13/02/2024	1:45	-	5
13/02/2024	1:50	-	4
13/02/2024	1:55	-	-
13/02/2024	2:00	-	-
13/02/2024	2:05	-	-
13/02/2024	2:10	-	-
13/02/2024	2:15	3	-
13/02/2024	2:20	24	-
13/02/2024	2:25	58	-
13/02/2024	2:30	88	-
13/02/2024	2:35	80	-
13/02/2024	2:40	27	-
13/02/2024	2:45	17	-
13/02/2024	2:50	77	-
13/02/2024	2:55	145	58
13/02/2024	3:00	32	55
13/02/2024	3:05	137	63
13/02/2024	3:10	145	69
13/02/2024	3:15	181	84
13/02/2024	3:20	181	97
13/02/2024	3:25	105	101
13/02/2024	3:30	39	97
13/02/2024	3:35	71	96
13/02/2024	3:40	169	108
13/02/2024	3:45	103	115
13/02/2024	3:50	75	115
13/02/2024	3:55	101	112
13/02/2024	4:00	111	118
13/02/2024	4:05	140	118
13/02/2024	4:10	92	114
13/02/2024	4:15	35	102
13/02/2024	4:20	59	92
13/02/2024	4:25	93	91
13/02/2024	4:30	135	99
13/02/2024	4:35	74	99
13/02/2024	4:40	49	89
13/02/2024	4:45	24	82
13/02/2024	4:50	80	83
13/02/2024	4:55	53	79
13/02/2024	5:00	23	71
13/02/2024	5:05	15	61
13/02/2024	5:10	25	55
13/02/2024	5:15	21	54
13/02/2024	5:20	12	50
13/02/2024	5:25	12	44
13/02/2024	5:30	8	33
13/02/2024	5:35	10	28
13/02/2024	5:40	13	25
13/02/2024	5:45	8	23
13/02/2024	5:50	7	17
13/02/2024	5:55	7	13
13/02/2024	6:00	177	26
13/02/2024	6:05	156	38
13/02/2024	6:10	43	40
13/02/2024	6:15	73	44
13/02/2024	6:20	25	45
13/02/2024	6:25	31	47

13/02/2024	6:30	26	48
13/02/2024	6:35	15	48
13/02/2024	6:40	17	49
13/02/2024	6:45	12	49
13/02/2024	6:50	9	49
13/02/2024	6:55	43	52
13/02/2024	7:00	150	50
13/02/2024	7:05	73	43
13/02/2024	7:10	56	44
13/02/2024	7:15	25	40
13/02/2024	7:20	16	39
13/02/2024	7:25	197	53
13/02/2024	7:30	38	54
13/02/2024	7:35	45	57
13/02/2024	7:40	133	66
13/02/2024	7:45	76	72
13/02/2024	7:50	37	74
13/02/2024	7:55	21	72
13/02/2024	8:00	16	61
13/02/2024	8:05	14	56
13/02/2024	8:10	15	53
13/02/2024	8:15	22	52
13/02/2024	8:20	12	52
13/02/2024	8:25	96	44
13/02/2024	8:30	139	52
13/02/2024	8:35	37	52
13/02/2024	8:40	27	43
13/02/2024	8:45	18	38
13/02/2024	8:50	14	36
13/02/2024	8:55	12	35
13/02/2024	9:00	10	35
13/02/2024	9:05	9	34
13/02/2024	9:10	103	42
13/02/2024	9:15	70	46
13/02/2024	9:20	27	47
13/02/2024	9:25	18	40
13/02/2024	9:30	14	30
13/02/2024	9:35	13	28
13/02/2024	9:40	11	27
13/02/2024	9:45	9	26
13/02/2024	9:50	8	25
13/02/2024	9:55	8	25
13/02/2024	10:00	7	25
13/02/2024	10:05	7	25
13/02/2024	10:10	6	17
13/02/2024	10:15	6	11
13/02/2024	10:20	6	9
Hidden cells with no values exceeding limit.			
14/02/2024	19:55	0	0
14/02/2024	20:00	0	0
14/02/2024	20:05	0	0
14/02/2024	20:10	0	0
14/02/2024	20:15	0	0
14/02/2024	20:20	0	0
14/02/2024	20:25	9	1
14/02/2024	20:30	5	1
14/02/2024	20:35	1	1
14/02/2024	20:40	21	3
14/02/2024	20:45	250	24
14/02/2024	20:50	61	29
14/02/2024	20:55	97	37
14/02/2024	21:00	49	41
14/02/2024	21:05	121	51
14/02/2024	21:10	32	54
14/02/2024	21:15	11	55
14/02/2024	21:20	5	55
14/02/2024	21:25	4	55
14/02/2024	21:30	3	55
14/02/2024	21:35	63	60
14/02/2024	21:40	131	69
14/02/2024	21:45	66	54
14/02/2024	21:50	20	50
14/02/2024	21:55	10	43
14/02/2024	22:00	7	39
14/02/2024	22:05	5	30
14/02/2024	22:10	3	27

14/02/2024	22:15	3	27
14/02/2024	22:20	21	28
14/02/2024	22:25	16	29
14/02/2024	22:30	100	37
14/02/2024	22:35	186	47
14/02/2024	22:40	86	43
14/02/2024	22:45	24	40
14/02/2024	22:50	35	41
14/02/2024	22:55	14	41
14/02/2024	23:00	9	42
14/02/2024	23:05	38	44
14/02/2024	23:10	9	45
14/02/2024	23:15	8	45
14/02/2024	23:20	6	44
14/02/2024	23:25	5	43
14/02/2024	23:30	4	35
14/02/2024	23:35	3	20
14/02/2024	23:40	4	13
14/02/2024	23:45	132	22
14/02/2024	23:50	219	38
14/02/2024	23:55	86	44
15/02/2024	0:00	82	50
15/02/2024	0:05	53	51
15/02/2024	0:10	22	52
15/02/2024	0:15	15	53
15/02/2024	0:20	20	54
15/02/2024	0:25	140	65
15/02/2024	0:30	89	72
15/02/2024	0:35	106	81
15/02/2024	0:40	104	89
15/02/2024	0:45	29	80
15/02/2024	0:50	35	65
15/02/2024	0:55	27	60
15/02/2024	1:00	39	57
15/02/2024	1:05	16	53
15/02/2024	1:10	107	60
15/02/2024	1:15	116	69
15/02/2024	1:20	84	74
15/02/2024	1:25	53	67
15/02/2024	1:30	26	62
15/02/2024	1:35	29	55
15/02/2024	1:40	102	55
15/02/2024	1:45	-	58
15/02/2024	1:50	-	60
15/02/2024	1:55	-	63
15/02/2024	2:00	-	-
15/02/2024	2:05	-	-
15/02/2024	2:10	-	-
15/02/2024	2:15	35	-
15/02/2024	2:20	145	-
15/02/2024	2:25	174	-
15/02/2024	2:30	141	-
15/02/2024	2:35	123	-
15/02/2024	2:40	94	-
15/02/2024	2:45	102	-
15/02/2024	2:50	72	-
15/02/2024	2:55	39	103
15/02/2024	3:00	38	96
15/02/2024	3:05	134	100
15/02/2024	3:10	107	100
15/02/2024	3:15	83	104
15/02/2024	3:20	69	98
15/02/2024	3:25	96	91
15/02/2024	3:30	59	85
15/02/2024	3:35	31	77
15/02/2024	3:40	35	72
15/02/2024	3:45	62	69
15/02/2024	3:50	31	65
15/02/2024	3:55	29	64
15/02/2024	4:00	36	64
15/02/2024	4:05	55	58
15/02/2024	4:10	49	53
15/02/2024	4:15	29	48
15/02/2024	4:20	18	44
15/02/2024	4:25	75	42
15/02/2024	4:30	52	42

15/02/2024	4:35	27	42
15/02/2024	4:40	24	41
15/02/2024	4:45	14	37
15/02/2024	4:50	26	36
15/02/2024	4:55	19	36
15/02/2024	5:00	12	33
15/02/2024	5:05	9	30
15/02/2024	5:10	8	26
15/02/2024	5:15	10	25
15/02/2024	5:20	16	24
15/02/2024	5:25	22	20
15/02/2024	5:30	50	20
15/02/2024	5:35	53	22
15/02/2024	5:40	18	21
15/02/2024	5:45	41	24
15/02/2024	5:50	50	26
15/02/2024	5:55	50	28
15/02/2024	6:00	51	31
15/02/2024	6:05	59	36
15/02/2024	6:10	65	40
15/02/2024	6:15	34	42
15/02/2024	6:20	20	43
15/02/2024	6:25	13	42
15/02/2024	6:30	10	39
15/02/2024	6:35	13	35
15/02/2024	6:40	39	37
15/02/2024	6:45	17	35
15/02/2024	6:50	11	32
15/02/2024	6:55	8	28
15/02/2024	7:00	7	25
15/02/2024	7:05	6	20
15/02/2024	7:10	5	15
15/02/2024	7:15	5	13
Hidden cells with no values exceeding limit.			
19/02/2024	3:55	0	4
19/02/2024	4:00	0	4
19/02/2024	4:05	0	4
19/02/2024	4:10	0	4
19/02/2024	4:15	1	4
19/02/2024	4:20	1	4
19/02/2024	4:25	19	6
19/02/2024	4:30	134	16
19/02/2024	4:35	107	22
19/02/2024	4:40	65	27
19/02/2024	4:45	105	36
19/02/2024	4:50	24	38
19/02/2024	4:55	21	40
19/02/2024	5:00	43	43
19/02/2024	5:05	11	44
19/02/2024	5:10	41	48
19/02/2024	5:15	187	63
19/02/2024	5:20	82	70
19/02/2024	5:25	124	79
19/02/2024	5:30	90	75
19/02/2024	5:35	111	75
19/02/2024	5:40	29	72
19/02/2024	5:45	12	65
19/02/2024	5:50	8	63
19/02/2024	5:55	8	62
19/02/2024	6:00	17	60
19/02/2024	6:05	60	64
19/02/2024	6:10	8	61
19/02/2024	6:15	44	49
19/02/2024	6:20	65	48
19/02/2024	6:25	198	54
19/02/2024	6:30	43	50
19/02/2024	6:35	19	43
19/02/2024	6:40	107	49
19/02/2024	6:45	17	50
19/02/2024	6:50	9	50
19/02/2024	6:55	29	51
19/02/2024	7:00	101	58
19/02/2024	7:05	55	58
19/02/2024	7:10	28	60
19/02/2024	7:15	12	57
19/02/2024	7:20	109	61

19/02/2024	7:25	125	54
19/02/2024	7:30	165	65
19/02/2024	7:35	125	74
19/02/2024	7:40	141	76
19/02/2024	7:45	97	83
19/02/2024	7:50	30	85
19/02/2024	7:55	20	84
19/02/2024	8:00	15	77
19/02/2024	8:05	11	73
19/02/2024	8:10	9	72
19/02/2024	8:15	8	71
19/02/2024	8:20	7	63
19/02/2024	8:25	7	53
19/02/2024	8:30	7	40
19/02/2024	8:35	6	30
19/02/2024	8:40	7	19
19/02/2024	8:45	8	11
19/02/2024	8:50	12	10
19/02/2024	8:55	11	9
19/02/2024	9:00	9	8
19/02/2024	9:05	7	8
Hidden cells with no values exceeding limit.			
19/02/2024	21:45	2	1
19/02/2024	21:50	2	1
19/02/2024	21:55	0	1
19/02/2024	22:00	38	4
19/02/2024	22:05	89	11
19/02/2024	22:10	9	12
19/02/2024	22:15	4	12
19/02/2024	22:20	122	22
19/02/2024	22:25	46	26
19/02/2024	22:30	42	30
19/02/2024	22:35	44	33
19/02/2024	22:40	32	36
19/02/2024	22:45	21	37
19/02/2024	22:50	47	41
19/02/2024	22:55	17	43
19/02/2024	23:00	8	40
19/02/2024	23:05	55	37
19/02/2024	23:10	79	43
19/02/2024	23:15	30	45
19/02/2024	23:20	17	37
19/02/2024	23:25	9	34
19/02/2024	23:30	7	31
19/02/2024	23:35	6	28
19/02/2024	23:40	5	25
19/02/2024	23:45	4	24
19/02/2024	23:50	3	20
19/02/2024	23:55	15	20
Hidden cells with no values exceeding limit.			
20/02/2024	1:50	-	32
20/02/2024	1:55	-	32
20/02/2024	2:00	-	-
20/02/2024	2:05	-	-
20/02/2024	2:10	-	-
20/02/2024	2:15	34	-
20/02/2024	2:20	54	-
20/02/2024	2:25	29	-
20/02/2024	2:30	50	-
20/02/2024	2:35	29	-
20/02/2024	2:40	14	-
20/02/2024	2:45	30	-
20/02/2024	2:50	74	-
20/02/2024	2:55	58	41
20/02/2024	3:00	48	42
20/02/2024	3:05	38	42
20/02/2024	3:10	23	40
20/02/2024	3:15	27	40
20/02/2024	3:20	23	37
20/02/2024	3:25	10	35
20/02/2024	3:30	32	34
20/02/2024	3:35	18	33
20/02/2024	3:40	47	36
20/02/2024	3:45	60	38
20/02/2024	3:50	38	35
20/02/2024	3:55	27	33

20/02/2024	4:00	15	30
Hidden cells with no values exceeding limit.			
22/02/2024	7:00	2	3
22/02/2024	7:05	2	2
22/02/2024	7:10	4	3
22/02/2024	7:15	2	2
22/02/2024	7:20	2	2
22/02/2024	7:25	2	2
22/02/2024	7:30	2	2
22/02/2024	7:35	38	5
22/02/2024	7:40	147	17
22/02/2024	7:45	83	24
22/02/2024	7:50	37	27
22/02/2024	7:55	71	33
22/02/2024	8:00	72	38
22/02/2024	8:05	38	41
22/02/2024	8:10	25	43
22/02/2024	8:15	14	44
22/02/2024	8:20	10	45
22/02/2024	8:25	8	45
22/02/2024	8:30	7	46
22/02/2024	8:35	6	43
22/02/2024	8:40	5	31
22/02/2024	8:45	5	25
22/02/2024	8:50	5	22
22/02/2024	8:55	4	17
22/02/2024	9:00	4	11
22/02/2024	9:05	4	8
22/02/2024	9:10	3	6
Hidden cells with no values exceeding limit.			
22/02/2024	17:40	1	1
22/02/2024	17:45	1	1
22/02/2024	17:50	1	1
22/02/2024	17:55	1	1
22/02/2024	18:00	11	2
22/02/2024	18:05	22	4
22/02/2024	18:10	2	4
22/02/2024	18:15	2	4
22/02/2024	18:20	2	4
22/02/2024	18:25	56	8
22/02/2024	18:30	279	32
22/02/2024	18:35	40	35
22/02/2024	18:40	64	40
22/02/2024	18:45	167	54
22/02/2024	18:50	110	63
22/02/2024	18:55	26	65
22/02/2024	19:00	18	66
22/02/2024	19:05	14	65
22/02/2024	19:10	9	66
22/02/2024	19:15	7	66
22/02/2024	19:20	6	66
22/02/2024	19:25	6	62
22/02/2024	19:30	6	40
22/02/2024	19:35	46	40
22/02/2024	19:40	112	44
22/02/2024	19:45	180	45
22/02/2024	19:50	164	50
22/02/2024	19:55	39	51
22/02/2024	20:00	24	51
22/02/2024	20:05	15	51
22/02/2024	20:10	11	51
22/02/2024	20:15	9	52
22/02/2024	20:20	7	52
22/02/2024	20:25	6	52
22/02/2024	20:30	6	52
22/02/2024	20:35	7	48
22/02/2024	20:40	38	42
22/02/2024	20:45	47	31
22/02/2024	20:50	76	24
Hidden cells with no values exceeding limit.			
22/02/2024	21:25	5	21
22/02/2024	21:30	10	21
22/02/2024	21:35	77	27
22/02/2024	21:40	135	35
22/02/2024	21:45	92	39
22/02/2024	21:50	38	36

22/02/2024	21:55	42	37
22/02/2024	22:00	35	39
22/02/2024	22:05	16	39
22/02/2024	22:10	11	39
22/02/2024	22:15	8	39
22/02/2024	22:20	6	39
22/02/2024	22:25	5	39
22/02/2024	22:30	41	42
22/02/2024	22:35	114	45
22/02/2024	22:40	22	36
22/02/2024	22:45	14	29
22/02/2024	22:50	12	27
22/02/2024	22:55	40	27
22/02/2024	23:00	13	25
22/02/2024	23:05	9	24
22/02/2024	23:10	7	24
22/02/2024	23:15	6	24
22/02/2024	23:20	5	24
22/02/2024	23:25	22	25
22/02/2024	23:30	13	23
22/02/2024	23:35	41	17
22/02/2024	23:40	28	17
22/02/2024	23:45	13	17
22/02/2024	23:50	47	20
22/02/2024	23:55	68	23
23/02/2024	0:00	26	24
23/02/2024	0:05	13	24
23/02/2024	0:10	10	24
23/02/2024	0:15	10	25
23/02/2024	0:20	87	32
23/02/2024	0:25	84	37
23/02/2024	0:30	161	49
23/02/2024	0:35	120	56
23/02/2024	0:40	90	61
23/02/2024	0:45	44	63
23/02/2024	0:50	92	67
23/02/2024	0:55	29	64
23/02/2024	1:00	19	63
23/02/2024	1:05	13	63
23/02/2024	1:10	11	63
23/02/2024	1:15	10	63
23/02/2024	1:20	11	57
23/02/2024	1:25	7	51
23/02/2024	1:30	7	38
23/02/2024	1:35	45	32
Hidden cells with no values exceeding limit.			
23/02/2024	2:20	12	20
23/02/2024	2:25	8	20
23/02/2024	2:30	6	20
23/02/2024	2:35	28	17
23/02/2024	2:40	14	17
23/02/2024	2:45	8	16
23/02/2024	2:50	6	15
23/02/2024	2:55	5	13
23/02/2024	3:00	5	13
23/02/2024	3:05	70	18
23/02/2024	3:10	135	28
23/02/2024	3:15	114	34
23/02/2024	3:20	61	38
23/02/2024	3:25	97	46
23/02/2024	3:30	65	51
23/02/2024	3:35	45	52
23/02/2024	3:40	23	53
23/02/2024	3:45	15	53
23/02/2024	3:50	12	54
23/02/2024	3:55	9	54
23/02/2024	4:00	8	54
23/02/2024	4:05	20	50
23/02/2024	4:10	59	44
23/02/2024	4:15	61	39
23/02/2024	4:20	19	36
23/02/2024	4:25	13	29
23/02/2024	4:30	11	25
Hidden cells with no values exceeding limit.			
24/02/2024	23:40	66	10
24/02/2024	23:45	5	10

24/02/2024	23:50	14	12
24/02/2024	23:55	55	16
25/02/2024	0:00	72	21
25/02/2024	0:05	25	23
25/02/2024	0:10	9	24
25/02/2024	0:15	3	23
25/02/2024	0:20	7	23
25/02/2024	0:25	109	32
25/02/2024	0:30	52	36
25/02/2024	0:35	60	40
25/02/2024	0:40	28	37
25/02/2024	0:45	77	43
25/02/2024	0:50	59	46
25/02/2024	0:55	14	43
25/02/2024	1:00	7	38
25/02/2024	1:05	4	36
25/02/2024	1:10	3	35
25/02/2024	1:15	3	35
25/02/2024	1:20	2	35
25/02/2024	1:25	1	26
25/02/2024	1:30	57	26
25/02/2024	1:35	54	26
25/02/2024	1:40	17	25
25/02/2024	1:45		20
25/02/2024	1:50		16
Hidden cells with no values exceeding limit.			
25/02/2024	18:55	42	4
25/02/2024	19:00	139	15
25/02/2024	19:05	15	17
25/02/2024	19:10	8	17
25/02/2024	19:15	5	18
25/02/2024	19:20	4	18
25/02/2024	19:25	4	18
25/02/2024	19:30	3	18
25/02/2024	19:35	3	19
25/02/2024	19:40	3	19
25/02/2024	19:45	5	19
25/02/2024	19:50	83	26
25/02/2024	19:55	190	39
25/02/2024	20:00	165	41
25/02/2024	20:05	43	43
25/02/2024	20:10	24	44
25/02/2024	20:15	13	45
25/02/2024	20:20	8	45
25/02/2024	20:25	6	46
25/02/2024	20:30	6	46
25/02/2024	20:35	5	46
25/02/2024	20:40	5	46
25/02/2024	20:45	4	46
25/02/2024	20:50	3	39
25/02/2024	20:55	54	28
25/02/2024	21:00	40	18
25/02/2024	21:05	14	15
Hidden cells with no values exceeding limit.			
26/02/2024	4:50	1	1
26/02/2024	4:55	18	2
26/02/2024	5:00	7	3
26/02/2024	5:05	2	3
26/02/2024	5:10	2	3
26/02/2024	5:15	1	3
26/02/2024	5:20	1	3
26/02/2024	5:25	89	10
26/02/2024	5:30	162	24
26/02/2024	5:35	20	25
26/02/2024	5:40	14	27
26/02/2024	5:45	22	28
26/02/2024	5:50	115	38
26/02/2024	5:55	64	42
26/02/2024	6:00	27	43
26/02/2024	6:05	14	44
26/02/2024	6:10	10	45
26/02/2024	6:15	8	46
26/02/2024	6:20	6	46
26/02/2024	6:25	5	39
26/02/2024	6:30	4	26
26/02/2024	6:35	11	25

26/02/2024	6:40	20	25
26/02/2024	6:45	9	24
26/02/2024	6:50	6	15
26/02/2024	6:55	4	10
26/02/2024	7:00	4	8

Notes:

D, T & V	- Date, Time & Exceedence Value Reported
Faded Values	- Not used to calculate the number of reportable exceedences
	- Range of 5-minute measurements that contribute to the Exceedence Value Reported
<u>Max</u>	- Maximum of the Range
<u>Min</u>	- Minimum of the Range

Ambient Air Quality Criteria (AAQC) for SO₂ = 40 ppb for 1-hour running average

Total Number of Reportable Exceedences: **53**

SO2 Exceedance Report

Table E6

Durham York Energy Centre
 Courtice, Ontario
 Courtice Station
 Baseline Corrected Data

Date (dd/mm/yyyy)	Time (EST)	SO ₂	SO ₂
		5-min Avg. (ppb)	1-hr Running Avg. (ppb)
01/03/2024	3:00	59	24
01/03/2024	3:05	84	29
01/03/2024	3:10	38	30
01/03/2024	3:15	13	26
01/03/2024	3:20	8	24
01/03/2024	3:25	9	24
01/03/2024	3:30	35	26
01/03/2024	3:35	43	29
01/03/2024	3:40	41	31
01/03/2024	3:45	52	34
01/03/2024	3:50	34	36
01/03/2024	3:55	64	40
01/03/2024	4:00	46	39
01/03/2024	4:05	12	33
01/03/2024	4:10	9	31
01/03/2024	4:15	42	33
01/03/2024	4:20	42	36
01/03/2024	4:25	36	38
01/03/2024	4:30	89	43
01/03/2024	4:35	39	42
01/03/2024	4:40	73	45
01/03/2024	4:45	52	45
01/03/2024	4:50	32	45
01/03/2024	4:55	15	41
01/03/2024	5:00	9	38
01/03/2024	5:05	11	37
01/03/2024	5:10	23	39
01/03/2024	5:15	22	37
01/03/2024	5:20	11	34
01/03/2024	5:25	16	33
01/03/2024	5:30	19	27
01/03/2024	5:35	13	25
01/03/2024	5:40	8	19
01/03/2024	5:45	6	15
01/03/2024	5:50	5	13
01/03/2024	5:55	7	13
01/03/2024	6:00	8	12

Notes:

D, T & V	- Date, Time & Exceedance Value Reported
Faded Values	- Not used to calculate the number of reportable exceedences
	- Range of 5-minute measurements that contribute to the Exceedance Value Reported
<u>Max</u>	- Maximum of the Range
<u>Min</u>	- Minimum of the Range

Ambient Air Quality Criteria (AAQC) for SO₂ = 40 ppb for 1-hour running average

Total Number of Reportable Exceedances: **2**

A large decorative graphic on the left side of the page, featuring a blue triangle in the top-left corner and a large, light beige circular shape that overlaps the rest of the page. The text 'APPENDIX F' is centered within the beige area.

APPENDIX F



600 Southgate Drive
Guelph, ON N1G 4P6
Canada

Tel: +1.519.823.1311
Fax: +1.519.823.1316
E-mail: solutions@rwdi.com

April 29, 2024

Lyndsay Waller
Operations Technician
The Regional Municipality of Durham
Durham York Energy Centre
605 Rossland Road East, 1st Floor.
Corporate Services-Legislative Services Division
Whitby, ON L1N 6A3
Lyndsay.Waller@durham.ca
Lipika.Saha@durham.ca

**Re: Durham York Energy Centre (DYEC)
2024 Ambient Air Q1 Sulphur Dioxide Emissions
RWDI Reference No. 2400035**

In support of the 2024, Q1 Ambient Air Quality Monitoring Report prepared by RWDI Inc., the following information is provided in relation to the performance of the DYEC during the periods of elevated sulphur dioxide (SO₂) concentrations observed at the facility's Courtice and Rundle ambient air monitoring stations.

The Emission Summary and Dispersion Modelling (ESDM) report submitted as part of the DYEC ECA Application modelled SO₂ concentrations at the maximum point of impingement (POI) for a facility operating at 110% maximum continuous rating (MCR) with in-stack SO₂ concentrations at the permit limit of 35 mg/m³. Under this conservative assumed facility operating condition, the predicted maximum 1-hour average concentration at the POI was 8.62 µg/m³, which represents 8.62% of the new ambient air standard of 100 µg/m³, which was implemented in 2020.

During Q1, there were one-hundred and fifty-seven (157) exceedance events above the rolling 10-minute SO₂ Ambient Air Quality Criteria (AAQC) and sixty-three (63) exceedance events above the rolling 1-hour SO₂ AAQC recorded at the Courtice station. There were no exceedance events above the rolling 10-minute SO₂ Ambient Air Quality Criteria (AAQC) or rolling 1-hour SO₂ AAQC recorded at the Rundle Road station.

Each of the date and times of the SO₂ AAQC exceedances were compared against the wind direction recorded at the ambient air stations as well as the SO₂ concentrations measured at the DYEC by the continuous emissions monitoring system (CEMS).

As indicated by RWDI in the 2024 DYEC Ambient Air Q1 Report, the Courtice Station pollution rose in **Figure 6** shows that the majority of elevated SO₂ events at Courtice occurred from the north to northeast directions. The events were likely a result of emissions from surrounding industrial sources with contributions from the DYEC in the east-northeast direction. The Courtice station pollution rose in **Figure 7** shows that <1.00% of the 5-min SO₂ events are elevated >67 ppb and the majority occurred from the north-northwest to north-northeast directions. The pollution rose indicates that the DYEC may be a potential contributor to SO₂ levels at the station along with other industrial activity nearby.

The Rundle Road Station pollution rose in **Figure 6** shows that there were no elevated SO₂ events at Rundle Road. The Rundle Road station pollution rose in **Figure 7** shows that there were no 5-min SO₂ events elevated >67 ppb.

During the times the SO₂ AAQC events occurred, both boilers CEMS concentrations, comprised of 24-hour rolling arithmetic average, were recorded between 0-13 mg/Rm3. The DYEC's CEMS concentrations for both boilers were below the DYEC regulatory compliance limit of 35 mg/Rm3 and the facility was operating under normal conditions.